



- NOTES:
1. SLOPE TRENCH TO MEET OSHA REQUIREMENTS (LATEST EDITION) OR USE TRENCH BOX.
  2. FOUNDATION AND BEDDING MATERIAL AS REQUIRED.
  3. INSTALL PIPELINES ON STABLE FOUNDATION WITH UNIFORM BEARING FOR FULL LENGTH OF BARREL, EXCAVATE IN BEDDING FOR ALL PIPE JOINTS.



STATEMENT OF USE

THIS DOCUMENT AND ANY ILLUSTRATIONS HEREON ARE PROVIDED AS STANDARD CONSTRUCTION DETAILS WITHIN LINDON CITY. DEVIATION FROM THIS DOCUMENT REQUIRES APPROVAL OF LINDON CITY, LINDON CITY CORPORATION AND J-U-B ENGINEERS CAN NOT BE HELD LIABLE FOR MISUSE OR CHANGES REGARDING THIS DOCUMENT.

TYPICAL TRENCH SECTIONS

STANDARD DRAWING NUMBER: 10

CAD DWG: LC StdDwg.dgn  
 PLOT SCALE: 1,000  
 DRAWN BY: MJJ  
 DESIGN BY: DCI  
 CHECKED BY: MLC  
 ADOPTED DATE: 17 JAN 06

LINDON CITY  
 100 NORTH STATE

REVISION			
NO.	DESCRIPTION	BY	DATE
1	CLARIFIED BACKFILL & EMBEDMENT ZONES	MJJ	MLC 10MAR05