


ELEVATION SECTION

3/4" GRAVEL FOUNDATION OUTSIDE SHAPE MAY BE IRREGULAR



SECTION A-A

- NOTES:
1. MANHOLE COVER TO CONTAIN ONE PICK HOLE. SEE SPECIFICATION DIVISION 5 FOR COVER LABEL. D&L SUPPLY P/N A-1180 (OR EQUAL).
  2. SAMPLE MANHOLE MAY BE CORRUGATED METAL PIPE WITH A Poured BASE WHEN LOCATED IN A NON-TRAFFIC AREA. IF LOCATED IN A TRAFFIC AREA IT MUST BE CONCRETE WITH A Poured BASE.
  3. FLAT LIDS MAY BE USED IN LIEU OF ECCENTRIC CONES WHERE NECESSARY. FLAT LIDS SHALL BE OF ECCENTRIC DESIGN AND MEET H20 LIVE LOADING. NO FLAT RING AND COVERS WILL BE ALLOWED UNLESS APPROVED BY PUBLIC WORKS.
  4. LATERALS TO BE IN SEPARATE TROUGHS IN MANHOLE.
  5. SAMPLING MANHOLES SHALL BE PLACED IN LOCATIONS THAT ARE ACCESSIBLE AT ALL TIMES DURING BUSINESS HOURS.



STATEMENT OF USE

THIS DOCUMENT AND ANY ILLUSTRATIONS HEREON ARE PROVIDED AS STANDARD CONSTRUCTION DETAILS WITHIN LINDON CITY. DEVIATION FROM THIS DOCUMENT REQUIRES APPROVAL OF LINDON CITY. LINDON CITY CORPORATION AND J-U-B ENGINEERS CAN NOT BE HELD LIABLE FOR MISUSE OR CHANGES REGARDING THIS DOCUMENT.

REVISION

NO.	DESCRIPTION	BY	APR.	DATE
1	REPLACED PART NUMBER IN NOTES	TRG	MLC	1/09/08
2	REVISED MANHOLE BASE SLOPE	BTW	MLC	12/06/11
3	REVISED WORKING IN SECTION VIEW. ADDED NOTE #5	EEA	MLC	02/20/15



TYPICAL SAMPLING MANHOLE

LINDON CITY  
100 NORTH STATE

STANDARD DRAWING NUMBER:	12
CAD DWG: LC_Std0.wgs.dgn	
PLOT SCALE:	1:000
DRAWN BY:	BKW
DESIGN BY:	DOT
CHECKED BY:	MJL
ADOPTED DATE:	07 APR 15