


- ① MANUAL FLUSH VALVE  
PLUMBED TO PVC IN LOWEST  
POINT
- ② 1 1/2" PVC EXHAUST HEADER
- ③ TLIAPVC CONNECTOR
- ④ 1 1/2" PVC SUPPLY HEADER
- ⑤ REMOTE CONTROL VALVE  
ASSEMBLY
- ⑥ AREA PERIMETER
- ⑦ DRIPLINE TUBING LATERAL
- ⑧ PERIMETER DRIPLINE TUBING  
LATERALS 2" TO 4" FROM EDGE

**CENTER FEED DRIP LAYOUT**


NTS



- ① MANUAL FLUSH VALVE  
PLUMBED TO PVC IN LOWEST  
POINT
- ② 1 1/2" PVC EXHAUST HEADER
- ③ TLIAPVC CONNECTOR
- ④ 1 1/2" PVC SUPPLY HEADER
- ⑤ REMOTE CONTROL VALVE  
ASSEMBLY
- ⑥ AREA PERIMETER
- ⑦ DRIPLINE TUBING LATERAL
- ⑧ PERIMETER DRIPLINE TUBING  
LATERALS 2" TO 4" FROM EDGE

**END FEED DRIP LAYOUT**

NTS



- ① MANUAL FLUSH VALVE  
PLUMBED TO PVC IN LOWEST  
POINT
- ② 1 1/2" PVC EXHAUST HEADER
- ③ TLIAPVC CONNECTOR
- ④ 1 1/2" PVC SUPPLY HEADER
- ⑤ REMOTE CONTROL VALVE  
ASSEMBLY
- ⑥ AREA PERIMETER
- ⑦ DRIPLINE TUBING LATERAL
- ⑧ PERIMETER DRIPLINE TUBING  
LATERALS 2" TO 4" FROM EDGE

**ISLAND DRIP LAYOUT**

NTS



STATEMENT OF USE  
THIS DOCUMENT AND ANY ILLUSTRATIONS HEREON ARE PROVIDED AS STANDARD CONSTRUCTION DETAILS WITHIN LINDON CITY. DEVIATION FROM THIS DOCUMENT REQUIRES APPROVAL OF LINDON CITY, LINDON CITY CORPORATION AND J-U-B ENGINEERS CAN NOT BE HELD LIABLE FOR MISUSE OR CHANGES REGARDING THIS DOCUMENT.

REVISION			
NO.	DESCRIPTION	BY	APPR. DATE



**IRRIGATION  
DRIP LAYOUT (1 OF 2)**

LINDON CITY  
100 NORTH STATE

STANDARD DRAWING NUMBER: **24f**  
 CAD DWG: LC\_StdDwg.dwg  
 PLOT SCALE: 1:1000  
 DRAWN BY: CJC  
 DESIGN BY: MLC  
 CHECKED BY: MLC  
 ADOPTED DATE: 01 FEB 11