


- ① ROOTBALL
- ② CROWN - 1"-2" ABOVE FINISH GRADE
- ③ FINISH GRADE
- ④ FINISH GRADE AT SLOPE (WHERE OCCURS)
- ⑤ 2x ROOTBALL DIA. MIN. W/ 45° SIDES
- ⑥ BACKFILL MIX
- ⑦ 2"
- ⑧ TOP OF PAVING (WHERE APPLICABLE)
- ⑨ 3" HIGH WATERING BASIN
- ⑩ UNDISTURBED SOIL
- ⑪ 3" LAYER SHREDDED BARK MULCH AROUND EACH TREE IN 3' RADIUS CIRCLE (WHEN IN TURF)

TREE/SHRUB PLANTING DETAIL

NTS



- ① 6" X 6" CONCRETE MOW STRIP (MIN. 2000 PSI AT 28 DAYS)
- ② FINISH GRADE AT 2" FOR GROUNDCOVER AREAS
- ③ FINISH GRADE FOR LAWN AREAS: 1" FOR SEED; 1-1/2" FOR SOD
- ④ 1/2" RADIUS TROWELED EDGES (TYP.)
- ⑤ #3 REBAR CONT. (LAP 12" AT SPLICES)
- ⑥ UNDISTURBED OR 90% COMPACTED SUBGRADE
- ⑦ 3" LAYER SHREDDED BARK MULCH IN PLANTER BEDS

NOTE:
 PROVIDE CONSTRUCTION OR CONTROL JOINTS AT 5' O.C. MAX. AND EXPANSION JOINTS WHERE MOWSTRIP ABUTS ANY MASONRY TYPE IMPROVEMENT.

6" CONCRETE MOWSTRIP

NTS



STATEMENT OF USE			
THIS DOCUMENT AND ANY ILLUSTRATIONS HEREON ARE PROVIDED AS STANDARD CONSTRUCTION DETAILS WITHIN LINDON CITY. DEVIATION FROM THIS DOCUMENT REQUIRES APPROVAL OF LINDON CITY, LINDON CITY CORPORATION AND J-U-B ENGINEERS CAN NOT BE HELD LIABLE FOR MISUSE OR CHANGES REGARDING THIS DOCUMENT.			
REVISION			
NO.	DESCRIPTION	BY	APPR. DATE



PLANTING PLANTING AND MOWSTRIP DETAILS

LINDON CITY
 100 NORTH STATE

STANDARD DRAWING NUMBER:	24h
CAD DWG: LC_StdDwg.dwg	
PLOT SCALE:	1:000
DRAWN BY:	CJC
DESIGN BY:	MLC
CHECKED BY:	MLC
ADOPTED DATE:	01 FEB 11