






“Shining Star”


Finished Size: 60” x 72”


Presented to you by
Sew-Ezy Sewing Studio
Cincinnati, OH




3/4 yd light fabric 

5/8 yd medium light fabric 

5/8 yd medium fabric 

1 1/4 yd medium dark fabric 

1 1/8 yd dark fabric 

1 1/4 yd border fabric

5/8 yd binding fabric



3 7/8 yd backing fabric (piece horizontally)



INSTRUCTIONS:


**PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.**

- ❖ All seams are sewn with a 1/4" seam allowance.
- ❖ PRESS OPEN ALL SEAMS to assist with bulk.



STEP 1 – CUTTING FABRIC

From the light fabric cut:

- Two 6 7/8" strips; subcut into ten 6 7/8" squares cut diagonally once 
- Two 3 3/4" strips; subcut into twenty 3 3/4" squares cut diagonally once
- One 2 7/8" strip; subcut into ten 2 7/8" squares cut diagonally once


From the medium light fabric cut:

- Four 4 1/4" strips; subcut into thirty 4 1/4" squares cut diagonally twice 


From the medium fabric cut:

- Four 4 1/4" strips; subcut into thirty 4 1/4" squares cut diagonally twice 

From the medium dark fabric cut:

- Six 3 7/8" strips; subcut into sixty 3 7/8" squares cut diagonally once 
- Two 3 3/4" strips; subcut into twenty 3 3/4" squares cut diagonally once
- One 2 7/8" strip; subcut into ten 2 7/8" squares cut diagonally once
- Two 3 3/8" strips; subcut into twenty 3 3/8" squares

From the dark fabric cut:

- Two 6 7/8" strips; subcut into ten 6 7/8" squares cut diagonally once 
- Four 3 7/8" strips; subcut into forty 3 7/8" squares cut diagonally once
- Two 3 3/8" strips; subcut into twenty 3 3/8" squares

From the border fabric cut:

- Six 6 1/2" strips; piece together and subcut into four 6 1/2" x 60 1/2" borders

From the binding fabric cut:

- Seven 2 1/2" strips; piece together to make one long strip



INSTRUCTIONS:

**PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.**

STEP 2 – ASSEMBLE “WINDMILL” BLOCKS:


1. Sew the medium dark $3 \frac{7}{8}$ ” triangles to the dark $3 \frac{7}{8}$ ” triangles. Make 40



2. Sew a $4 \frac{1}{4}$ ” medium light and $4 \frac{1}{4}$ ” medium triangle together as shown. Make 60 each set. Sew to a medium dark or dark $3 \frac{7}{8}$ ” triangle. Make 60 of each set.



3. Sew the units made in steps 2 and 3 together to make the block as shown. Make 10 blocks.






INSTRUCTIONS:


**PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.**

STEP 3 – ASSEMBLE “STORM SIGNAL” BLOCKS:


1. Sew two $3\frac{3}{4}$ " medium dark triangles to two sides of the $3\frac{3}{8}$ " dark square. Sew the $2\frac{7}{8}$ " medium dark triangle to the bottom of the unit. Make 20. Repeat. Using the $3\frac{3}{4}$ " light triangles and the $3\frac{3}{8}$ " medium dark square. Make 20.



2. Sew a $6\frac{7}{8}$ " light triangle to the dark/medium dark triangle combination. Make 20. Sew a $6\frac{7}{8}$ " dark triangle to a light/medium dark triangle combination. Make 20.



3. Sew two of each combination together to make a block. Make 10 blocks.





INSTRUCTIONS:

**PLEASE READ ALL OF THE INSTRUCTIONS
BEFORE YOU BEGIN SEWING.**

STEP 4 – COMPLETE THE QUILT TOP:

1. Sew the blocks in five rows of four blocks starting with the Windmill block and alternating with the Storm Signal block.
2. Sew two 6 ½" x 60 ½" borders to the two sides of the quilt top. Sew the other 6 ½" x 60 ½" borders to the top and bottom of the quilt top.
3. Layer the quilt back right side down, the batting, and the quilt top. Quilt as desired. Trim the backing and batting even with the quilt top.
4. Stitch the binding, raw edges even to the quilt. Turn to the back and slipstitch.

Note: While every effort has been made to create this pattern without errors, no warranty is given nor results guaranteed.