

Paparazzi

Quilt design and piecing by Cyndi Hershey
Machine quilted by Pat Burns

**BONUS
PATTERN
INCLUDED!**

Finished Quilt Size: approximately 59" x 67"



FABRIC REQUIREMENTS:

A. Pattern #22273 – BLA/RED1	1 yard
B. Pattern #22274 – CRE1	5/8 yard
C. Pattern #22274 – GRY1	7/8 yard
D. Pattern #22275 – BLA1	1 yard
E. Pattern #22275 – GRY1	5/8 yard
F. Pattern #22276 – RED1	1/2 yard
G. Pattern #22277 – RED1	1/4 yard
H. Pattern #22278 – LTGRY1	3/8 yard
I. Pattern #22278 – RED/BLA1	1/4 yard
J. Pattern #22278 – RED1	1/4 yard
K. Pattern #22280 – GRY1	5/8 yard

Tokyo:

L. Pattern #12615 – BLA1	1 1/3 yards
Backing	3 3/4 yards
Batting	65" x 73"

CUTTING INSTRUCTIONS:

Please read all instructions carefully before beginning. 1/4" seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew.

A. Pattern #22273 – BLA/RED1 (large theme print):

1. Cut one 20 1/2" x 30 1/2" centering design as you desire. Length of rectangle should be cut on the lengthwise grain of the fabric (parallel to the selvages). There should be enough remaining width of this fabric to use for most of the table runner backing if you desire. Simply add coordinating fabric strips to extend to length needed.

B. Pattern #22274 – CRE1 (large red on cream floral):

PIECING INSTRUCTIONS:

A. Fourth Border:

NOTE: In order to use trimmed corner sets to make the table runner, use your rotary cutter and ruler to trim these seams to an accurate 1/4".

1. Draw a diagonal line on the back side of each (H) 3 1/2" square (Figure 1).
2. With right sides together, place a marked square at one end of one (G) 3 1/2" x 6 1/2" rectangle. Sew on line. Trim seam to 1/4". (Save corner sets for table runner, if desired.) Press seam toward (H) triangle. Repeat for opposite end of rectangle. Make five each of H/G, H/I and H/J units.




Figure 1

Make five of each combination for a total of fifteen units.



1. Cut four 4 1/2" strips; subcut two 4 1/2" x 30 1/2" and two 4 1/2" x 32 1/2".

C. Pattern #22274 – GRY1 (large tonal gray floral):

1. Cut four 6 1/2" strips; subcut two 6 1/2" x 21 1/2" strips, one 6 1/2" x 27 1/2" strip and one 6 1/2" x 33 1/2" strip. From remainder, cut one 6 1/2" x 9 1/2" rectangle and three 6 1/2" squares.

D. Pattern #22275 – BLA1 (medium black floral):

1. Cut seven 4 1/2" strips; subcut twenty-six 4 1/2" x 8 1/2" rectangles.

E. Pattern #22275 – GRY1 (medium gray on cream floral):

1. Cut four 4 1/2" strips; subcut twenty-eight 4 1/2" squares.

F. Pattern #22276 – RED1 (red dots on black stripe):

1. Cut seven 2 1/4" strips for binding.

G. Pattern #22277 – RED1 (red mosaic):

1. Cut one 3 1/2" strip; subcut five 3 1/2" x 6 1/2" rectangles.

H. Pattern #22278 – LTGRY1 (gray dots on cream):

1. Cut three 3 1/2" strips; subcut thirty 3 1/2" squares.

I. Pattern #22278 – RED/BLA1 (black dots on red):

1. Cut one 3 1/2" strip; subcut five 3 1/2" x 6 1/2" rectangles.

J. Pattern #22278 – RED1 (cream dots on red):

1. Cut one 3 1/2" strip; subcut five 3 1/2" x 6 1/2" rectangles.

K. Pattern #22280 – GRY1 (gray circles):

1. Cut four 4 1/2" strips; subcut twenty-eight 4 1/2" squares.

Tokyo

L. Pattern #12615 – BLA1 (tonal black):

1. Cut seven 1 1/2" strips. Sew end to end with diagonal seams; press seams open. Subcut the following strips: two 22 1/2", two 30 1/2", two 33 1/2" and two 48 1/2". Cut eleven 2" strips. Sew end to end with diagonal seams; press seams open. Subcut the following strips: two 40 1/2", two 54 1/2", two 59 1/2" and two 64 1/2".

3. Refer to diagram and photo for placement of all border units. For side borders, sew flying-geese units and (C) strips together. Press seams away from triangle tips. Repeat process for top and bottom borders.

B. Outer Pieced Border:

NOTE: In order to use trimmed corner sets to make the table runner, use your rotary cutter and ruler to trim these seams to an accurate 1/4".

1. Draw a diagonal line on the back side of each (E) 4 1/2" square and twenty-four (K) 4 1/2" squares.
2. With right sides together, place a marked (E) square at one end of one (D) 4 1/2" x 8 1/2" rectangle. Sew on line. Trim seam to 1/4". (Save corner sets for table runner, if desired.) Press seam toward (D) rectangle. Place a marked (K) square at the opposite end of rectangle so that marked line is parallel to seam of (E) triangle. Note that these units are not the same as the flying-geese units.

Trim seam and press. Make twelve units and twelve reverse units (Figure 2).



Figure 2 Make twelve of each combination.

- Following process detailed above, make two flying-geese units using one (D) $4\frac{1}{2}$ " x $8\frac{1}{2}$ " rectangle and two (E) $4\frac{1}{2}$ " squares for each one (Figure 3).



Figure 3
Make two.

- Refer to diagram and photo for placement of all border units. For each side border, sew three border units to each side of a flying-geese unit; press. For both top and bottom borders, sew six border units together; press. Sew a (K) $4\frac{1}{2}$ " square to both ends of each border. Press seams toward squares.


QUILT ASSEMBLY: Refer to Quilt Diagram.

- Sew one (L) $1\frac{1}{2}$ " x $30\frac{1}{2}$ " strip to both sides of the center (A) $20\frac{1}{2}$ " x $30\frac{1}{2}$ " rectangle. Sew one (L) $1\frac{1}{2}$ " x $22\frac{1}{2}$ " strip to the top and bottom. Press all seams toward the (L) borders.
- Sew one (B) $4\frac{1}{2}$ " x $32\frac{1}{2}$ " strip to both sides of quilt center. Sew one (B) $4\frac{1}{2}$ " x $30\frac{1}{2}$ " strip to the top and bottom. Press all seams toward the (L) borders.
- Sew one (L) 2 " x $40\frac{1}{2}$ " strip to both sides of quilt center. Sew one (L) $1\frac{1}{2}$ " x $33\frac{1}{2}$ " strip to the top and bottom. Press all seams toward the (L) borders.

- Referring to quilt diagram and photo, sew fourth round borders to quilt center starting with side borders then adding top and bottom borders. Press all seams toward the (L) borders.
- Sew one (L) 2 " x $54\frac{1}{2}$ " strip to both sides of quilt center. Sew one (L) $1\frac{1}{2}$ " x $48\frac{1}{2}$ " strip to the top and bottom. Press all seams toward the (L) borders.
- Referring to quilt diagram and photo, sew pieced outer borders to quilt center starting with side borders then adding top and bottom. Press all seams toward the (L) borders.
- Sew one (L) 2 " x $64\frac{1}{2}$ " strip to both sides of quilt center. Sew one (L) 2 " x $59\frac{1}{2}$ " strip to the top and bottom. Press all seams toward the (L) borders.

FINISHING:

- Prepare backing using two widths and a horizontal seam to measure 65 " x 73 ". Press seam open.
- Layer quilt top, batting and backing.
- Baste or safety pin layers together.
- Quilt as desired.
- Join (F) $2\frac{1}{4}$ " binding strips together with diagonal seams. Trim seams and press open. Sew binding to quilt using your preferred method.



Quilt Diagram

BONUS TABLE RUNNER FROM CUTAWAY TRIANGLE CORNERS!



Finished Tablerunner Size: approximately 16" x 40"

TABLERUNNER ADDITIONAL CUTTING:

G. Pattern #22277 – RED1:

1. Cut three 1" strips; subcut two 1" x 36½" and two 1" x 13½".

Tokyo:

L. Pattern #12615 – BLA1:

1. Cut three 2" strips. Sew together end to end with diagonal seams. Press seams open. Cut two 2" x 37½" strips and two 2" x 16½" strips.

Batting and backing:

1. 16½" x 40½" each (or cut to match size of completed runner top)

PIECING INSTRUCTIONS:

1. Using trimmed triangle sets, sew all black/gray sets together along their diagonal sides (Figure 1). Press toward the darker fabric or press seams open if you prefer. Use a small, square ruler with a diagonal line to trim units to 3½". To do that, place diagonal line on seam line and intersecting 3½" lines on one corner. Cut off excess.
2. Repeat process in step one using trimmed red/cream triangle sets. Trim these units to 2".
3. Referring to Figure 2 and photo for placement, sew two red/cream units together and press seam open to disperse bulk. Sew this to another set matching seams to complete one square unit. Press seam open. Repeat to make four units.
4. Referring to diagram and photo for placement and using four units per row, sew black/gray units and red/cream units into rows. Press seams in alternate directions from row to row. Sew rows together and press.
5. Sew one (G) 1" x 36½" strip to both sides of runner. Sew one (G) 1" x 13½" strip to both ends of runner. Press all seams toward (G) border.



Figure 1 Trim units to 3½".





Figure 2 Make 4 blocks.

6. Sew one (L) 2" x 37½" strip to both sides of runner. Sew one (L) 2" x 16½" strip to both ends of runner. Press all seams toward (L) border.
7. Place runner top and backing with right sides together. Place batting on top matching all edges. Pin.
8. Beginning at center of one side, sew layers together with ¼" seam pivoting at each corner. Stop leaving opening. Turn right sides out and press being careful to press outer edges neatly. If desired, topstitch outer edges ¼" from folds. Quilt center as desired being sure to stitch in-the-ditch of both border seams.




Table Runner Diagram

©2012 Red Rooster Fabrics. All rights reserved. Not intended for individual resale.

The design for this Red Rooster Fabrics' pattern is protected by U.S. copyright law.

Quilt stores: for additional copies of this pattern please call or write Red Rooster Fabrics at the address listed: 253 West 35th Street, 11th Floor, New York, NY 10001

401.728.4200 • www.redroosterfabrics.com

We take great care to ensure that the information included in our free pattern is accurate and presented in good faith. No warranty is provided nor results guaranteed.

For your convenience, we post an up-to-date listing of corrections on our website:

<http://www.redroosterfabrics.com/quilt/oops.php>

If a correction is not noted, please contact our customer service department at info@redroosterfabrics.com. You may also call or write us at the address above.