

FREE
PATTERN

CAMELOT®

Freshly Made to bring your ideas to life.



Lattice Table Runner (D-012)

by Camelot Design Studio

Difficulty Level: Beginner

Finished Size: 16" x 69"



Exclusive Project Design by Camelot Design Studio. © Camelot Design Studio.
The direction of the fabrics in the digital imagery may not be accurate to the final product.



camelotfabrics.com
info@camelotfabrics.com

FREE
PATTERN

CAMELOT®

Freshly Made to bring your ideas to life.

COLLECTION:
WICKED GARDEN

Lattice Table Runner (D-012)


Fabric Requirements



Fabric A: 49240304-02
1/2 Yard




Fabric B: 49240303-01
1/2 Yard



Fabric C: 214-0003
7/8 Yard



Fabric D: 49240304-01
1/2 Yard



Fabric E: 214-0002
3/8 Yard (Binding)



Suggested Backing:
49240302-01
1 Yard


Other Tools & Supplies

- sewing machine
- needle & coordinating thread
- rotary cutter & mat
- straight edge ruler & measuring tape
- iron & pressing surface
- fabric shears
- fabric marker
- straight pins / quilt weights / binding clips, as desired

Notes:


- Please wash, dry & iron your fabric before beginning.
- WOF = width of fabric.
- HST = half square triangle.
- When making the table runner's top, sew all seams with the fabrics' Right Sides together.
- Sew all seams with a 1/4" seam allowance.

Cutting




Fabric A

- Cut (2) 4" x WOF strips - sub-cut (20) 4" squares.
- Cut (1) 4-1/2" x WOF strip - sub-cut (2) 4-1/2" squares and (7) 4" squares.




Fabric B

- Cut (2) 4" x WOF strips - sub-cut (20) 4" squares.
- Cut (1) 4-1/2" x WOF strip - sub-cut (3) 4-1/2" squares.




Fabric C

- Cut (3) 2" x WOF strips.
- Cut (1) 2-1/2" x WOF strip - sub-cut (2) 2-1/2" squares & (1) 2" strip.
- Cut (1) 3-1/2" x WOF strip - sub-cut (12) 3-1/2" squares.
- Cut (3) 4" x WOF strips - sub-cut (30) 4" squares.
- Cut (1) 4-1/2" x WOF strip - sub-cut (4) 4-1/2" squares & (4) 4" squares.




Fabric D

- Cut (2) 2" x WOF strips.
- Cut (1) 2-1/2" x WOF strip - sub-cut (2) 2-1/2" squares & (1) 2" strip.
- Cut (1) 4" x WOF strip - sub-cut (10) 4" squares
- Cut (1) 3-3/4" x WOF strip - sub-cut (10) 3-3/4" squares.



Fabric E (binding)

- Cut (4) 2-1/2" x WOF strips.



Backing



- Cut (2) rectangles 1/2 yd x WOF. Trim selvages & join at the 1/2 yd sides.

1. HST units:

a) Place a 4" Fabric C square on top of a 4" Fabric B square, Right Sides together. Draw a diagonal line down the center of the Fabric C square as shown; stitch down either side of this line.


b) Cut along the center line, open the HST units and press the seams open. Trim if needed to 3-1/2" square.

Make (30) Fabric A/C units and (30) Fabric B/C units.



Make (30) of each HST combination.

c) Join the HST units in pairs as shown. Take care regarding the "slant" of each pair - once the pair is sewn, you cannot change the direction of the slant by rotating it.



Make (7) of each combination - (28) pairs total.


d) Sew the HST unit pairs together in rows.

Make (7) of each combination.




2. Crossover units:


a) Make (6) HST units from your Fabric B & C 4-1/2" squares in the same manner as you made the units in step 1. Trim to if needed to 4" square.




b) Place a 4" Fabric A square over each Fabric B/C unit and draw a diagonal line perpendicular to the HST seam as shown. Sew seams on either side of this line, cut down the line and press the seams open to make (10) Crossover units.



c) Join the Crossover units in pairs as shown.




d) Sew a 3-1/2" Fabric C square to either side of each Crossover pair.



Make (3) of each combination.

3. Building the Center:

a) Sew the HST & Crossover rows together as shown, setting aside one HST row of each combination from Step 1D.



b) Sew the 3-row blocks together top-to-bottom, taking care to alternate the direction of the central Crossover units.

c) Sew the HST rows to the top and bottom as indicated to complete the runner's Center.


4. Borders:

a) Make (4) HST units from your Fabric C & D 2-1/2" squares. Their finished dimensions should be 2" square.

b) Join the 2" Fabric C strips end-to-end. Measure the long sides of the table runner's Center and subtract 3" - cut (2) strips to this length from Fabric C.

c) Sew the small C/D units to the ends of the Fabric C strips as shown to complete the Inner Borders.

d) Sew the Inner Borders to either side of the Center, with the Fabric C edge of each HST facing toward the Center and the Fabric D side facing away.



e) Join the 2" Fabric D strips end-to-end. Cut (2) strips from Fabric D, the same length as the Center. Sew them to the outer edges of the Inner Borders as shown in the Assembly Layout.

5. End Caps

a) Make (2) A/C HST units and (2) B/C HST units out of 4" squares - trim as needed to 3-1/2" square. Sew these units together in pairs as shown.




Make (1) of each combination.

b) Using 4" squares, make (8) Fabric C/D HST units. Sew (4) together in pairs, and sew the remaining (4) to the outer sides of the A/C & B/C pairs you just made.




Make (2) pairs.

Make (1) of each combination.



c) Cut your (6) 3-1/2" Fabric D squares in half diagonally to make (12) right-angle triangles. Sew (4) of these triangles together in pairs as shown; sew the remaining (8) to the ends of the units you created in the previous step.



e) Sew the End Caps to the Center & Borders complete the table runner's top.

Finishing:

Quilt & bind the table runner as desired.

Assembly Layout

