


# Quadrangle

Pattern by modu Quilt is 67" x 67"



# FABRIC REQUIREMENTS

Prints: 1 Jelly Roll\* (36 strips needed)

Cornerstones & Block Centers: 1 Fat Eighth\*\* or 2 squares - 10" x 10"

Setting/Border: 2½ yards

Binding: 5% yard

Backing: 4½ yards

\*Jelly Roll =  $40 - 2\frac{1}{2}$ " x width of fabric strips \*\* Fat Eighth = 9" x 21" width of fabric

# **Cutting Instructions:**

#### From the Jelly Roll:

Unroll the Jelly Roll and select (36) strips. Cut each strip in half – 2 ½" x 21". Before cutting on the fold, make sure the strips are the same length. Sort the strips to make (36) contrasting pairs.

# Project JELLY ROLL \*\*\*ROLL \*

#### From the Fat Eighth or 10" x 10" squares:

• Cut (5) 1 ½" x 21" strips from your F8. Sub-cut (36) 1 ½" x 1 ½" squares for the block centers, and (25) 1 ½" x 1 ½" squares for the cornerstones.

#### From the Background fabric:

- Cut (3) 9 ½" x 42" wof strips. Sub-cut a total of (60) 1 ½" x 9 ½" rectangles for the sashing.
  - From the remainder, cut (14) 1 ½" x 4 ½" rectangles for the block sashing
- Cut (12) 4 ½" x 42" wof strips.
  - Select 5 strips. Sub-cut a total of (130)  $1 \frac{1}{2}$ " x  $4 \frac{1}{2}$ " rectangles for the block sashing. (There should be a total of (144) rectangles.
  - Piece the remaining (7) strips for length. Sub-cut the following:
    - (2) 4 ½" x 59 ½" Side Border strips.
    - (2) 4 ½" x 67 ½" Top/Bottom strips.

### From the Binding Fabric:

Cut (7) 2¼" x WOF strips.

#### Construction.


All seams are a scant 1/4".\* Press the seams in the direction of the arrows.

# Making the Four-Patches.

1. Join (2) 2½" x 21" strips on the long edge. Repeat to make 36 different strip sets.




\*Jelly Roll Accuracy Tip: Use a smaller than scant 1/4" seam allowance to join the strips. Then, before pressing, align your seam with the 21/4" line on your ruler, and trim off the unsewn edge of your strips. The straight edge helps with accuracy when the blocks are assembled.




Trim away points on unfinished side

2. Sub-cut each strip set into (8)  $2\frac{1}{2}$ " wide segments. Each segment should measure  $2\frac{1}{2}$ " x  $4\frac{1}{2}$ ".




3. Join (2) 2½" x 4½" segments as shown. Press the seam in one direction. Repeat to make four matching units. Each will measure 4½" x 4½".



4. Lay out the 4 matching four-patches, 4 sashing strips - 1½" x 4½", and 1 center square - 1½" x 1½" as shown.

Join the parts to make rows. Press the seams to the sashing strips in each row.

Join the rows to complete the block - press the seams to the middle sashing strip row. The block will measure  $9\frac{1}{2}$ " x  $9\frac{1}{2}$ ".



Repeat to make 36 blocks.


#### Construction.

Lay out the blocks in six rows of six blocks each, alternating the blocks with  $1\frac{1}{2}$ " x  $9\frac{1}{2}$ " sashing strips and  $1\frac{1}{2}$ " x  $1\frac{1}{2}$ " cornerstones.

Join the blocks/parts in each row. Press the seams to the sashing strips - away from the blocks and cornerstones.

Join the rows to complete the quilt top. Press the seams to the sashing strip rows - away from the block rows.


The quilt top will measure 59½" x 59½" at this stage.



# Completing the Top.

Piece the  $4\frac{1}{2}$ " border strips. Press the seams open. Cut the following lengths:

- Side borders. Cut (2) 4½" x 59½" or the length of your quilt top.
- Top/Bottom borders. Cut (2) strips 4½" x 67½".



Join the  $4\frac{1}{2}$ " x  $67\frac{1}{2}$ " top/bottom border strips to the top/bottom edges of the quilt top. Press the seams to the border strips.

Quilt and bind as desired.

