



NOTICE AND AGENDA BRIGHAM CITY COUNCIL MEETING

Thursday, August 03, 2017
City Council Chambers, 20 North Main

5:30 WORK SESSION – Consideration of Utility Revenue Bond to Construct a Waterline Around Mantua Reservoir, Electrical Substation and Transmission Line

7:00 REGULAR CITY COUNCIL MEETING

Thought, Reading or Invocation: TBA

Pledge of Allegiance

Approval of Minutes: July 20, 2017 Work Session

7:05 CONSENT

1. Schedule a Special Meeting for August 24 at 5:00 to Canvass the Primary Election
2. Appointment to the Citizen Corps Council
3. Reappointment to the Library Board
4. Appointment of Derek Oyler to the Position of Director of Finance

7:10 PUBLIC COMMENTS¹ *(Per Utah Code, Council will receive input only, no decision can be made)*

7:20 COUNCILMEMBER COMMENTS

NEW BUSINESS

- 7:30** 1. Discussion on Fire Department Overtime and Retirement – Derek Oyler
- 7:40** 2. Consideration of Ordinance Amending City Code 17.03.060, Consumption of Alcohol, to Allow Alcohol in Public Parks, Playgrounds or Recreational Facilities when Permitted under a Special Event Permit – Paul Larsen
- 7:50** 3. Discussion on Splash Pad Design – Tyler Pugsley

UNFINISHED BUSINESS

- 8:00** 1. Consideration of Resolution Authorizing the Mayor to Sign a Local Consent Form for a Temporary Beer Event Permit Application – Paul Larsen

Assigned times may vary depending on length of discussion or agenda alteration.

In compliance with the Americans with Disabilities Act, persons needing auxiliary communicative aids and services for these meetings should contact the City Recorder (734-6621) at least 48 hours in advance of the meeting.

CERTIFICATE OF POSTING

The undersigned duly appointed City Recorder, does hereby certify that the above notice and agenda was posted in three public places within the Brigham City limits. A copy was also provided to the Box Elder News Journal and posted on the City website and the State Public Meeting Notice website on July 28, 2017.

Mary Kate Christensen
City Recorder

¹ Each individual is limited to three minutes. Total input period is limited to 15 minutes.