

Two Little Totes

| Fabric Requirements: | Small | Medium |
|---|-----------|-----------|
| Main fabric (body, pockets) | 5/8 yd. | 3/4 yd. |
| Lining fabric (body, pockets) | 5/8 yd. | 3/4 yd. |
| Coordinating fabric (zipper strips, inner pocket, inner divider, handles, bindings) | 7/8 yd. | |
| Soft and Stable | 1/2 yd. | 3/4 yd. |
| Fusible Interfacing (Shape Flex) | | |
| Material for the bottom (cork, faux leather, or vinyl) | 10" x 18" | 9" x 20" |
| Zipper (#5) Preferably Sally Tomato | | |
| 1" Strapping | 2 1/2 yd. | 2 3/4 yd. |

Notions:

“Two Little Totes” pattern by “by Annie”

Sewing machine and the following feet:

1/4" foot, Zig zag foot, Foot for binding (I use my walking foot)

Fabric markers

Awl or stiletto

Clips

Preparation for class:

This bag is full of different techniques. Because of this, I’m asking you to finish the quilting and cutting out before class. Choose between the Small bag or the Medium bag. The instructions for cutting are separated for Small or Medium. The measurements are the same as the pattern. I have separated them to make it easier to read and not make a mistake.

Small Bag

Cut out unquilted fabric.

Following the measurements below, cut out the main fabric, lining fabric, and Soft and Stable. Sandwich and quilt. The outer slip pocket and the outer combo pocket show up nicely. I like to fussy cut or add an embroidery to these special areas.

Quilt the front and back bodies and pockets

(2) 13 1/2" high x 19 1/2" wide (front and back)

(1) 7" x 7" (outer slip pocket)

(1) 7" x 7" (outer combo pocket back)

(1) 5 3/4" high x 7" wide (outer combo pocket front)

Main fabric not quilted: (1) 1" x 18" (joining strip)

Lining fabric not quilted (1) 1 1/2" x 18" (joining strip)

Cutting out quilted fabric:

After quilting the sandwich follow the measurements below:

(2) Front and Back - 12" high x 18" wide

(1) Outer slip pocket - 6" high x 6" wide

(1) Outer combo pocket back - 6" high x 6" wide

(1) Outer combo pocket front - 4 3/4" high x 6" wide

Please label these pieces as you cut them.

Coordinating fabric

- (1) 2 1/4" x 42" (Upper binding)
- (2) 2 3/4" x 42" (Handles)
- (2) 1 1/2" x 28" (Zipper strips)
- (1) 5" high x 23" wide (Inner divider)
- (1) 2 3/4" x 2 3/4" (Zipper tab)
- (4) 2" x 9 1/4" (Inner side bindings)
- (1) 10 1/2" high x 11 1/2" wide (Inner slip pocket)
- (2) 2 1/4" x 7" (Inner bottom bindings)
- (2) 2" x 6" (Slip pocket and combo pocket bindings)
- (1) 1 1/2" x 6" (Combo pocket border)

Sturdy Bottom material: Clean edge: 8" x 18"

Refer to pattern for cutting sturdy bottom material. This can be a bit confusing, so this can be cut in class. If using vinyl, binding is added. This also can be cut in class.

Zippers: 10" and 19"

Fusible Interfacing

- (2) 1 3/8" x 27" (Zipper strip Interfacings)
- (1) 5" x 10 3/4" (Inner slip pocket interfacing)
- (1) 4 1/2" x 10 1/2" (Inner divider interfacing)
- (1) 1 3/8" x 5 3/4" (Outer combo pocket border interfacing)

1" Strapping

- (2) 42"
- (1) Peltex bottom: 5 1/2" x 9"

Medium Bag

Cut Out Unquilted fabric.

Following the measurements below, cut out the main fabric, lining fabric, and Soft and Stable. Sandwich and quilt. The outer slip pocket and the outer combo pocket show up nicely. I like to fussy cut or add an embroidery to these special areas.

Quilt the front and back bodies and pockets

- (2) 15" high x 21" wide (front and back)
- (1) 9" x 9" (outer slip pocket)
- (1) 9" x 9" (outer combo pocket back)
- (1) 7 3/4" high x 9" wide (outer combo pocket front)

Main fabric not quilted: (1) 1" x 19 1/2" (joining strip)

Lining fabric not quilted (1) 1 1/2" x 19 1/2" (joining strip)

Cut out quilted fabric.

After quilting the sandwich follow the measurements below:

- (2) Front and Back - 13 1/2" high x 19 1/2" wide
- (1) Outer slip pocket - 8" high x 8" wide
- (1) Outer combo pocket back - 8" high x 8" wide
- (1) Outer combo pocket front - 6 3/4" high x 8" wide

Please label these pieces as you cut them:

Coordinating fabric

- (1) 2 1/4" x 42" (Upper binding)
- (2) 1 1/4" x 32" (Zipper strips)
- (1) 5 1/2" x 27" (Inner Divider)
- (4) 2 3/4" x 24" (Handles)
- (1) 12 1/2" x 14" (Inner slip Pocket)
- (4) 2" x 11 1/4" (Inner side bindings)
- (1) 1 1/2" x 8" (Combo pocket border)
- (2) 2" x 8" (Slip pocket and combo pocket bindings)
- (2) 2 1/4" x 6 1/4" (Inner bottom bindings)
- (1) 2 3/4" x 2 3/4" (Zipper tab)

Sturdy Bottom material: Clean edge: 7" x 19 1/2"

Refer to pattern for cutting sturdy bottom material. This can be a bit confusing, so this can be cut in class. If using vinyl, binding is added. This also can be cut in class.

Zippers: 12" and 23"

Fusible Interfacing

- (2) 1 1/8" x 31 1/4 " (Zipper strip Interfacings)
- (1) 6" x 13 1/4" (Inner slip pocket interfacing)
- (1) 5" x 12 1/2" (Inner divider interfacing)
- (1) 1 3/8" x 7 3/4" (Outer combo pocket border interfacing)

1" Strapping

(2) 47"

(1) Peltex bottom: 5" x 11 1/2"