

K July Tiling Scene

Materials Needed

Hoop Size 5x7	
Materials	
Fabric 1 • Background 1, 2, 3, 4, 5, 6 ♥	<u>1/3 Yard</u> (6) 7 x 9"
Fabric 2 • Upper House 1, 2 ♥ • Upper House 3, 4 ♥ • Porch Post 3, 4 ♥ • Porch Post 5, 6 ♥	<u>1 Fat Eighth</u> (2) 4 1/2 x 5" (2) 1 1/2 x 4 1/2" (2) 3 1/2 x 5 1/2" (2) 3 x 4"
Fabric 3 • Window 1 ♥	<u>Fabric Scrap</u> (1) 2 x 2 1/2"
Fabric 4 • Half Round Window 1, 2 ♥ • Window 2, 3, 4 ♥ • Foundation 5, 6 ♥ • Back • Optional Hanging Sleeves • Binding	<u>1/2 Yard</u> (2) 2 x 2" (3) 2 x 2 1/2" (2) 2 x 5 1/2" (1) 14 x 15" (4) 2 x 2 1/2" (1) 2 1/2 x 21" (1) 2 1/2" x WOF
Fabric 5 • Lower House 3, 4 ♥ • Lower House 5, 6 ♥	<u>1 Fat Sixteenth</u> (2) 3 1/2 x 5" (2) 3 x 4"
Fabric 6 • Roof 3, 4 ♥	<u>1 Fat Sixteenth</u> (2) 3 x 6"
Fabric 7 • Door 3, 4 ♥ • Door 5, 6 ♥ • Optional Flag Back*	<u>1 Fat Sixteenth</u> (2) 2 x 2 1/2" (2) 2 x 3" (1) 1 1/2 x 2 1/4"
Fabric 8 • Tree 4 • Optional Mini Quilt Back**	<u>1 Fat Sixteenth</u> (1) 3 1/2 x 4" (1) 3 x 3"
Fabric 9 • Grass 5, 6	<u>1 Fat Sixteenth</u> (2) 4 x 8"
Kimberbell® Stabilizer	
Project Batting KDST138 ♥ • Tile 1, 2, 3, 4, 5, 6 • Backing • Optional Mini Quilt** • Optional Flag*	(6) 5 x 7" (1) 14 x 15" (1) 3 x 3" (1) 1 1/2 x 2 1/4"
Fusible Backing KDST126-127 ♥	
Light Mesh Cut-Away Stabilizer KDST111-112 ✂	

A Fabric Scrap is 5 x 5" A Fat Sixteenth is 9 x 11"
A Fat Eighth is 9 x 21" A Fat Quarter is 18 x 21"

♥Iron **Fusible Backing** to the **wrong side** of these fabrics.

*The flag in the sample features the American Flag panel from the KDKB1320 kit. Substitute the Canadian flag panel, the British flag panel, or a 1 1/2 x 2 1/4" fabric piece if desired.

**The mini quilt in the sample features the July panel from the KDKB1320 kit. Substitute a 3 x 3" fabric square if desired.



Embroidery Thread Colors

■ Black 11001	♥ Military Gold 27407
● Lead Grey 1CG11	◻ Linen 10WG1
◻ Sterling 10877	◻ Pine 67743
◻ Peppercorn 17532	◻ Clover 60577
◻ Brunette 24625	◻ Willow 60576
◻ Ruby 70187	◻ Celery 60580
◻ Imperial Red 71797	◻ Admiral 30654
◻ Marmalade 57579	◻ Zaffre 35405

This project was made with Glide thread from Hab+Dash® by Fil-Tec®.

Additional Materials

Embellishment 1: Felt • Strawberries 6	(1) 3 x 4"
• Optional Mini Quilt Panel**	(1)
• Optional Flag Panel*	(1)
• Optional Twine	(1) 6"
• Optional Mini Clothespins	(2)
• Paper Tape	

5x7 Design

File: 5x7-july-1

Embroidery Field:
5.00 x 6.81"



File: 5x7-july-2

Embroidery Field:
5.00 x 6.80"



File: 5x7-july-3

Embroidery Field:
5.00 x 6.81"



File: 5x7-july-4

Embroidery Field:
5.01 x 6.82"




File: 5x7-july-5

Embroidery Field:
5.00 x 6.83"





File: 5x7-july-6

Embroidery Field:
5.00 x 6.84"



Finished Size: 13 x 14"


July Tiling Scene: Tile 6 Featured Instructions



1.


light mesh
cut-away


• Hoop the **Light Mesh Cut-Away Stabilizer**.




2.


• Load the July 6 embroidery file into the machine.





3.  1 Stitch the Batting Placement Line.




4. • Place the Tile 6 **Project Batting**.





5.  2 Stitch the Batting Tack-down Line.




6. • Trim the batting close to the stitch line.




7.  3 Stitch the Background Placement Line and the Seam Line.





8. • Place the Background 6 Fabric, **right side up**. Tape in place.





9.  4 Stitch the Background Tack-down/Trimming Line. **Do not trim the fabric.**




10.  5 Remove the tape. Stitch the Quilting Detail.





11.  6 Stitch the Lower House Placement Line.




12. • Place the Lower House 6 Fabric, **right side up**.




13.  7 Stitch the Lower House Tack-down Line.




14. • Trim the fabric close to the stitch line.





15.  8 Stitch the Porch Post Placement Lines.




16. • Place the Porch Post 6 Fabric, **right side up**.





17.  9 Stitch the Porch Post Tack-down Lines.




18. • Trim the fabric close to the stitch lines.





19.  Stitch the Door Placement Line.




20. • Place the Door 6 Fabric, **right side up**.





21.  Stitch the Door Tack-down Line.




22. • Trim the fabric close to the stitch line.





23.  Stitch the Foundation Placement Line.



24. • Place the Foundation 6 Fabric, **right side up**.




25.  Stitch the Foundation Tack-down Line.



26. • Trim the fabric close to the stitch line.




27.  Stitch the Grass Placement Line.




28. • Place the Grass 6 Fabric, **right side up**.





29.  Stitch the Grass Tack-down Line.





30. • Trim the fabric close to the stitch line.





31.  Stitch the Porch Posts Satin Outlines.





32.  Stitch the Door Satin Outline.




33.  Stitch the Foundation Satin Outlines.




34.  Stitch the Doorstep Fill.




35. Stitch the Doorknob Fill.




36. Stitch the Railing Fills.



37. Stitch the Trunk Fills.




38. Stitch the Grass Fills.



39. Stitch the Strawberries Placement Lines.




• Place the Strawberries 6 Felt.




41. Stitch the Strawberries Tack-down Lines.




• Trim the felt as desired. These are raw-edge appliques.




43. Stitch the Strawberries Details.




44. Stitch the Leaves Fills.



45. Stitch the Strawberry Tops Fills and the Vine Details.



46. Stitch the Blossoms Petals Fills.




47. Stitch the Blossoms Centers Fills.




48. Stitch the Fence Fills.



49. Stitch the Bunting Stripes 1, 3, and 5 Fills.



50. Stitch the Bunting Stripes 2 and 6 Fills.



51. Stitch the Bunting Stripe 4 Fill.



Note: Use a red thread for the Canada option.

52.



 **35**


Stitch the Bunting Strings Details.

53.



- Remove the project from the hoop. Trim the project on the trimming line stitched in **Direction Step 9**.

- Set aside for later assembly. To assemble a tiling scene, go to the assembly instructions beginning on **page 34**.




July Tiling Scene: Tile 1 Color Chart

- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the July 1 embroidery file into the machine.



- ◆ 1. Stitch the Batting Placement Line.
 - Place the Tile 1 **Project Batting**.
- ◆ 2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
- ◆ 3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 1 Fabric, **right side up**. Tape in place.
- ◆ 4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
- ◆ 5. Stitch the Quilting Detail.
- ♥ 6. Stitch the Upper House Placement Line.
 - Place the Upper House 1 Fabric, **right side up**.
- ♥ 7. Stitch the Upper House Tack-down Line.
 - Trim the fabric close to the stitch line.
- ♥ 8. Stitch the Half Round Window Placement Line.
 - Place the Half Round Window 1 Fabric, **right side up**.
- ♥ 9. Stitch the Half Round Window Tack-down Line.
 - Trim the fabric close to the stitch line.



- ♥ 10. Stitch the Window Placement Line.
 - Place the Window 1 Fabric, **right side up**.
 - ♥ 11. Stitch the Window Tack-down Line.
 - Trim the fabric close to the stitch line.
 - ♥ 12. Stitch the Firework Fills.
 - ☑ 13. Stitch the Upper House Satin Outline.
 - 14. Stitch the Roofline Satin Outline.
 - 15. Stitch the Sewing Machine Fills.
 - 16. Stitch the Half Round Window Satin Outline.
 - 17. Stitch the Window Details and Satin Outline.
- Remove the project from the hoop.
 - Trim the project on the trimming line stitched in **Machine Step 4**.
 - Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)




July Tiling Scene: Tile 2 Color Chart


- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the July 2 embroidery file into the machine.



- ◆ 1. Stitch the Batting Placement Line.
 - Place the Tile 2 **Project Batting**.
- ◆ 2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
- ◆ 3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 2 Fabric, **right side up**. Tape in place.
- ◆ 4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
- ◆ 5. Stitch the Quilting Detail.
- ♥ 6. Stitch the Upper House Placement Line.
 - Place the Upper House 2 Fabric, **right side up**.
- ♥ 7. Stitch the Upper House Tack-down Line.
 - Trim the fabric close to the stitch line.
- ♥ 8. Stitch the Half Round Window Placement Line.
 - Place the Half Round Window 2 Fabric, **right side up**.
- ♥ 9. Stitch the Half Round Window Tack-down Line.
 - Trim the fabric close to the stitch line.




- ♥ 10. Stitch the Window Placement Line.
 - Place the Window 2 Fabric, **right side up**.
- ♥ 11. Stitch the Window Tack-down Line.
 - Trim the fabric close to the stitch line.
- ♥ 12. Stitch the Fireworks Fills.
- ☑ 13. Stitch the Upper House Satin Outline.
- 14. Stitch the Roofline Fill.
- 15. Stitch the Half Round Window Satin Outline.
- 16. Stitch the Window Details and Satin Outline.
 - Remove the project from the hoop.
 - Trim the project on the trimming line stitched in **Machine Step 4**.
 - Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)




July Tiling Scene: Tile 3 Color Chart

- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the July 3 embroidery file into the machine.



- ◇ 1. Stitch the Batting Placement Line.
 - Place the Tile 3 **Project Batting**.
- ◇ 2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
- ◇ 3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 3 Fabric, **right side up**. Tape in place.
- ◇ 4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
- ◇ 5. Stitch the Quilting Detail.
- ☑ 6. Stitch the Upper House Placement Line.
 - Place the Upper House 3 Fabric, **right side up**.
- ☑ 7. Stitch the Upper House Tack-down Line.
 - Trim the fabric close to the stitch line.
- ☑ 8. Stitch the Lower House Placement Line.
 - Place the Lower House 3 Fabric, **right side up**.
- ☑ 9. Stitch the Lower House Tack-down Line.
 - Trim the fabric close to the stitch line.
- ☑ 10. Stitch the Porch Post Placement Line.
 - Place the Porch Post 3 Fabric, **right side up**.
- ☑ 11. Stitch the Porch Post Tack-down Line.
 - Trim the fabric close to the stitch line.
- ☑ 12. Stitch the Roof Placement Line.
 - Place the Roof 3 Fabric, **right side up**.
- ☑ 13. Stitch the Roof Tack-down Line.
 - Trim the fabric close to the stitch line.



- ☑ 14. Stitch the Window Placement Line.
 - Place the Window 3 Fabric, **right side up**.
- ☑ 15. Stitch the Window Tack-down Line.
 - Trim the fabric close to the stitch line.
- ☑ 16. Stitch the Door Placement Line.
 - Place the Door 3 Fabric, **right side up**.
- ☑ 17. Stitch the Door Tack-down Line.
 - Trim the fabric close to the stitch line.
- ☑ 18. Stitch the Upper House Satin Outline.
- ☑ 19. Stitch the Porch Posts Satin Outlines.
- ☑ 20. Stitch the Roof Details and Satin Outline.
- ☑ 21. Stitch the Window Details and Satin Outline.
- ☑ 22. Stitch the Door Satin Outline.
- ☑ 23. Stitch the Flag Pole Fills.

- Remove the project from the hoop.
- Trim the project on the trimming line stitched in **Machine Step 4**.
- Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)




July Tiling Scene: Tile 4 Color Chart

- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the July 4 embroidery file into the machine.



1. Stitch the Batting Placement Line.
 - Place the Tile 4 **Project Batting**.
2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 4 Fabric, **right side up**. Tape in place.
4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
5. Stitch the Quilting Detail.
6. Stitch the Upper House Placement Line.
 - Place the Upper House 4 Fabric, **right side up**.
7. Stitch the Upper House Tack-down Line.
 - Trim the fabric close to the stitch line.
8. Stitch the Lower House Placement Line.
 - Place the Lower House 4 Fabric, **right side up**.
9. Stitch the Lower House Tack-down Line.
 - Trim the fabric close to the stitch line.
10. Stitch the Porch Post Placement Lines.
 - Place the Porch Post 4 Fabric, **right side up**.
11. Stitch the Porch Post Tack-down Lines.
 - Trim the fabric close to the stitch lines.
12. Stitch the Roof Placement Line.
 - Place the Roof 4 Fabric, **right side up**.
13. Stitch the Roof Tack-down Line.
 - Trim the fabric close to the stitch line.




14. Stitch the Window Placement Line.
 - Place the Window 4 Fabric, **right side up**.
 15. Stitch the Window Tack-down Line.
 - Trim the fabric close to the stitch line.
 16. Stitch the Door Placement Line.
 - Place the Door 4 Fabric, **right side up**.
 17. Stitch the Door Tack-down Line.
 - Trim the fabric close to the stitch line.
 18. Stitch the Upper House Satin Outline.
 19. Stitch the Porch Posts Satin Outlines.
 20. Stitch the Roof Details and Satin Outline.
 21. Stitch the Window Details and Satin Outline.
 22. Stitch the Door Satin Outline.
 23. Stitch the Trunk Fill.
 24. Stitch the Tree Placement Line.
 - Place the Tree 4 Fabric, **right side up**.
 25. Stitch the Tree Tack-down Line.
 - Trim the fabric close to the stitch line.
 26. Stitch the Tree Decorative Outlines.
- Remove the project from the hoop.
 - Trim the project on the trimming line stitched in **Machine Step 4**.
 - Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)




July Tiling Scene: Tile 5 Color Chart

- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the July 5 embroidery file into the machine.



1. Stitch the Batting Placement Line.
 - Place the Tile 5 **Project Batting**.
2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 5 Fabric, **right side up**. Tape in place.
4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
5. Stitch the Quilting Detail.
6. Stitch the Lower House Placement Line.
 - Place the Lower House 5 Fabric, **right side up**.
7. Stitch the Lower House Tack-down Line.
 - Trim the fabric close to the stitch line.
8. Stitch the Porch Post Placement Lines.
 - Place the Porch Post 5 Fabric, **right side up**.
9. Stitch the Porch Post Tack-down Lines.
 - Trim the fabric close to the stitch lines.
10. Stitch the Door Placement Line.
 - Place the Door 5 Fabric, **right side up**.
11. Stitch the Door Tack-down Line.
 - Trim the fabric close to the stitch line.
12. Stitch the Foundation Placement Line.
 - Place the Foundation 5 Fabric, **right side up**.
13. Stitch the Foundation Tack-down Line.
 - Trim the fabric close to the stitch line.
14. Stitch the Grass Placement Line.
 - Place the Grass 5 Fabric, **right side up**.
15. Stitch the Grass Tack-down Line.
 - Trim the fabric close to the stitch line.
16. Stitch the Porch Posts Satin Outlines.
17. Stitch the Door Satin Outline.
18. Stitch the Foundation Satin Outline.
19. Stitch the Doorstep Fill.
20. Stitch the Flag Pole Fill.
21. Stitch the Outer Flames Fill.
22. Stitch the Inner Flames Fills.
23. Stitch the Grill Fills.
24. Stitch the Railing Fills.
25. Stitch the Grass Fills.



26. Stitch the Grill Detail.
27. Stitch the Fence Fills.
28. Stitch the Bunting Stripes 1, 3, and 5 Fills.
29. Stitch the Bunting Stripes 2 and 6 Fills.
30. Stitch the Bunting Stripe 4 Fill.
 - Note:** Use a red thread for the Canada option.
31. Stitch the Bunting Strings Details.

- Remove the project from the hoop.
- Trim the project on the trimming line stitched in **Machine Step 4**.
- To complete the tiling scene, go to the assembly instructions beginning on **page 34**.

