


K September Tiling Scene

Materials Needed

Hoop Size 5x7	
Materials	
Fabric 1 • Background 1, 2, 3, 4 ♥ • Optional Mini Quilt Back*	1 Fat Quarter (4) 7 x 9" (1) 3 x 3"
Fabric 2 • Clouds 1 ♥	1 Fat Sixteenth (1) 5 x 6"
Fabric 3 • Tree 1 • Tree 2A • Tree 2B	1 Fat Sixteenth (1) 2½ x 3" (1) 3½ x 8" (1) 3 x 8"
Fabric 4 • Trunk 2 ♥ • Trunk 4 ♥	1 Fat Sixteenth (1) 4½ x 5" (1) 2½ x 5½"
Fabric 5 • Grass 3 ♥ • Grass 4 ♥ • Grass 5 ♥ • Grass 6 ♥	1 Fat Sixteenth (1) 3½ x 8" (2) 2 x 3" (2) 2½ x 3" (1) 2½ x 8"
Fabric 6 • Path 3 • Path 5 • Path 6	1 Fat Eighth (1) 3 x 5½" (1) 6 x 6½" (1) 5½ x 8"
Fabric 7 • House 4 ♥ • House 6 ♥ • Back • Optional Hanging Sleeves • Binding	½ Yard (1) 4 x 5½" (1) 5½ x 6" (1) 14 x 15" (4) 2 x 2½" (1) 2½ x 21" (1) 2½" x WOF
Fabric 8 • Roof 4 ♥	1 Fat Sixteenth (1) 3 x 6"
Fabric 9 • Windows 4 ♥ • Window 6 ♥	Fabric Scrap (1) 2½ x 4" (1) 2 x 2½"
Fabric 10 • Door 6 ♥	Fabric Scrap (1) 2½ x 4"
Kimberbell® Stabilizer	
 Wash-Away Topping KDST133	(1) 5 x 7"
 Project Batting KDST138 • Tile 1, 2, 3, 4, 5, 6 • Backing • Optional Mini Quilt*	(6) 5 x 7" (1) 14 x 15" (1) 3 x 3"
 Fusible Backing KDST126-127	
 Light Mesh Cut-Away Stabilizer KDST111-112	



Embroidery Thread Colors

 Black 11001	 Ruby 70187	 Putty 17529
 Shadow 1BLK3	 Marmalade 57579	 Linen 10WG1
 Peppercorn 17532	 Mango Smoothie 50651	 Sage 67748
 Cool Grey 3 10CG3	 Military Gold 27407	 Herb 65753
 Brunette 24625	 Buttermilk 27403	 Celery 60580
 Timber 20731	This project was made with Glide thread from Hab+Dash® by Fil-Tec®.	

Additional Materials

Embellishment 1: Corduroy** • Garden 5	(1) 5 x 7½"
Embellishment 2: Felt • Sunflowers 6	(1) 3 x 3½"
• Optional Mini Quilt Panel* • Optional Twine • Optional Mini Clothespins • Paper Tape	(1) (1) 9½" (2)

A Fabric Scrap is 5 x 5" A Fat Sixteenth is 9 x 11"
 A Fat Eighth is 9 x 21" A Fat Quarter is 18 x 21"

♥ Iron **Fusible Backing** to the **wrong side** of these fabrics.

*The mini quilt in the sample features the September panel from the KDKB1320 kit. Substitute a 3 x 3" fabric square if desired.

In our sample, this material is **directional. Cut Garden 5 with the lines running **parallel** to the **long** edge.

5x7 Design


File: 5x7-september-1

Embroidery Field:
5.00 x 6.82"




File: 5x7-september-2

Embroidery Field:
5.00 x 6.81"




File: 5x7-september-3

Embroidery Field:
5.00 x 6.80"




File: 5x7-september-4

Embroidery Field:
5.00 x 6.80"



File: 5x7-september-5

Embroidery Field:
5.00 x 6.80"



File: 5x7-september-6

Embroidery Field:
5.00 x 6.84"



Finished Size: 13 x 14"

September Tiling Scene: Tile 2 Featured Instructions




1.




light mesh
cut-away

• Hoop the **Light Mesh Cut-Away Stabilizer**.


2.




• Load the September 2 embroidery file into the machine.




3.
1 Stitch the Batting Placement Line.




• Place the Tile 2 **Project Batting**.




5.
2 Stitch the Batting Tack-down Line.




• Trim the batting close to the stitch line.



7.
3 Stitch the Background Placement Line and the Seam Line.




• Place the Background 2 Fabric, **right side up**. Tape in place.




9.
4 Stitch the Background Tack-down/Trimming Line. **Do not trim the fabric.**




10.
5 Remove the tape. Stitch the Quilting Detail.



11.
6 Stitch the Tree A Placement Line.




• Place the Tree 2A Fabric, **right side up**.




13.
7 Stitch the Tree A Tack-down Line.



• Trim the fabric close to the stitch line.




15.
8 Stitch the Tree A Decorative Outlines.



16.
9 Stitch the Trunk Placement Line.



• Place the Trunk 2 Fabric, **right side up**.



18.
10 Stitch the Trunk Tack-down Line.




• Trim the fabric close to the stitch line.




20.
11 Stitch the Trunk Satin Outlines.




21.
 **12** Stitch the Tree B Placement Line.




22.
 • Place the Tree 2B Fabric, **right side up**.




23.
 **13** Stitch the Tree B Tack-down Line.




24.
 • Trim the fabric close to the stitch line.




25.
 **14** Stitch the Tree B Decorative Outline.



26.
 **15** Stitch the Leaves Fills.



27.
 **16** Stitch the Stems Details.



28.
 **17** Stitch the Apples Fills.



29.
 **18** Stitch the Rope Detail.




- Remove the project from the hoop.
- Trim the project on the trimming line stitched in **Direction Step 9**.
- Set aside for later assembly. To assemble a tiling scene, go to the assembly instructions beginning on **page 34**.



September Tiling Scene: Tile 1 Color Chart

- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the September 1 embroidery file into the machine.



- ☒ 1. Stitch the Batting Placement Line.
 - Place the Tile 1 **Project Batting**.
- ☒ 2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
- ☒ 3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 1 Fabric, **right side up**. Tape in place.
- ☒ 4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
- ☒ 5. Stitch the Quilting Detail.
- ☒ 6. Stitch the Clouds Placement Lines.
 - Place the Clouds 1 Fabric, **right side up**.
- ☒ 7. Stitch the Clouds Tack-down Lines.
 - Trim the fabric close to the stitch lines.
- ☒ 8. Stitch the Tree Placement Line.
 - Place the Tree 1 Fabric, **right side up**.
- ☒ 9. Stitch the Tree Tack-down Line.
 - Trim the fabric close to the stitch line.
- ☒ 10. Stitch the Tree Decorative Outlines.




- ☒ 11. Stitch the Leaf Fill.
- ☒ 12. Stitch the Stem Detail.
- ☒ 13. Stitch the Apple Fill.
- ☒ 14. Stitch the Clouds Satin Outlines.

- Remove the project from the hoop.
- Trim the project on the trimming line stitched in **Machine Step 4**.
- Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)



September Tiling Scene: Tile 3 Color Chart

- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the September 3 embroidery file into the machine.



1. Stitch the Batting Placement Line.
 - Place the Tile 3 **Project Batting**.
2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 3 Fabric, **right side up**. Tape in place.
4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
5. Stitch the Quilting Detail.
6. Stitch the Grass Placement Line.
 - Place the Grass 3 Fabric, **right side up**.
7. Stitch the Grass Tack-down Line.
 - Trim the fabric close to the stitch line.
8. Stitch the Path Placement Line.
 - Place the Path 3 Fabric, **right side up**.
9. Stitch the Path Tack-down Line.
 - Trim the fabric close to the stitch line.
10. Stitch the Path Details and Decorative Outlines.




11. Stitch the Grass Satin Outlines.
12. Stitch the Trees Fills.
13. Stitch the Windows, Doors, and Sign Fills.
14. Stitch the School Fill.
15. Stitch the Bell Fill.
16. Stitch the Trunks and Branches Fills and Details.
17. Stitch the Bushes Fills.
18. Stitch "School".
19. Stitch the Corn Cob Fill.
20. Stitch the Corn Stalk Fill.

- Remove the project from the hoop.
- Trim the project on the trimming line stitched in **Machine Step 4**.
- Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)




September Tiling Scene: Tile 4 Color Chart

- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the September 4 embroidery file into the machine.



1. Stitch the Batting Placement Line.
 - Place the Tile 4 **Project Batting**.
2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
3. Stitch the Background Placement Line and the Seam Line.
 - Place the Background 4 Fabric, **right side up**. Tape in place.
4. Stitch the Background Tack-down/Trimming Line.
 - Remove the tape. **Do not trim the fabric.**
5. Stitch the Quilting Detail.
6. Stitch the Grass Placement Lines.
 - Place the **(2)** Grass 4 Fabric pieces, **right side up**.
7. Stitch the Grass Tack-down Lines.
 - Trim the fabric close to the stitch lines.
8. Stitch the Trunk Placement Line.
 - Place the Trunk 4 Fabric, **right side up**.
9. Stitch the Trunk Tack-down Line.
 - Trim the fabric close to the stitch line.
10. Stitch the House Placement Line.
 - Place the House 4 Fabric, **right side up**.
11. Stitch the House Tack-down Line.
 - Trim the fabric close to the stitch line.
12. Stitch the Roof Placement Line.
 - Place the Roof 4 Fabric, **right side up**.
13. Stitch the Roof Tack-down Line.
 - Trim the fabric close to the stitch line.




14. Stitch the Windows Placement Lines.
 - Place the Windows 4 Fabric, **right side up**.
15. Stitch the Windows Tack-down Lines.
 - Trim the fabric close to the stitch lines.
16. Stitch the Trunk Satin Outlines.
17. Stitch the Grass Satin Outlines.
18. Stitch the Sewing Machine Fill.
19. Stitch the Tire Sidewall Fill.
20. Stitch the Leaf Fill.
21. Stitch the Stem Detail.
22. Stitch the Apple Fill.
23. Stitch the Siding Details.
24. Stitch the Tire Tread Fill.
25. Stitch the House Satin Outlines.
26. Stitch the Roof Satin Outline.
27. Stitch the Windows Details and Satin Outlines.
28. Stitch the Rope Detail.

- Remove the project from the hoop.
- Trim the project on the trimming line stitched in **Machine Step 4**.
- Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)




September Tiling Scene: Tile 5 Color Chart


- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the September 5 embroidery file into the machine.




1. Stitch the Batting Placement Line.
 - Place the Tile 5 **Project Batting**.
2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
3. Stitch the Seam Line and the Grass Placement Lines.
 - Place the **(2)** Grass 5 Fabric pieces, **right side up**.
4. Stitch the Grass Tack-down/Trimming Lines.
 - Trim the fabric close to the stitch lines **only** on the edges that lie **inside** the tile. **Do not trim the outer edges of the tile** (marked in **yellow**).



5. Stitch the Garden Placement Line.
 - Place the Garden 5 Corduroy, **right side up**, with the lines running **parallel** to the **long inner** placement line.
6. Stitch the Garden Tack-down/Trimming Line.
 - Trim the corduroy close to the stitch line **only** on the edges that lie **inside** the tile. **Do not trim the outer edges of the tile** (marked in **yellow**).



7. Stitch the Garden Decorative Outline.
8. Stitch the Path Placement Line.
 - Place the Path 5 Fabric, **right side up**.
9. Stitch the Path Tack-down/Trimming Line.
 - Trim the fabric close to the stitch line **only** on the edges that lie **inside** the tile, along the path and the grass. **Do not trim the outer edges of the tile** (marked in **yellow**).



10. Stitch the Path Details and Decorative Outlines.
 - Place the **Wash-Away Topping**, covering the project. Tape in place.
11. Stitch the Vines Details and Leaves Fills.
12. Stitch the Large Pumpkin Fills.
13. Stitch the Small Pumpkin Fills.
14. Stitch the Pumpkins Outlines and Stems Details.
15. Stitch the Corn Husks Fills.
16. Stitch the Corn Cobs Fills.
17. Stitch the Corn Stalks Fills.
18. Stitch the Corn Husks Details.

- Remove the tape. Tear away the excess topping.
- Remove the project from the hoop.
- Trim the project on the outer trimming lines stitched in **Machine Steps 4, 6, and 9**.
- Set aside for later assembly. (Refer to the assembly instructions beginning on **page 34**.)


September Tiling Scene: Tile 6 Color Chart




- Hoop the **Light Mesh Cut-Away Stabilizer**.
- Load the September 6 embroidery file into the machine.



1. Stitch the Batting Placement Line.
 - Place the Tile 6 **Project Batting**.
2. Stitch the Batting Tack-down Line.
 - Trim the batting close to the stitch line.
3. Stitch the Seam Line and the Grass Placement Line.




- Place the Grass 6 Fabric, **right side up**.
4. Stitch the Grass Tack-down/Trimming Line.
 - Trim the fabric close to the stitch line **only** on the right edge that lies **inside** the tile. **Do not trim the outer edges of the tile** (marked in **yellow**).



DO NOT TRIM

5. Stitch the Path Placement Line.
 - Place the Path 6 Fabric, **right side up**.
6. Stitch the Path Tack-down/Trimming Line.
 - Trim the fabric close to the stitch line **only** on the left edge that lies **inside** the tile. **Do not trim the outer edges of the tile** (marked in **yellow**).



7. Stitch the Path Details and Decorative Outlines.
8. Stitch the House Placement Line.
 - Place the House 6 Fabric, **right side up**.
9. Stitch the House Tack-down Line.
 - Trim the fabric close to the stitch line.
10. Stitch the Window Placement Line.
 - Place the Window 6 Fabric, **right side up**.
11. Stitch the Window Tack-down Line.
 - Trim the fabric close to the stitch line.
12. Stitch the Door Placement Line.
 - Place the Door 6 Fabric, **right side up**.
13. Stitch the Door Tack-down Line.
 - Trim the fabric close to the stitch line.

14. Stitch the Siding Details.
15. Stitch the Door Satin Outline.
16. Stitch the Window Details and Satin Outline.
17. Stitch the House Satin Outlines.
18. Stitch the Stalks and Leaves Fills.

19. Stitch the Sunflowers Placement Lines.
 - Place the Sunflowers 6 Felt.
20. Stitch the Sunflowers Tack-down Lines and Details.
 - Trim the felt as desired. These are raw-edge appliques.
21. Stitch the Doorknob Detail.
22. Stitch the Sunflowers Centers Fills.
23. Stitch the Door Details.

- Remove the project from the hoop.
- Trim the project on the outer trimming lines stitched in **Machine Steps 4 and 6**.
- To complete the tiling scene, go to the assembly instructions beginning on **page 34**.