

KIMBERBELL®

EXPERIENCE THE JOY OF CREATIVITY®



DIGITAL DEALER
EXCLUSIVES

— MYSTERY QUILT: WALLFLOWER —

DECEMBER: FINISHING THE QUILT

FINISHING THE MYSTERY QUILT: WALLFLOWER

Overview

Congratulations! You are now ready to prepare and assemble all the components of the 30 x 48" Mystery Quilt: Wallflower!

Quilt the Borders and Sashings with Optional Block-by-Block Quilting

If you decided to do optional block-by-block quilting, you will quilt the outer borders, the inner borders, and the sashings in-the-hoop with the included block-by-block quilting designs.

To do block-by-block quilting on the borders and sashings, refer to **page 3** in these instructions.

Sew the Quilt Top Together

To sew the blocks, the sashings, the inner borders, and the outer borders into a quilt top, refer to **page 5** in these instructions.

Note: Refer to the Kimberbell Resource Guide sections "Sewing Two Blocks Together" and "Joining Rows Together" if needed.

Quilt and Bind the Quilt

To quilt and bind the quilt, refer to **page 11** in these instructions.

Attach the Embellishments to the Quilt


To attach the embellishments to the quilt, refer to **pages 11-12** in these instructions.



QUILT THE BORDERS AND SASHINGS WITH OPTIONAL BLOCK-BY-BLOCK QUILTING


Sashing and Inner Borders

1. Locate the **(8)** 2" x WOF Sashing/Inner Border strips.




2. If desired, apply **Fusible Backing** to the **(8)** Sashing/Inner Border strips.

3. To make **(2)** strips long enough for the vertical sides of the quilt, cut 5" off the ends of **(2)** WOF strips. Sew each 5" strip to the ends of **(2)** WOF strips. These strips are for the vertical inner borders.



4. You will now have **(2)** long strips, **(2)** short strips, and **(4)** WOF strips.




5. Quilt the **(8)** Sashing/Inner Border strips following the instructions provided with the border quilting design files.

Sashing/Inner Borders:


- kdq524-border-spring-3, 1" width

6. **After quilting**, trim each quilted sashing/inner border strip to **1½"** wide. Turn the Sashing/Inner Border strip to the **back**. Trim ¼" from the batting tack-down line. Measure 1½" from that cut line and cut again. The Sashing/Inner Border strip should measure 1½" wide.



Pieced Sashing

1. Locate the **(3)** Pieced Sashing strips from the July Block. **Note:** These strips were quilted previously.
2. **After quilting**, trim each quilted Pieced Sashing strip to **2½"** wide. Turn the Pieced Sashing strip to the **back**. Trim ¼" from the batting tack-down line. Measure 2½" from that cut line and cut again. The Pieced Border strip should measure 2½" wide.



Outer Borders




1. Locate the **(5)** 3" x WOF Outer Border strips.
2. If desired, apply **Fusible Backing** to the **(5)** Outer Border strips.
3. Sew **(3)** Outer Border strips together, end to end.
4. Quilt the pieced Outer Border strip and the remaining **(2)** Outer Border strips following the instructions provided with the border quilting design files.

Outer Borders:

□ kdq524-border-spring-3, 2" width

5. **After quilting**, trim each quilted Outer Border strip to **2½"** wide. Turn the Outer Border strip to the **back**. Trim ¼" from the batting tack-down line. Measure 2½" from that cut line and cut again. The Outer Border strip should measure 2½" wide.



SEW THE QUILT TOP TOGETHER

The quilt top is grouped into rows for easy assembly. Follow the illustrations for block placement. Sew all seams **right sides together**, using a $\frac{1}{4}$ " seam allowance. By completing one row at a time, the entire quilt top can be sewn together quickly and efficiently.

Note: Press the seams as you go. Use a pressing cloth when pressing glitter, jelly vinyl, Mylar, or tulle. Be careful to avoid pressing any embellishments that were added during embroidery.

Note: Seam allowances are not shown in the diagrams.


Row 1

1. Arrange **(1)** June Block, **(1)** November Block, **(1)** March Block, and **(1)** October Block as shown.
 2. Sew the blocks together to make Row 1.
- Press the seams. The row should measure 24½".




Row 4

1. Arrange **(1)** February 1 Block, **(1)** February 2 Block, **(1)** Cute as a Bug Block, **(1)** April Block, **(1)** September Block, and **(1)** May Block as shown.
 2. Sew the blocks together to make Row 4.
- Press the seams. The row should measure 24½".



Row 2

1. Arrange **(1)** May Block, **(1)** September Block, **(1)** April Block, **(1)** Cute as a Bug Block, **(1)** February 2 Block, and **(1)** February 1 Block as shown.
 2. Sew the blocks together to make Row 2.
- Press the seams. The row should measure 24½".



Row 5

1. Arrange **(1)** August Block, **(1)** October Block, **(1)** January Block, and **(1)** November Block as shown.
 2. Sew the blocks together to make Row 5.
- Press the seams. The row should measure 24½".




Row 3

1. Arrange **(1)** January Block, **(1)** June Block, **(1)** August Block, and **(1)** March Block as shown.
 2. Sew the blocks together to make Row 3.
- Press the seams. The row should measure 24½".




Pieced Sashing

1. Locate the **(3)** Pieced Sashing strips.




2. Arrange Row 1 and **(1)** Pieced Sashing strip as shown. Align the vertical seams on the Pieced Sashing with the vertical seams on the blocks. Excess sashing on both sides of the row will be trimmed after sewing.



 3. Sew the Pieced Sashing to the bottom of Row 1. Press the seam. Trim the excess sashing even with the edges of Row 1. The row should measure 24½".




4. Arrange Row 3 and **(1)** Pieced Sashing strip as shown. Align the vertical seams on the Pieced Sashing with the vertical seams on the blocks. Excess sashing on both sides of the row will be trimmed after sewing.



 5. Sew the Pieced Sashing to the bottom of Row 3. Press the seam. Trim the excess sashing even with the edges of Row 3. The row should measure 24½".



6. Arrange Row 5 and the remaining **(1)** Pieced Sashing strip as shown. Align the vertical seams on the sashing with the vertical seams on the blocks. Excess sashing on both sides of the row will be trimmed after sewing.



 7. Sew the Pieced Sashing to the bottom of Row 5. Press the seam. Trim the excess sashing even with the edges of Row 5. The row should measure 24½".



Sashing

1. Locate the **(2)** 1½" x WOF Sashing strips and the **(2)** 1½" Short Sashing strips. Trim the **(4)** Sashing strips to 24½".
2. Arrange the Row 1 unit and **(1)** Sashing strip as shown.



Sashing

3. Sew the Sashing strip to the bottom of the Row 1 unit. Press the seam.



4. Arrange Row 2 and **(1)** Sashing strip as shown.



Sashing

5. Sew the Sashing strip to the bottom of the Row 2 unit. Press the seam.



6. Arrange the Row 3 unit and **(1)** Sashing strip as shown.



Sashing

7. Sew the Sashing strip to the bottom of the Row 3 unit. Press the seam.



8. Arrange Row 4 and **(1)** Sashing strip as shown.




Sashing

9. Sew the Sashing strip to the bottom of the Row 4 unit. Press the seam.




Row Units


1. Align the vertical center seam of the Row 1 unit with the vertical center seam of the Row 2 unit. Sew the Row 1 unit to the Row 2 unit.




2. Align the vertical center seam of the Row 1/2 unit with the vertical center seam of the Row 3 unit. Sew the Row 1/2 unit to the Row 3 unit.



3. Align the vertical center seam of the Row 4 unit with the vertical center seam of the Row 5 unit. Sew the Row 4 unit to the Row 5 unit.



4. Align the vertical center seam of the Row 1/2/3 unit with the vertical center seam of the Row 4/5 unit. Sew the Row 1/2/3 unit to the Row 4/5 unit.



Inner Borders

The following directions take you step-by-step through the process of measuring to add the Inner Borders. Going through the process to measure the quilt ensures the quilt will be square when completed.


1. Locate the **(2)** 1½" Long Inner Border strips and the **(2)** 1½" x WOF Inner Border strips.
2. Measure the quilt **lengthwise** through the center.
3. Trim **(2)** Long Inner Border strips equal to the length of the quilt.
4. Sew each Inner Border strip to the **vertical** sides of the quilt. 
-  Press the seams toward the Inner Border.



5. Measure the quilt **widthwise** through the center (including the inner borders just added).
6. Trim **(2)** Inner Border strips equal to the width of the quilt.
7. Sew each Inner Border strip to the **top** and **bottom** of the quilt.



Press the seams toward the Inner Border.



Outer Borders

The following directions take you step-by-step through the process of measuring to add the Outer Borders. Going through the process to measure the quilt ensures the quilt will be square when completed.

1. **Skip this step if you previously did Block-by-Block Quilting on the Outer Border.**

Locate the **(3)** 2½" x WOF Outer Borders strips.

Sew them together end to end.

2. Measure the quilt **lengthwise** through the center.

3. From the sewn together strips, trim **(2)** Outer Border strips equal to the length of the quilt.

4. Sew each Outer Border strip to the **vertical** sides of the quilt.

Press the seams toward the Outer Borders

5. Measure the quilt **widthwise** through the center (including the outer borders just added).


6. Trim **(2)** Outer Border strips equal to the width of the quilt.



7. Sew each Outer Border strip to the **top** and **bottom** of the quilt.



Press the seams toward the Outer Borders.



The quilt measures 30 x 48".

QUILT AND BIND THE QUILT

1. Layer the quilt back fabric, the **Project Batting** (optional if using the Block-by-Block Quilting Method), and the quilt top together to make a quilt sandwich.
2. **If you did not do Block-by-Block Quilting**, quilt as desired. Be careful to avoid any embellishments that were added before quilting.
3. **If you did do Block-by-Block Quilting**, secure the quilt sandwich together with a stitch-in-the-ditch method.
4. Bind as desired. Refer to the Kimberbell Resource Guide for additional information.

The quilt measures 30 x 48".



ATTACH THE EMBELLISHMENTS TO THE QUILT

Using your preferred method, attach the following embellishments to their respective blocks on the quilt. Be sure the quilt has been sewn together, quilted, and bound as desired **before** attaching the embellishments.

Black Buttons	(2)
Pink Rhinestones	(16)
Mint Dimensional Felt Flowers	(2)
Black Rhinestones	(18)
Yellow Pom-poms	(2)
Butterfly Buttons	(3)
Caterpillar Buttons	(3)

1. On each January Block, hand sew **(1)** Black Button to the Flower 1 center.



2. On each January Block, glue **(8)** Pink Rhinestones to the Flowers 3 stamen tips.



3. In Row 3, on the January Block, hand sew **(1)** Butterfly Button.




8. In Row 1, on the October Block, hand sew **(1)** Butterfly Button.



4. In Row 5, on the January Block, hand sew **(1)** Butterfly Button.



9. In Row 5, on the October Block, hand sew **(1)** Caterpillar Button.



5. On each March Block, glue or hand tack **(1)** Mint Dimensional Felt Flower at the top of the extra stem.




10. On each November Block, glue **(1)** Yellow Pom-pom to the Flower 1 center.



6. On each June Block, glue **(9)** Black Rhinestones to the Flower 2 stamen tips.



11. In Row 1, between the November and March Blocks, hand sew **(1)** Caterpillar Button.



7. In Row 3, between the August and March Blocks, hand sew **(1)** Caterpillar Button.

