




FIDDLESTICKS

BY KANSAS TROUBLES QUILTERS
A JELLY ROLL PROJECT



DESIGNED BY LYNNE HAGMEIER

FIDDLESTICKS

77" x 84" LAP QUILT

PIECED BY LYNNE HAGMEIER

QUILTED BY NANCY ARNOLDY

SUPPLIES

KTQ JELLY ROLLS (JR) - (40) 2 ½" x WOF strips - about (30) darks/(10) tans	2
GOLD- sashing	1 ⅞ yds.
BLACK - border & binding	2 ¼ yds.
BACKING & BATTING	83" x 90"
COTTON THREAD - dark tan	5 yds.

CUTTING


(32) DARK JELLY ROLL STRIPS (Use more dark JR strips for a scrappier look.)

Cut a total of: C - (64) 2 ½" x 6 ½"

D - (128) 2 ½" x 4 ½"

E - (64) 2 ½" sq.

From each dark JR strip, cut (2) 6 ½", (4) 4 ½" and (2) 2 ½" segments, as shown.




(18) TAN JELLY ROLL STRIPS

Cut a total of: A - (64) 2 ½" x 4 ½"

B - (128) 2 ½" sq.


From each tan JR strip, cut (4) 4 ½" and (8) 2 ½" segments, as shown.



GOLD - sashing - lap - (7) 3 ½" x LOF


BLACK - outer border - (4) 7 ½" x 80" LOF

binding - (5) 2 ½" x 80" LOF



JELLY ROLL ASSEMBLY

Sew an E-dark to an A-tan. Make 64.




Sew a D-dark to a B-tan. Make 128.




Unit #1

Layout A, B and C segments as shown. Piece segments to create Unit #1; press seams up. Make (32) Unit #1 that measure 6 1/2" x 8 1/2".




UNIT #2

Layout A, B and C segments as shown. Piece to make Unit #2; press seams down. Make (32) Unit #2 that measure 6 1/2" x 8 1/2".



UNIT #3

Sew Unit #1 to Unit #2 with lights together to create Unit #3; wait to press. Make (32) Unit #3.



Unit #1

Unit #2

Measurements for length of rows, sashing and borders are given as a guide only; measure your quilt.

PIECED ROWS

Layout (8) Unit #3's in a vertical row ; press seams as indicated by arrows in placement diagram on next page. Piece (4) rows that measure 12 1/2" x 64 1/2".

SASHING

Measure your rows. Cut (5) sashing strips to length (64 1/2"). Alternate sashing strips and pieced rows so that sashing strips are between rows and on each side; press toward sashing strips. Measure quilt top from side to side (63 1/2"). Trim (2) sashing strips to length. Add to top and bottom of quilt top; press.


OUTER BORDER

Measure your quilt top. Trim side outer borders to length (70 1/2"). Sew to sides of quilt top; press toward outer borders. Repeat for top and bottom outer borders (77 1/2").

SANDWICH quilt top, batting and backing using the method of your choice.

MACHINE QUILT in-the-ditch between rows and sashings; "X" thru squares and rectangles; crosshatch outer border. **TRIM** batting and backing. **BIND** with double 2 1/2" wide binding and pieced end-to-end with mitered seams to at least 334" long.

top & bottom sashing - 3 1/2" x 63 1/2"



Outer border not shown in placement diagram above.

Copyright © 2006 Kansas Troubles Quilters

KANSAS TROUBLES QUILTERS
103 N. Nelson, PO Box 278
Bennington, Kansas 67422

lynne@ktquilts.com
ktquilts.com
785-488-2120

Lynne Hagmeier, designer
Robert Hagmeier, owner