


The Beginnings QAL



Block 5 Farmer Jill (8" Finished)

For One Block (that is what you need for the quilt)

Cut:

3 – 1 ½" by Width of Fabric Strips

Subcut:

- 2 – 32 ½" x 1 ½" sashing strips
- 2 – 6 ½" x 1 ½" sashing strips
- 2 – 3 ½" x 1 ½" rectangles (mark as piece A)
- 1 – 2 ½" x 1 ½" rectangle (mark as piece B)
- 2 – 4" x 1 ½" rectangles (mark as piece D)

1 – 2 ½" by Width of Fabric strip

Subcut:

- 2 – 5 " x 2 ½" rectangles (mark as piece F)
- 1 – 3" x 2 ½" rectangle
- Subcut 2 – 3" x 1" rectangles (mark as piece C)

1 – 2 ½ x 1 ½"" rectangle of each Hat Fabric and Shirt Fabric (mark as piece B)

1 – 3 ½" x 1" rectangle Hat Fabric (mark as piece L)

2 – 3" x 1 ½"" rectangle Shirt Fabric (mark as piece E)

1 – 2" by Width of Fabric Strip of Overalls Fabric

Subcut:


- 2 – 2 ½" x 2" rectangles Overalls Fabric (mark as piece G)
- 2 – 1 ½" x 1" rectangles Overalls Fabric (mark as piece H)
- 2 – 1 ½" x 2" rectangles Overalls Fabric (mark as piece I)
- 1 – 4 ½" x 2" rectangles Overalls Fabric (mark as piece K)

1 – 1 ½" square of each Face Fabric and Overalls Pocket Fabric (mark as piece J)

** all seams are $\frac{1}{4}$ "

Instructions:

1. Using this diagram lay out your pieces in rows. I like to do this on my large square ruler so that I can move the block around without getting the pieces out of order.



2. Sew the ABA, CLC, DJD, EHBHE, IJI, and GBG rows together.



3. Find the center of each of the rows. Matching the centers (there are no seams to match) and pinning at the center and the ends, sew the ABA and CLC rows together.

4. Repeat step 3 for the DJD and EHBHE rows.

5. Repeat step 3 to sew the IJI row and piece K together.

6. Line up the overalls pocket and the leg gap so that they are centered with each other. Pin and sew the GBG row to piece K.



7. Line up the head and the shirt sections by centering them. Pin and sew the two top row units together.
8. Sew F pieces to the right and left sides of the Overalls block.
9. Line up the head, the overalls pocket, and the leg gap, pin and sew the top and bottom of the block together.



And you are done 😊

