

CLASS SUPPLY LIST FOR BOWL ME OVER 2.0

Mary Stipanovich, Instructor

Pattern: Bowl Me Over 2.0 ByAnnie.com

Fabric: Choose quilt weight cotton. Exterior fabric requires 1- $\frac{1}{4}$ yard. You need 1 yard of lining fabric and $\frac{3}{4}$ yard of a coordinating fabric for bindings and zipper pulls.

Interfacing: ByAnnie Soft and Stable - 1 yard - 58" wide

Shape flex, a woven fusible interfacing - $\frac{1}{4}$ yard

Zipper:

You need two (2) 30" handbag double slide zippers.

Use handbag zippers that are #4.5 or #5.

If using zipper by the yard, you need 54" in length and 4 zipper pulls

Strapping: 1" wide polypro strapping - you need 3 yards

Hardware: this is needed if you are making the adjustable, detachable carrying strap

2 - 1" D rings

2 - 1" swivel hooks

1 - 1" wide mouth slider

Magnetic Snap: 1 set of 14 mm sew-in magnetic snap - this is for exterior flap

Fold Over Elastic: $\frac{1}{2}$ yard

Mesh Fabric - 14" x 15" or choose **Contrast Fabric** - $\frac{1}{4}$ yard - this is inner pocket B

Base Stabilizer - 4- $\frac{3}{4}$ " x 10- $\frac{1}{2}$ " Debbie will order from ByAnnie

Thread to Match Fabrics

Bring all essential sewing supplies, and especially include:

90 top stitch needle

Zipper foot, walking foot, $\frac{1}{4}$ " foot

Stiletto (I like ByAnnie's stiletto)

Temporary Spray Adhesive for fabric like Odif 505

Turning Tool and Bodkin

Wonder clips

Rotary cutter and small mat

$\frac{1}{2}$ " bias tape maker

Marking pen or chalk - I like the Clover chalk pens

Double sided adhesive tape, such as Wonder Tape or Dritz Wash Away - $\frac{1}{4}$ "

Fabric glue pen - I like Sewline

Rulers and small iron and pressing mat

Prior to Class please quilt your fabric (main and lining) and foam stabilizer.

When sewing on a domestic machine, you will need two quilted sets that measure 21" wide and 28" high.

One quilted set is the bag body front and back, the zipper strips and front and back facings.

The second quilted set is for exterior pockets, a side strip and the front flap.

If you have a longarm you will quilt one 30"h x 42"w pieces of the main fabric, the soft and stable and the lining fabric. Refer to the bottom right hand side of page 3 (option 2) to cut pieces from your quilted fabric

Refer to the general quilting instructions on page 1 of the pattern . TIPS:

- *Press fabric and foam to remove wrinkles before you sandwich the pieces together. Lay lining wrong side up; place soft and stable on top; then place main fabric right side up.*
- Fabric adhesive spray can be a substitute for pins. Use a temporary adhesive spray like 505 to adhere fabric to the foam stabilizer and pins or clips if needed to hold the layers together.
- Make sure everything is smooth and press again.
- Use a walking foot to quilt lines. Make a vertical line along the length or a diagonal grid with chalk or washable pen. Then continue marking your lines or use the guide on your walking foot. Lines are about 1" apart.

From one of your quilted sets cut the following:

Body Front and Body Back - 11" x 13-1/2" w - need two

Zipper Strips - 22" x 2-1/2"w - need two

Front and Back Facings - 1-3/4" x 13-1/2" - need two

From the second set of quilted fabric we cut pockets, a side strip and the front flap. Wait to cut the second quilted set in class if you want to match a design, or highlight something on your fabric, or if you have directional fabric.

From the second set of quilted fabric cut the following:

Front Pocket A - 7" x 13-1/2"

Back Pocket D1 - 3-3/4" x 13-1/2"

Back Pocket D2 - 7-1/2" x 13-1/2"

Front Flap - 3-3/4" x 9-1/4"

Side Strip - 21" x 5-1/2"

From Coordinating Fabric (not quilted) cut:

2 strips that are 2" wide x width of fabric- these will be cut in lengths needed for binding the facing, side strip and pocket A.

1 strip that is 1" wide x width of fabric - this is for zipper pulls (if needed)

Decide how you want to carry the bag. Refer to page 2 of the pattern to determine how to cut an adjustable, detachable carrying strap with tab and short handles or how to cut long handles to wear the bag over the shoulder. The strap/handles are 2-3/4" wide.

There are other pieces to cut, i.e., the inner pocket, facings, stabilizer sleeve, bias binding, etc. You can cut them prior to class or wait if you are unsure how it all goes together. There is also fusible interfacing (shape flex) that can be cut. See page 2 of the pattern. Cutting your quilted pieces and some coordinating fabrics in advance will help get your sewing started.

Class registration policy: All classes must be paid for at the time of registration. If a class is canceled due to a lack of minimum enrollment, the class fee will be refunded. Any cancellation must be made at least 72 hours in advance to receive a refund. Teachers need time to prepare class handouts and supplies. Please register early as possible to ensure your place and to avoid disappointment.

Please have working knowledge of your machine as the educator will not have time to instruct on the use of your machine

If you have any questions about fabric requirements, supplies or cutting, please text or email me. Mary Stipanovich 850-545-2586
sydais214@gmail.com.