

Rue Bucket Bag Class Supply List

Mary Stipanovich, Instructor

Pattern: Rue Bucket Bag by Sew Many Creations

Look for it at Bernina

Exterior Fabric: Choose cork, lightweight canvas or cotton

Using Cork or Canvas for the Exterior:

One 18 x 27 for outside body, pocket, tabs and optional short handle.

One 9 x 27 for top accent and long adjustable handle.

Using Fabric for the Exterior:

1/2 yd for outside body, pocket, tab and optional short handle.

1/2 yd for top accent and long adjustable handle.

Cotton Fabric for the Interior: 3/4 yd

Interfacing: 1-1/4 yd. of Shape Flex, Pellon SF101

1/3 yd. Woven Fuse or Decovil Light for cork

Find Decovil and Shape Flex at Bernina.

Find Woven Fuse at www.gotinterfacing.com

Hardware: 8 one inch snap together grommets

For the long adjustable handle: 2-1" swivel hooks, 2-1" D rings, 1-1" slide

For the short optional handle: 2-1" swivel hooks

Find Hardware at Bernina

Zipper: 10" or longer handbag zipper - #4.5 or #5

Cording: 1 yard of premade cork cording - 5mm

Find it at Sew Many Creations or Sew Sweetness or on Etsy shops

Double Sided Adhesive Tape for Sewing - 1/8" wide (ByAnnie) and 1/4" wide

Find it at Bernina

Bring all essential sewing supplies to include:

90 top stitch needle

Zipper foot, walking foot, 1/4" foot and a nonstick (teflon) foot if you have one
Stiletto

Wonder clips, Rotary cutter and small mat, rulers

Iron and ironing mat

Marking pen or chalk

Fabric glue pen is useful

Thread to match fabrics - polyester 40 weight

Prior to Class Cut Fabric:

Whether you use cork, canvas or fabric for the exterior you need to cut interior pieces using cotton fabric. Cut the lining fabric:

1 - 10" w x 14" h for zippered pocket - cut this piece first

1 - 24-1/2" w x 10" h for lining body

1 - 7" w x 11" h for bottom

1 - 6" w x 7-1/2" h for lining the outside pocket

Using Shape Flex, cut interfacing for the lining fabric using the above measurements. Iron fusible interfacing to the wrong side of the lining pieces.

From cork, canvas or cotton fabric for the exterior:

Front: 6" w x 10" h - cut one*

Back: 11" w x 10" h - cut one *

Sides: 4-1/2" w x 10" h - cut two *

Pocket: 6" w x 7-1/2" h - cut one *(this is outside front pocket)

Bottom: 7" w x 11" h - cut one *

Side Tabs using Cork : 2" x 10"

Side Tabs using Fabric: 4" x 10" *

From accent cork, or accent canvas or accent cotton fabric for the exterior:

Top Panel: 24-1/2" w x 5" h - cut one

Adjustable Handle using Cork : 26" w x 2" h - cut two

Adjustable Handle using canvas or cotton fabric: 30" x 4" - cut two *

Cork drawstring Tab: 3" w x 2" h - cut one

Optional Short Handle using cork: 2" x 10" - cut two

Optional Short Handle using Fabric: 4" x 20" - cut one *

If you are using canvas or cotton fabric for the exterior - * indicates that you need to cut woven fusible interfacing (Shape Flex). We will wait to cut interfacing for the accent top panel.

Class registration policy: All classes must be paid for at the time of registration. If a class is canceled due to a lack of minimum enrollment, the class fee will be refunded. Any cancellation must be made at least 72 hours in advance to receive a refund. Teachers need time to prepare class handouts and supplies. Please register early as possible to ensure your place and to avoid disappointment.

Please have working knowledge of your machine as the educator will not have time to instruct on the use of your machine

