

58½" x 65½"









Designed By: Cyndi Hershey

Designed by: Cyndi Hershey



Finished Size: 58½" x 65½"

**FABRIC REQUIREMENTS**

	<b>26438 X</b> (1) 36" PANEL		<b>23528 AX</b> ¾ YARD		<b>23528 SK</b> ¾ YARD		<b>23528 A</b> 1 ¼ YARD
	1 BOLT		1 BOLT		1 BOLT		2 BOLT
	<b>22626 J</b> 2 ¼ YARD		<b>23528 AX</b> backing 3 ⅝ YARD				
	3 BOLT		5 BOLT				

\* Numbers within gray box = Number of Bolts needed to make 12 Kits

*We recommend that you carefully read through all instructions before getting started on your project.*

## CUTTING DIRECTIONS

**Note:** All strips are cut from the width of the fabric (perpendicular to the selvages) unless noted otherwise. Seams are  $\frac{1}{4}$ ".

### A. 26438 X - Panel

- Cut  $\frac{1}{4}$ " beyond edge of panel frame. This should be approximately 35" x 42 $\frac{1}{2}$ ".

### B. 23528 AX - Tobacco Color Blends

- Cut (4) 2 $\frac{1}{2}$ " strips; subcut (60) 2 $\frac{1}{2}$ " squares.

### C. 23528 SK - Antique Gold Color Blends

- Cut (7) 1 $\frac{1}{2}$ " strips. Cut one strip in half. Sew five strips together end to end with diagonal seams; press. From this, cut (2) 1 $\frac{1}{2}$ " x 41" strips and (2) 1 $\frac{1}{2}$ " x 46" strips.

### D. 23528 A - Nutmeg Color Blends

- Cut (4) 2 $\frac{1}{2}$ " strips; subcut (60) 2 $\frac{1}{2}$ " squares.
- Cut (4) 3" strips.
- Cut (7) 2 $\frac{1}{2}$ " strips for binding.

### E. 22626 J - Black Illusions

- Cut (5) 1 $\frac{1}{4}$ " strips. Sew together end to end with diagonal seams; press. From this, cut (2) 1 $\frac{1}{4}$ " x 42 $\frac{1}{2}$ " strips and (2) 1 $\frac{1}{4}$ " x 48" strips.
- Cut (7) 1 $\frac{1}{2}$ " strips. Sew together end to end with diagonal seams; press. From this, cut (2) 1 $\frac{1}{2}$ " x 58 $\frac{1}{2}$ " strips and (2) 1 $\frac{1}{2}$ " x 63 $\frac{1}{2}$ " strips.
- Cut (9) 2 $\frac{1}{2}$ " strips. Cut one strip in half. Use six strips to cut (60) 2 $\frac{1}{2}$ " squares and (60) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " rectangles.
- Cut (4) 8 $\frac{3}{8}$ " strips; subcut (13) 8 $\frac{3}{8}$ " squares. Cut each square diagonally in both directions to yield fifty-two quarter-square triangles.
- Use remainder of the 8 $\frac{3}{8}$ " strips to cut (8) 4 $\frac{1}{2}$ " squares. Cut each square diagonally in half to yield sixteen half-square triangles.

## CONSTRUCTION

**1.** Center and sew one (D) 3" strip to both sides of the panel. Trim ends even with edge of panel. Press toward the strips.

**2.** Center and sew one (D) 3" strip to top and bottom of the panel. Trim ends even with edge of panel. Press toward the strips.

**3.** Keeping panel centered, trim framed panel to 39" x 46".

**4.** Sew one (C) 1 $\frac{1}{2}$ " x 46" strip to both sides of the quilt. Press toward the strips. Sew one (C) 1 $\frac{1}{2}$ " x 41" strip to top and bottom of the quilt. Press toward the strips.

**5.** Sew one (E) 1 $\frac{1}{4}$ " x 48" strip to both sides of the quilt. Press toward the strips. Sew one (E) 1 $\frac{1}{4}$ " x 42 $\frac{1}{2}$ " strip to the top and bottom of the quilt. Press toward the strips.

**6.** Draw a line on the reverse side of the (E) 2 $\frac{1}{2}$ " squares. Place one marked square right sides together with one (D) 2 $\frac{1}{2}$ " square. Sew on the drawn line. Trim seam  $\frac{1}{4}$ " from stitching. Press toward the (D) triangle. Repeat to make sixty half-square-triangle units.



Make 60

**7.** Sew one (E) 2 $\frac{1}{2}$ " strip to both sides of one (C) 1 $\frac{1}{2}$ " strip. Press toward the (C) strip to complete one strip set. Repeat by sewing a half (E) 2 $\frac{1}{2}$ " strip to both sides of a half (C) 1 $\frac{1}{2}$ " strip to make one short strip set. Cut strip sets into (30) 1 $\frac{1}{2}$ " segments.



Make 30

**8.** Lay out two units from step 6, one unit from step 7, two (E) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " rectangles and two (B) 2 $\frac{1}{2}$ " squares into one block as shown. Sew units together into top and bottom rows. Press away from center. Sew three rows together and press away from center. Repeat to make twenty-six blocks.



Make (26) 5" finished blocks

**9.** Lay remaining units into one corner block as shown. Sew and press as in step 8. Repeat to make four corner blocks.



Make (4) 5" finished blocks

**10.** Sew seven blocks from step 8 with twelve (E)  $8\frac{3}{8}$ " triangles and four (E)  $4\frac{1}{2}$ " triangles to make one side border. Press seams toward the triangles. Repeat to make second side border.



Make 2

**11.** Sew six blocks from step 8 and two corner blocks from step 9 with fourteen (E)  $8\frac{3}{8}$ " triangles and (4)  $4\frac{1}{2}$ " triangles to make a top border. Press seams toward the triangles. Repeat to make bottom border.



Make 2

**12.** Sew one side border to each side of the quilt. Press away from the borders.

**13.** Sew top and bottom borders to the quilt. Press away from the borders.

**14.** Sew one (E)  $1\frac{1}{2}$ " x  $63\frac{1}{2}$ " strip to both sides of the quilt. Press toward the strips. Sew one (E)  $1\frac{1}{2}$ " x  $58\frac{1}{2}$ " strip to the top and bottom of the quilt. Press toward the strips.

## FINISHING

**1.** Prepare backing using two widths with horizontal seams. Press seams open.

**2.** Layer backing, batting and quilt top. Baste and quilt as desired.

**3.** Trim layers even with quilt top.

**4.** Prepare binding using (D)  $2\frac{1}{2}$ " strips. Sew binding to quilt using your preferred method.



Designed by: Cyndi Hershey

*While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.*