

## Half Log Cabin With a Mini Charm

Size -

Measurements include  $\frac{1}{4}$ " seam allowance.

Sew with right sides together unless otherwise stated.

This pattern requires a basic knowledge of quilting technique and terminology. The quilt and block diagrams portrayed are virtual images.

Supplies:

2 Jelly Roll and 2 Mini Charms— Note: If you are using a cotton jelly roll unroll it outside and shake to get rid of lint from shears. Also some recommend you cut the shear points off but be really careful as you could make strips less than  $2\frac{1}{2}$  inches

Background fabric – 1.1 Meters

Binding - .75 Meters

You need 50 squares so from the second jelly roll select 10 extra strips. Jelly rolls tend to come with more of one color so for mine I picked yellow and blue from the 2<sup>nd</sup> jelly roll as those were the least in the first

From each jelly roll strip cut:


1 –  $2\frac{1}{2}$ " square


2 –  $2\frac{1}{2}$  x  $4\frac{1}{2}$  rectangles

2-  $2\frac{1}{2}$  x  $6\frac{1}{2}$  rectangles

1 –  $2\frac{1}{2}$  x  $8\frac{1}{2}$  rectangle

This is your basic block design





Sewing Step 1 – Match a mini charm with a  $2\frac{1}{2}$  square you cut and sew – press toward the cut square (one with 2 straight sides – the mini charm will have 4 pinked sides)




Step 2 sort your strips in these combinations –  $1\frac{1}{2}$  x  $4\frac{1}{2}$  to sew on the one's you just did then

Step 3 – add your  $2\frac{1}{2}$  x  $4\frac{1}{2}$  and  $2\frac{1}{2}$  x  $6\frac{1}{2}$  to sides (these two are matching)

Match  $1\frac{1}{2}$  x  $4\frac{1}{2}$  with one  $2\frac{1}{2}$  x  $6\frac{1}{2}$  then match one  $2\frac{1}{2}$  x  $6\frac{1}{2}$  with the  $2\frac{1}{2}$  x  $8\frac{1}{2}$  then these are ready



to sew on block



Step 4 — add your  $2\frac{1}{2} \times 6\frac{1}{2}$  and  $2\frac{1}{2} \times 8\frac{1}{2}$  to sides



Step 5 – Next lay out your finished blocks in fashion below – remember we are doing this on point not row by row





Cut setting triangles from your background fabric as follows:

Cut 9 – 10” squares the cut these on diagonal for ends of rows

Cut 2 7 ½” squares then cut on diagonal for corners.

Layout on unassembled quilt as follows:






Step 6 - Sew your rows together from the corners –







Square off corners



Use your favorite methods or borders to complete the quilt



