

Snowy Night Quilt

 HENRY GLASS



Finished Size: **41" x 49" (1.04m x 1.24m)**

Fabric Collection Name and Fabric Designer: **Nordic Holiday Village by Mary Jane Carey**

Technique: **Pieced**

Designed by: **Denise Russell of Pieced Brain**

Skill Level: **Beginner**


Snowy Night Quilt



Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Dots	Red on Red	3604-88	1/3 yard (0.30m)
(B) Snowflakes	Blue Multi	3605-79	5/8 yard (0.57m)
(C) Tossed Trees	Ice Blue Multi	3608-17	1/3 yard (0.30m)
(D) Mini Swirls	Blue	3609-77*	1/2 yard (0.46m)
(E) Mini Stripe	Ice Blue	3611-17	1/3 yard (0.30m)
(F) Tree Panel	Ice Blue Multi	3614P-17	1 yard (0.91m)

* includes binding



Backing (Purchased Separately)

44" (1.12m) wide			
Snowflakes	Cream Multi	3605-11	3 1/3 yards (3.05m)
OR			
108" (2.74m) wide			1 1/2 yards (1.37m)



Backing
44"

Additional Materials:

- 100% Cotton Thread
- Batting: 49" x 57" (1.24m x 1.45m)

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.
Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.
All free projects are intended to remain free and are not for resale.*

CUTTING

Notes:

- Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

(8) 1" x WOF: 4 strips each for borders 1 and 3

Fabric B, cut:

(5) 3½" x WOF for border 4

Fabric C, cut:

(4) 1½" x WOF for border 2

Fabric D, cut:

(5) 2½" x WOF for binding

Fabric E, cut:

(5) 1½" x WOF for border 5

Fabric F:

Fussy-cut panel to 29½" x 37½"

QUILT TOP ASSEMBLY

Notes:

- Follow the **Quilt Layout** Diagram (page 5) while assembling the quilt top.
 - All seam allowances are ¼" (0.64cm).
 - Sew pieces with right sides together. Press seam allowances open unless otherwise indicated.
1. For border 1, trim (2) 1" **Fabric A** border strips to 37½". Sew the strips to either side of the **Fabric F** panel and press the seams toward the borders. Trim (2) border strips to 30½" and sew one to the top and one to the bottom. Press the seams toward the borders.
 2. For border 2, trim (2) 1½" **Fabric C** border strips to 38½". Sew the strips to either side of the quilt top and press the seams toward the borders. Trim (2) border strips to 32½" and sew one to the top and one to the bottom. Press the seams toward the borders.
 3. For border 3, trim (2) 1" **Fabric A** border strips to 40½". Sew the strips to either side of the quilt top and press the seams toward the borders. Trim (2) border strips to 33½" and sew one to the top and one to the bottom. Press the seams toward the borders.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.


All free projects are intended to remain free and are not for resale.

4. For border 4, sew the (5) 3½" **Fabric B** strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut (2) border strips to that length. Sew one strip to each side of the quilt top and press the seams toward the borders. Measure the width of the quilt top through the center. Cut (2) border strips to that length and sew one to the top and one to the bottom. Press the seams toward the borders.
5. Repeat step 4 with the (5) 1½" **Fabric E** strips to make and add border 5.

FINISHING

6. Sew together the (5) 2½" **Fabric D** binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half with the wrong sides together.
7. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.
8. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match the raw edges of the binding to the raw edges of the quilt. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
9. Lay both loose ends of the binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, with the right sides matching. Trim the seam to ¼" and press it open. Finish sewing the binding to the quilt.
10. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

Quilt Layout



*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.
Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.
All free projects are intended to remain free and are not for resale.*