



© Copyright 2009  
Lynda Howell

## Month #2


### Featured Foot: Edge foot



#### CLASS LESSON:

1. Quilting with a guide foot attachment.
2. Fusible applique.
3. **EDGE FOOT** for Drunkard's path corners.

#### PREQUILT BACKGROUND:

1. Mark the 14" square background block with an air soluble marker with a line 1" from one edge of the block.
2. Suggested stitch or use one of your choice  changing the width and length.
3. After stitching the first line, place the guide attachment on the appropriate foot, measure 1" from needle, lock the guide in place.
4. Place the guide on the previously sewn line, stitch again, 1" from first line. Repeat sewing to create a vertical grid. Trim block to 12½" square.

#### APPLIQUE:


Refer to MONTH #1 for information on preparing the fabric for applique and using the **OPEN-TOE** foot.

#### DRUNKARD'S PATH CORNERS:

1. Make a cardboard template of the large circle.
2. Draw around the circle on the **WRONG** side of the fabric. Cut out 5/8" from drawn edge.
3. Machine baste between cut and drawn line.
4. Gather the circle around the cardboard, spray starch the circle on both sides. Press. Cool.
5. Carefully remove the cardboard.
6. Fold the fabric circle in half. Press. Cut on the crease. Repeat with the two halves.

## Above & Beyond

3987 E. 120th Ave  
Thornton, CO 80241  
301-317-2004  
[www.aboveandbeyondsewing.com](http://www.aboveandbeyondsewing.com)



7. Pin the quarter circles to the corners of the quilted background.
8. Repeat with the smaller cardboard circle. If the fabric from the large circle shows through on the smaller circle do the following:
  - a. Draw the small circle to the **WRONG** side of the fabric. Draw the small circle on a piece of woven fusible interfacing (Stacy flex shape), cut out.
  - b. Center then fuse the interfacing to the wrong side of the fabric.
  - c. Cut out the fabric circle 5/8" larger from the drawn line.
  - d. Sew a row of gathering stitches between interfacing and edge of fabric.
  - e. Gather around the cardboard circle, make sure the interfacing is centered on the cardboard. Spray starch then press.
  - f. Fold in half, cut. Repeat for a total of 4 quarters.

#### EDGE FOOT:

##### Large Quarters:

1. Attach the foot to the machine.
2. Move the needle if necessary to have the stitch near the edge of the fabric.
3. Stitch using the guide on the foot next to the fabric edge.

##### Small Quarters:

Repeat above but use a ladder stitch. +++


# Stitcher's Garden


Month #2


Edge foot

**SUGGESTION FOR APPLIQUE:**  
change width and length


Flower: + + + +

Center: 

Stem: 

Leaves: 

**BORDERS:**  
cut then sew the following to the block:  
2 - 1½" x 12½" strips  
2 - 1½" x 14½" strips



DRUNKARD'S  
PATH  
CORNERS


AFTER STITCHING THE SECOND QUARTER CIRCLE  
IN PLACE, CUT AWAY THE FIRST QUARTER  
CIRCLE FABRIC FROM BEHIND, LEAVING A ¼" SEAM.  
DO NOT CUT AWAY THE BACKGROUND FABRIC.

Cut out both circles  
from cardboard.

# Stitcher's Garden

Month #2

Edge foot



If desired, quilt the design with a contrasting thread, AFTER appliqueing.

Layer in numbered sequence.

Designs given in reverse

Dash lines represent the template underneath.