



TUX

#ST-1821

Sew up very CUTE Penguin Pot Holders/Hot Pads with a lot of heart! Super easy - you can make a variety of designs by your fabric choices! With or without a Vest, or (for the Holidays) with a festive Vest and a Holly Bow Tie!
Approximate finished size 9" x 7".

Material List

- ✓ One FQ Tux Main Color (MC) or Black cotton fabric.
- ✓ One FQ White cotton fabric for Face.
- ✓ One 2" x 2" piece Gold cotton fabric for Beak.
- ✓ 1/2 yd or Craft pack of Pellon Fusible Fleece.
- ✓ 1/2 yd or Craft pack of Insul-Bright.
- ✓ 1/4 yd of Paper-Backed Fusible Heat & Bond Lite adhesive.
- ✓ 1/2 yd of 5/8" wide Grosgrain Ribbon for Hanger & Bow Tie.
- ✓ Two 6mm half-round black beads or 1/4" buttons for Eyes.
- ✓ Optional: One 6" x 4" piece of printed cotton fabric for Vest, one 4" x 2" piece of green fabric for Holly Bow Tie, one 5/8" red button.
- ✓ Basic sewing supplies, contrasting & matching threads.



© 2018, S. Tigie Shore The copyrights apply to the pattern as well as all commercial applications. All mechanical reproduction is strictly prohibited.
Patterns are for personal use only!

Susie C Shore Designs - www.susiecshore.com

PLEASE READ ALL INSTRUCTIONS FIRST!

Prepare all (cotton) fabrics by steam-pressing. Trace around each pattern piece on your fabric using a water-soluble marker - **DO NOT** cut out unless you've read all the instructions. Transfer all markings. 1/4" seam allowances included. Use small stitches and go slow around curves for accurate shaping. A plastic see-through presser foot allows you to see the traced lines easier but is not necessary.

FMI = following manufacturer's instructions.

RS = right sides.

WS = wrong sides.

RST = right sides together.

FQ = fat quarter.

MC = main color fabric.

TO MAKE TUX HOT PADS



1. Cut **TWO** 10" x 9" pieces from the **MC** for Tux Main Body and **ONE** matching piece each from the Insul-Bright and Pellon Fusible Fleece.

2. Fuse the Pellon Fusible Fleece to the **WS** of **ONE** of the cut **MC** for Tux Main Body fabric pieces. Trace and cut **ONE** Tux Main Body from the Pellon-backed fabric. Transfer all markings as noted on the pattern pieces. Set the remaining cut **MC** Tux Main Body fabric and Insul-Bright aside. We are only cutting **ONE** Tux Main Body (follow instruction #6; we are using the prepared Tux Main Body as the template instead of fussy-cutting batting and fabric).

3. Trace the Beak & Face/Vest applique pieces on the **WS** of the paper-backed fusible adhesive. Loosely cut out traced applique pieces and fuse to the **WS** of fabrics as noted (Gold for Beak, White for Face/Vest; if making a printed Vest, cut along Vest line as noted on the pattern and fuse to Vest fabric), **FMI**. Transfer all markings, cut out pieces, and set aside.



1. Remove paper-backing from cut applique pieces.


2. Position cut Face/Vest piece **RS** up on the cut Pellon-backed Tux Main Body piece (as noted on the pattern), and fuse in place, **FMI**. If making a separate Vest, position cut Face and Vest together along original cut line and fuse in place, **FMI**. Position and fuse Beak in place, **FMI**.



3. Satin-stitch (we suggest setting your zig-zag stitch at 2.0 width with .04 length) Wing Details as noted on the pattern. Then satin-stitch the Face Vest and/or Face and Vest pieces in place, then satin-stitch the Beak.

4. Using the same satin-stitch setting, stitch Eyebrows as noted on the pattern.

5. Cut and fold a 4" piece of grosgrain ribbon in half and position with loose cut ends along top edge of prepared Tux as noted on the pattern, and pin in place.



6. Make a stack by layering together one cut piece each of the cut Insul-Bright, then the remaining Tux Main Body fabric, **RS** up. Position prepared Tux Body on top of stack, **RST**.

7. Using a 1/4" seam allowance, stitch through all layers around the prepared Tux's outer edges; pivot and turn as necessary, leaving an opening as noted on the pattern. If you find the opening too small, leave a bigger one.


8. Cut out sewn Tux, trim seam allowance to a scant 1/4", clip curves/corners as needed. Turn **right side** out. Smooth seam allowances with a turning tool or wooden spoon handle, and press flat. Turn under open edges and whip-stitch closed.

9. For eyes, position half beads or buttons as noted on the pattern and glue or sew in place.

10. Tie remaining piece of grosgrain ribbon into a Bow Tie, trim as desired, and tack/sew in place as noted on the pattern.

11. **To Make Holly Bow Tie:** Cut a matching 2" x 4" piece of paper-backed fusible adhesive and fuse to the wrong side of the fabric, **FMI**. Cut adhesive-backed fabric in half to measure 2" x 2", remove paper-backing, align fabric pieces and fuse **WS** together. Trace and cut out Holly Bow Tie, position as noted on pattern with red button centered on top, and sew in place!

Too Cute! Make Super Quick Gifts!



Tux

Penguin Hot Pad/Pot Holder


#ST-1821

©2018, S. Tigie Shore



Cut One Beak From
Paper-Backed
Fusible Adhesive
Fabric

READ INSTRUCTIONS FIRST BEFORE CUTTING FABRIC!
(1/4" seam allowance included)



©2018, S. Tigie Shore
Be sure to visit us on the web at:
www.susiecsshore.com