

# bullseye™ Nested Dies FOR Studio™

 accuquilt®  
better cuts make better quilts®

## Studio™ Tumbling Table Runner

Finished Size: 14" x 52"



### Studio™ Dies Used:

- Bullseye™ Tumblers-Even-2", 4", 6", 8" Finished for Studio (50367)
- Studio Strip Cutter-2½" (2" Finished) (50612 or 50056)

### Fabric Requirements

- Fabric 1 (White)—1½ yards
- Fabric 2 (Green)—(3) ¼ yard cuts (scrappy), or ¼ yard of one color, or (12) charm squares
- Fabric 3 (Pink)—(3) ¼ yard cuts (scrappy), or ¼ yard of one color, or (12) charm squares
- Fabric 4 (Blue)—(3) ¼ yard cuts (scrappy), or ¼ yard of one color, or (12) charm squares
- Bias Binding—½ yard
- Backing—1 yard
- Batting—18" x 60"

### Cutting Directions

Cutting directions are figured for using the 4" finished Bullseye™ tumbler. To cut each of the tumblers below, select the Bullseye 4" tumbler blade board and the 6" and 2" foam boards.

**TIP:** With Bullseye dies for Studio, you can cut up to 10 layers of 100% cotton fabric at a time. Remember to position the fabric on the lengthwise grain, with the selvage edge towards the Studio handle, as it goes under the roller.

#### Fabric 1:

- Cut 48—4" finished tumblers

#### Fabric 2:

- Cut 12—4" finished tumblers

#### Fabric 3:

- Cut 12—4" finished tumblers

#### Fabric 4:

- Cut 12—4" finished tumblers

more ►

SHOP BULLSEYE™ DIES & PATTERNS AT ACCUQUILT.COM



Patents Pending ©2014 AccuQuilt

PQ10326

### Backing & Binding:

- Cut 1—18" x 54" rectangle (Set aside for backing)
- From the remaining fabric cut enough 2½" bias strips to equal 175"

### Sewing Directions

1. Lay out tumbler blocks in rows as shown in the diagram. Alternating the direction of the tumblers. Layout should be seven tumbler rows wide and 12 tumbler rows long.
2. Pin and sew tumblers into rows, pressing seams in opposite directions.
3. Pin and sew rows together to create the quilt top. Press seams in the same direction.

### Quilting And Finishing

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Machine quilt with your desired design. Model was custom machine quilted.
4. Add binding mitering the corners.

