

Diamond Runner

The Wedge

For this project we're using the large 15 degree wedge found in the Color Wheel Bargello pattern.

Tool Preparation

- Apply a long tube of wide transparent packaging tape, rolled with the sticky side out, to the back of the wedge tool.



Cutting Strips

- Cut an 8" strip from Fabrics A, B, and C.
- Cut a 3 1/4" strip from Fabric A.
- Cut *three* 8" strips from Fabric D.

Finished Size
18" x 70"






Fabric	Exact amount	Suggested yardage
A	11"	3/8 yd
B	8"	3/8 yd
C	8"	3/8 yd
D	24"	3/4 yd
backing/ batting	22" x 74"	2 1/8 yd



Cutting Wedges

- Cut wedges from the 8" strips of Fabrics A, B, and C using only the narrow portion of the 15 degree wedge.




- Cut wedges from the 8" strips of Fabric D using only the wide portion of the 15 degree wedge.

Fat Quarters?

Yes! You can use fat quarters for A, B, and C. For D you can use either two fat quarters or 1/2 yard.


Sewing Wedges

- Arrange the wedges in groups, with the narrow end of wedges A, B, and C at the top and the wide end of the D wedges at the top.




Sewing Help

It will seem like a "fussy" point, but if you're careful to align the top edges at the 1/4" stitching line, it will keep your band straight.



Sewing Wedges


- Sew the wedges in rows. Be sure to see the sewing tip shown on the previous page.



Make 8 rows.

Sewing Groups


- Pin the wedge rows together, matching the seams.
- Sew the wedge rows together.




Make 4 groups.

Making the End Piece


- Sew a 3 1/4" strip to the end of a group piece.




- Trim the corners even with the sides using the 15 degree wedge as a guide.




- Trim the top right using the 15 degree wedge as a guide.
- Notice the edge tool is placed on the seam.



- Trim the top left in the same manner.




- Make two.



Assembly

- The groups with end pieces create the top and bottom of your runner.
- Sew the four groups together to make the runner.



Finishing

- Layer batting, backing (right side up), and runner right side down.
- Sew around the outer edge, leaving an opening for turning.
- Trim the excess backing and batting.
- Turn inside out.
- Hand whip the opening closed.
- Press the outer edges.