
Squedge 15 Topper



Fabric	Number of strips	Strip width	Amount Used	Suggested Yardage
А	one	8" x fabric width	8"	³⁄8 yd
В	one	8" x fabric width	8"	³⁄8 yd
С	one	3" x 3"	3"	¹⁄8 yd
Backing			25" x 25"	³⁄4 yd
Batting			25" x 25"	³⁄4 yd

Finished Size: 23" x 23"

Prepare the Squedge 15 tool

Apply non-slip disks to the back of the Squedge tool. For mirror image cuts, you will need to turn the fabric over to the wrong side for cutting.


Cutting Strips

Cut 8" strips from A and B fabric as listed in the chart.

Place the Squedge 15 tool base on the bottom edge of the strip set.

Cut 12 Full Squedge pieces from A.

Cut **12** Reverse Full Squedge pieces from B. *Reverse is found by flipping the tool over with words down.*



Pin a Squedge to a mirror image Squedge.


Sew the two together.

Sew 12 pairs.

Sew the pairs together to form the topper.

Press the seam allowances from the back, then repeat on the front side.

The direction you press is up to you. Pressing all the seam allowances in a counter clockwise direction is one option. You may also open the seam allowances for a flatter topper.



Squedge 15 Topper


Iron a square of freezer paper to the back of the project to stabilize the center opening.

Trace a circle onto freezer paper.

Iron the freezer paper onto a scrap of fabric you've chosen for your center applique.

Cut the fabric, allowing ¼" for turning under.

Applique the circle to the center opening.




Finish the project using the "pillow case" method. Layer the backing (right side up), batting, then pieced top (right side down).


Pin the layers together.

Sew around the perimeter, leaving a place for turning.

Trim away the excess backing and batting. Clip at the inside corners.

Now turn the piece inside out and hand stitch the opening closed.





Finished Size: 22 1/2" in diameter

Squedge 15 Topper

