

## (Pattern Revisions)

### Runner: 52 ½" x 28"

Updated pattern to reflect correct panel size for the Runner.

## Cutting Instructions - Runner:

### **Pumpkin Panel – Multi (A)**

- Fussy cut (1) 23 ½" x 15" rectangle, centered on a large panel.
- Fussy cut (4) 5 ½" squares, each centered on a small panel.

### **Tonal – Grape (B)**

- Cut (1) 2" x WOF strip. Sub-cut (2) 2" x 15" strips.
- Cut (2) 2" x 26 ½" WOF strips.
- Cut (5) 2 ½" x WOF strips for the binding.

### **Tonal – Tangerine (F)**

- Cut (1) 1 ½" x WOF strip. Sub-cut (2) 1 ½" x 16 ½" strips.
- Cut (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 43" strips.

### **Packed Candy – Multi (G)**

- (1) 18 ½" x WOF strip. Sub-cut (2) 18 ½" x 5 ½" strips.
- (3) 5 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 5 ½" x 43" strips.

### **Backing – (Your Choice)**

- Cut (1) 61" x 36" WOF strip for the back.

Updated Steps 17, 21-22 to reflect the updated cutting.

## Runner Block Assembly Instructions:

17. Sew (1) 2" x 15" Fabric B strip to each side of the 23 ½" x 15" Fabric A panel. Sew (1) 2" x 26 ½" Fabric B strip to the top and to the bottom of the Fabric A panel to make the Runner Center Block (Fig. 14). **Trim the block to measure 25" x 16 ½"**.




Fig. 14

B

**Runner Top Assembly Instructions: Refer to Figure 17 while assembling.**

- 21.** Sew (1) 1 1/2" x 16 1/2" Fabric F strip to each side of the Runner Center Block. Sew (1) 1 1/2" x 43" Fabric F strip to the top and to the bottom of the Runner Center Block.
- 22.** Sew (1) 5 1/2" x 18 1/2" Fabric G strip to each side of the Runner Center Block. Sew (1) 5 1/2" Fabric A square to each end of (1) 5 1/2" x 43" Fabric G strip. Repeat to make a second strip. Sew the newly sewn strips to the top and to the bottom of the Runner Center Block to make the Runner top.
- 24.** Sew the (5) 2 1/2" x WOF Fabric B strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.

Updated Figure 17 to reflect the updated cutting.




Fig. 17