

My First Appliqué Quilt

35.75" square wall hanging

Materials:

1/3 yard cream background
1/3 gold
1/2 green
3/4 purple
1 1/4 yards backing fabric
Gold embroidery floss optional
Green embroidery floss optional
1 1/4 yard square piece of batting
medium taupe 100 wt.silk thread

Cutting :

Cream fabric

5 – 7 1/2" squares – background for appliqué blocks

Gold fabric

16 – 1 1/2 x 8 1/2" rectangles for sashing

4 – 2 1/2" squares for cornerstones

2 – 4 1/8" squares, cut on both diagonals to make 8 – sashing triangles



Green fabric

1 – 12 5/8" square cut on both diagonals to produce 4 side-setting triangles



2 – 6 5/8 squares cut on one diagonal only to produce 4 corner triangles



10 – 1" x 7 1/2" strips to frame cream blocks

10 – 1" x 8 1/2" strips to frame cream blocks

Purple fabric

4 – 2 1/2" strips width of fabric for binding

16 1 1/2" x 8 1/2" rectangles for sashing

4 strips 3 1/4" wide by width of fabric for border

trim 2 to 28 1/4" in length

trim the other 2 to 35 3/4" in length

Appliqué:


Trace appliqué patterns on to the wrong side of the cream background squares. Appliqué using the Quick Prep Appliqué Method.

Assemble quilt top:

- Following diagram of quilt top on the next page:
- Begin by framing the cream blocks with green framing strips.
- Sew one gold sashing rectangle to one purple sashing rectangle to make one sashing unit. Repeat 15 more times.
- Assemble quilt by diagonal rows.
- Then sew the diagonal rows together.
- Then add the final border.


My First Applique Quilt

Follow line drawing to set quilt together




My First Applique Quilt

Outer Curves



My First Applique Quilt


Inner Curves



Pattern has been reversed. It is ready to trace for back basting.

My First Applique Quilt

Outer Points



Pattern has been
reversed. It is ready to
trace for back basting.

My First Applique Quilt

Inner Points

Pattern has been reversed. It is ready to trace for back basting.

