


GO! Propeller Planes Quilt

Finished Size: 36" x 36"

*Fabrics provided by
QT Fabrics*









Dies Needed:

- GO! Airplanes (55366)
- GO! Qube™ Mix & Match 8" Block (55776)
 - GO! Square-4½" (4" Finished) (Shape 1)
 - GO! Half Square Triangle-2" Finished Square (Shape 5)
 - GO! Parallelogram 45°-2¾" x 3½" Sides (2¹/₁₆" x 2¹³/₁₆" Finished) (Shape 7)
 - GO! Rectangle-2½" x 4½" (2" x 4" Finished) (Shape 8)
- GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)

Cutting Directions:

**NOTE: Apply fusible web to the wrong side of asterisked fabrics following manufacturer's instructions before cutting appliqué shapes.*

Fabric Color	Shape & Number	Number of Shapes to Cut	Total Fabric Required
Light Blue		Cut 2—5¼" x width of fabric (WOF) strips. Fanfold into 5¼" widths. Sub cut into 12—4" finished squares. Save ½ strip to sub cut for Shape 5.	1 yard
Light Blue		Cut 1—3¾" x WOF strip plus remaining strip from above cut into a 3¾" x 12" rectangle. Fanfold into 3" widths. Sub cut into 32—2" finished half square triangles (HSTs).	Yardage included above
Light Blue		Cut 1—5" x WOF strip. Fanfold into 5½" widths. Sub cut into 12—rectangles.	Yardage included above
Medium Blue		Cut 2—5¼" x width of fabric (WOF) strips. Fanfold into 5¼" widths. Sub cut into 12—4" finished squares. Save ½ strip to sub cut for Shape 5.	1½ yards
Medium Blue		Cut remaining strip from above into a 3¾" x 12" rectangle. Sub cut into 8—2" finished HSTs.	Yardage included above
Dark Blue		Cut 1—5¾" x 30" strip. Sub cut strips into 10" lengths. Layer three fabric strips with right sides of fabric facing up. Cut shapes by continuing to move strip over to cut across the WOF. Sub cut into 12—parallelograms.	1/4 yard
*Assorted Fabrics	GO! Airplanes (55376)	Cut 4—planes; 4—windshields; 2—bi-planes; 4—struts; 1—propeller; 1 propeller shield (1" circle)	Scraps

Additional Cutting Instructions:

- Light Blue
 - Use GO! Strip Cutter-2½" (2" Finished) (55017 or 55014) to cut 4—2½" x WOF strips for Center Border. Sub cut each strip into 2½" x 28½"
- Medium Blue
 - Use GO! Strip Cutter-2½" (2" Finished) (55017 or 55014) to cut 8—2½" x WOF strips for borders. Sub cut Inner Border strips into 4—2½" x 24½" strips. Sub cut Outer Border strips into 2—2½" x 32½" and 2—2½" x 36½".
 - Use GO! Strip Cutter-2½" (2" Finished) (55017 or 55014) to cut 4—2½" x WOF strips for binding.

Additional Fabrics Needed:

- Fusible Web: scraps
- Batting: 44" x 44"
- Backing: 1¼ yards



Sewing Directions:

Press all seams open and use ¼" seams, unless otherwise indicated.

Four Patch Block

NOTE: Make 6 Blocks.

1. Sew one light blue and one medium blue 4" finished square (Shape 1) together as shown. Press seams open. Make 12 half block units.
2. Pin and sew two half block units together as shown with light and medium blue squares opposite each other. Press seams open. Make 6 four patch blocks.




Propeller Block

NOTE: Make 3 Blocks.


1. Sew one light blue 2" finished half square triangle (HST) (Shape 5) to each long side of a dark blue parallelogram (Shape 7) as shown. Press seams open. Make 12 parallelogram units.




2. Pin and sew one light blue rectangle (Shape 8) to the long side of the parallelogram unit ensuring that all parallelograms are pointing in the same direction. Press seams open or to one side. Make 12 propeller quarter units.



3. Pin and sew two of the propeller quarter block units together as shown. The second quarter block unit should be rotated 90° as shown. Press seams open or to one side. Make 6 propeller half blocks.




4. Pin and sew the half block units together as shown. Match the center seams. Press seam open or to one side. Make 3 propeller blocks.



Border Corners

Sew one light blue and one medium blue 2" finished HST (Shape 5) together as shown. Press seams open. Make 8 HST units for the corners of the center border.




Airplane Appliqué

Four planes and 3 bi-planes will be appliquéd onto the pieced quilt blocks. Detailed instructions are included with the free machine embroidery download from www.accuquilt.com/airplanes55366.

Assemble Quilt Block and Inner Border


1. Lay out blocks as shown.
2. Pin and sew blocks into rows with machine embroidered airplane and pieced blocks. Press seam allowance open or to one side.
3. Pin and sew rows together to complete the inner quilt top. Press seam allowances open or to one side.
4. Cut the vertical and horizontal inner borders according to the cutting instructions.



5. Stitch the pieced HST units to either end of the horizontal border. Press seam allowance open or to one side.
6. Stitch the vertical inner border to the sides of the quilt.
7. Stitch the horizontal inner border to the top and bottom of the quilt, matching seams.
8. Press seam allowances toward the inner border.


Center Border

1. Cut the vertical and horizontal center borders according to the cutting instructions.
2. Stitch the pieced HST unit to either end of the horizontal border. Press seam allowance open or to one side.
3. Stitch the vertical center border to the sides of the quilt.
4. Stitch the horizontal center border to the top and bottom of the quilt, matching seams.
5. Press seam allowances toward the inner border.



Outer Border

1. Cut the vertical and horizontal outer borders according to the cutting instructions.
2. Stitch the vertical outer border to the sides of the quilt.
3. Stitch the horizontal outer border to the top and bottom of the quilt, matching seams.
4. Press seam allowances toward the outer border.



Quilting and Finishing

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding, mitering corners.