

Featuring fabrics from Hocus Pocus fabric collection by Deane Beesley

P&B Textiles • pbtex.com • p800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871



Hocus Pocus

Fabric collection by Deane Beesley Follow the Signs designed by Stacey Day Finished size approximately: 64" x 88"

Yardage:

Fabric A	HPOC5823-MU	2 panel repeats
Fabric B	HPOC5824-MU	1 7/8 yards
Fabric C	HPOC5827-S	1 1/8 yards
Fabric D	HPOC5828-G	1/4 yard
Fabric E		1/4 yard
Fabric F	HPOC5828-S	1/2 yard
Fabric G		1/2 yard
Fabric H		1/2 yard
Fabric I		1/4 yard
Fabric J		1/2 yard
Fabric K	HPOC5831-E	2 1/4 yards
Fabric L		1/4 yard
Fabric M	HPOC5832-MU	3/4 yard
Backing		5 1/2 yards
Batting		72" x 96"
•		

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric **WOF** (perpendicular to selvedges) unless otherwise stated. All seams are sewn with 1/4" seam unless otherwise stated. Label all pieces.

Fabric A:

 Fussy cut sixteen 8 1/2" squares each centered on a block. (Blocks)

Fabric B:

 Fussy cut two 12 1/2" x 64" Length of Fabric (LOF) strips. (Outer Border)

Fabric C:

- Cut ten 2" x WOF strips; sub-cut twenty 2" x 14 1/2" strips. (Sashing)
- Cut eight 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut five 2" x 64" strips. (Sashing)

Fabric D:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" x 2 1/4" strips. (Blocks)

Fabric E:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" x 2 1/4" strips. (Blocks)

Fabric F:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 4 1/2" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3 1/4" strips. (Blocks)
- Cut four 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" squares. (Blocks)

Fabric G:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 4 1/2" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3 1/4" strips. (Blocks)
- Cut four 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" squares. (Blocks)

Fabric H:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 4 1/2" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3 1/4" strips. (Blocks)
- Cut four 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" squares. (Blocks)

Fabric I:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" x 2 1/4" strips. (Blocks)

Fabric J:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 4 1/2" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3 1/4" strips. (Blocks)
- Cut four 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" squares. (Blocks)

Fabric K:

- Cut eleven 2 1/4" x WOF strips; sub-cut sixty-four 2 14" x 6 1/4" strips. (Blocks)
- Cut eight 4 1/2" x WOF strips; sub-cut sixty-four 2 1/4" x 4 1/2" strips. (Blocks)
- Cut six 1 3/4" x WOF strips; sub-cut (128) 1 3/4" squares. (Blocks)

Fabric L:

- Cut two 1 3/4" x WOF strips; sub-cut sixteen 1 3/4" x 3" strips. (Blocks)
- Cut two 1 3/4" x WOF strips; sub-cut thirty-two 1 3/4" x 2 1/4" strips. (Blocks)

Fabric M:

 Cut twelve 2 1/4" x WOF strips. Sew the strips together end to end to make 320" of bias binding. Cut more strips as needed. (Binding)

Piecing Instructions:

Note: Pay attention to the fabric and unit orientations while assembling the various components.

1. Place one 1 3/4" **Fabric J** square on the left side of one 1 3/4" x 3" **Fabric E** strip, right sides together. (Diagram 1) Sew across the diagonal of the square from the upper right corner to the lower left corner. (Diagram 1) Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance. (Diagram 2)





Diagram 1

Diagram 2

- 2. Place another 1 3/4" Fabric J square on the right side of the 1 3/4" x 3" Fabric E strip, right sides together (Diagram 3). Sew across the diagonal of the square from the upper left corner to the lower right corner (Diagram 3). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make one 1 3/4" x 3" Unit 1 strip (Diagram 4).
- 3. Repeat Steps 1-2 to make sixteen Unit 1 strips total.





Diagram 3 Make (16) = 1 3/4" x 3" unfinished Diagram 4

4. Repeat Steps 1-2 and refer to Diagrams 5-7 for fabric identification, placement, seam direction and orientation to make sixteen of each unit strip for Unit 2 through Unit 4.







Make (16) 1 3/4" x 3" unfinished Diagram 5

Make (16) 1 3/4" x 3" unfinished Diagram 6


Make (16) 1 3/4" x 3" unfinished Diagram 7

 Sew one 1 3/4" x 4 1/2" Fabric J strip to each end of one Unit 1 strip to make (1) 1 3/4" x 11" Unit 5 strip. (Diagram 8) Repeat to make eight Unit 5 strips total.



Make (8) = 1 3/4" x 11" unfinished Diagram 8

6. Repeat Step 5 and refer to Diagrams 9-11 for component identification, placement and orientation to make eight of each unit strip for Unit 6 through Unit 8.



Make (8) = 1 3/4" x 11" unfinished Diagram 11

7. Sew one 1 3/4" x 3 1/4" **Fabric J** strip to each end of one Unit 1 strip to make (1) 1 3/4" x 8 1/2" Unit 9 strip. (Diagram 12) Repeat to make eight Unit 9 strips total.



Make (8) = 1 3/4" x 8 1/2" unfinished Diagram 12

 Repeat Step 7 and refer to Diagrams 13-15 for component identification, placement and orientation to make eight of each unit strip for Unit 10 through Unit 12.






Make (8) = 1 3/4" x 8 1/2" unfinished Diagram 13 Make (8) = 1 3/4" x 8 1/2" unfinished Diagram 14




Make (8) = 1 3/4" x 8 1/2" unfinished Diagram 15

Sew one Unit 9 strip to each side of one 8 1/2"
 Fabric A square. Sew one Unit 5 strip to the top of to the bottom of the Fabric A square to make one 11" Unit 13 square. (Diagram 16) Repeat to make four Unit 13 squares total.




Make (4) = 11" x 11" unfinished Diagram 16


 Repeat Step 9 and refer to Diagrams 17-19 for component identification, placement and orientation to make four of each unit square for Unit 14 through Unit 16.



Make (4) = 11" x 11" unfinished Diagram 17



Make (4) = 11" x 11" unfinished Diagram 18



Make (4) = 11" x 11" unfinished Diagram 19

11. Place one 1 3/4" **Fabric K** square on the bottom of one 1 3/4" x 2 1/4" **Fabric E** strip, right sides together and aligning the bottoms of the fabrics. (Diagram 20) Sew across the diagonal of the square from the upper right corner to the lower left corner. (Diagram 20) Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 17 rectangle. (Diagram 21) Repeat to make sixteen Unit 17 rectangles total.



Diagram 20



Make (16) = 1 3/4" x 2 1/4" unfinished
Diagram 21

 Repeat Step 11 and refer to Diagrams 22-28 for fabric identification, placement, seam direction and orientation to make sixteen of each unit rectangle for Unit 18 through Unit 24.



Make (16) = 1 3/4" x 2 1/4" unfinished Diagram 22

Unit 19

Make (16) = 1 3/4" x 2 1/4" unfinished Diagram 23



Make (16) = 1 3/4" x 2 1/4" unfinished Diagram 24



Make (16) = 1 3/4" x 2 1/4" unfinished Diagram 25



Make (16) 1 3/4" x 2 1/4" unfinished Diagram 26



Make (16) 1 3/4" x 2 1/4" unfinished Diagram 27




Make (16) 1 3/4" x 2 1/4" unfinished Diagram 28

 Sew one Unit 17 rectangle to the left side of one Unit 21 rectangle lengthwise to make one 2 1/4" x 3" Unit 25 rectangle. (Diagram 29) Repeat to make sixteen Unit 25 rectangles total.



Make (16) = 2 1/4" x 3" unfinished Diagram 29

 Repeat Step 13 and refer to Diagrams 30-32 for component identification, placement and orientation to make sixteen of each unit rectangle for Unit 26 through Unit 28.



Make (16) = 2 1/4" x 3" unfinished Diagram 30



Make (16) = 2 1/4" x 3" unfinished Diagram 31




Make (16) = 2 1/4" x 3" unfinished Diagram 32


15. Sew one 2 1/4" x 6 1/4" Fabric K strip to each end of one Unit 25 rectangle to make one 2 1/4" x 14 1/2" Unit 29 strip. (Diagram 33) Repeat to make eight Unit 29 strips total.




Make (8) = 2 1/4" x 14 1/2" unfinished Diagram 33

 Repeat Step 15 and refer to Diagrams 34-36 for component identification, placement and orientation to make eight of each unit strip for Unit 30 through Unit 32.






17. Sew one 2 1/4" x 4 1/2" **Fabric K** strip to each end of one Unit 25 rectangle to make one 2 1/4" x 11" Unit 33 strip. (Diagram 37) Repeat to make eight Unit 33 strips total.



18. Repeat Step 17 and refer Diagrams 38-40 for component identification, placement and orientation to make eight of each unit strip for Unit 34 through Unit 36.








Diagram 39





19. Sew one Unit 33 strip to each side of one Unit 13 square. Sew one Unit 29 strip to the top and to the bottom of the Unit 13 square to make one 14 1/2" Block One square. (Diagram 41) Repeat to make four Block One squares total.



Make (4) = 14 1/2" x 14 1/2" unfinished Diagram 41

20. Repeat Step 19 and refer to Diagrams 42-44 for component identification, placement and orientation to make four of each block square for Block Two through Block Four.





Make (4) = 14 1/2" x 14 1/2" unfinished Diagram 44

Quilt Assembly:

- 21. Sew together one 2" x 14 1/2" Fabric C strip, one Block One square, one 2" x 14 1/2" Fabric C strip, One Block Two square, one 2" x 14 1/2" Fabric C strip, one Block Three square, one 2" x 14 1/2" Fabric C strip, one Block Four square and one 2" x 14 1/2" Fabric C strip, in that order from left to right, to make Row One. (Diagram 45)
- 22. Repeat Step 1 and refer to Diagram 45 for component identification, placement and orientation to make Row Two, Row Three and Row Four.
- 23. Sew together Row One, one 2" x 64" **Fabric C** strip, Row Two, one 2" x 64" **Fabric C** strip, Row Three, one 2" x 64" **Fabric C** strip and Row Four, lengthwise and in that order from top to bottom, to make the 64" x 61" Quilt Center (Diagram 45).
- 24. Sew one 2" x 64" **Fabric C** strip to the top and bottom of the Quilt Center.
- 25. Sew one 12 ½" x 64" **Fabric B** strip to the top and bottom of the Quilt Center to make the Quilt Top.





Diagram 45


Finishing:

- 26. Prepare backing using two widths of fabric with a vertical seam. Press seams open. Trim to 72" x 96".
- 27. Layer the quilt, batting and backing. Baste layers together.
- 28. Quilt as desired.
- 29. Trim layers even with quilt top, squaring corners.
- 30. Attach 2 1/2" **Fabric M** bias binding strip using your favorite method.



Quilt Diagram

Hocus Pocus



HPOC5822-PA



HPOC5823-MU Fabric A



HPOC5824-MU Fabric B



HPOC5825-E



HPOC5826-KE



HPOC5827-S Fabric C



HPOC5828-G Fabric D



HPOC5828-O Fabric E



HPOC5828-S Fabric F



HPOC5829-EO



Fabric G



HPOC5830-K Fabric H







HPOC5832-MU* Fabric M

HPOC5831-E Fabric K

HPOC5831-G Fabric I



HPOC5831-K Fabric J



Quilt Fabrics in Bold * Binding †Backing

