
Featuring Burr the Polar Bear by the World of Susybee







By Terri Butler Mamasaidsewllc.com



Prior to starting this project, please check our website for updates: www.clothworks.com





Not For Resale. While every attempt has been made to give accurate measurements, yardage requirements, and construction directions, this does not allow for personal variations in measuring, cutting and/or sewing. Clothworks is not responsible for printing errors. Check clothworks.com for pattern updates.

#### SB20053-101 White

(3) 2" X WOF strips, sub cut into: (56) 2" X 2" squares for Four Patches.

(1)  $3\frac{3}{8}$  X WOF strip, sub cut into: (8)  $3\frac{3}{8}$ " X  $3\frac{3}{8}$ " squares, for Bear Paw block HST's. (1) 3" X WOF strip, sub cut into:

(4) 3" X 3" squares, for A, Bear Paw block.

(1)  $3\frac{1}{2}$ " X WOF strip, sub cut into:

(4)  $3\frac{1}{2}$  X 8" rectangles, for B, Bear Paw block.

### SB20053-170 Gray

(4) 1" X WOF strips, for flange. Press Gray flange strips in half with long edges together and cut into (4)  $24\frac{1}{2}$ " segments.

(1)  $3\frac{1}{2}$ " X  $3\frac{1}{2}$ " square, for C, center of Bear Paw block.

### SB20398-925 Allover Print

(2) 2" X WOF strips, sub cut into: (30) 2" X 2" squares for Four Patches.

(1) 3 3 X WOF strip, sub cut into:

(8)  $3\frac{3}{8}$ " X  $3\frac{3}{8}$ " squares, for Bear Paw block HST's.

(1)  $5\frac{1}{2}$ " X WOF strip, sub cut into:

(4)  $5\frac{1}{2}$  X  $5\frac{1}{2}$  squares, for D. Bear Paw block.

### SB20103-830 Green

(2) 2" X WOF strips, sub cut into: (26) 2" X 2" squares for Four Patches.


### SB20171-199 Black & White dot

(7)  $2\frac{1}{2}$ " X WOF strips, for binding.

### SB20396-930 Border Print

- Trim away selvages from border fabric.
- Cut strips  $18\frac{1}{2}$ " wide X length of fabric, from both sides of fabric. Sub cut into:

 $(4) 61\frac{1}{4}$  X  $18\frac{1}{2}$ 



### Quilt Center

WOF = Width of Fabric


HST = Half Square Triangle


All seams  $\frac{1}{4}$ "


Step 1. Make HST's-


Gather:

- (8)  $3\frac{3}{8}$  " X  $3\frac{3}{8}$  " White squares, for Bear Paw block HST's.
- (8)  $3\frac{3}{8}$ " X  $3\frac{3}{8}$ " Allover Print squares, for Bear Paw block HST's.
- Place one White square face to face to one Allover Print square. Draw diagonal line from corner to corner on the back side of White square.
- Stitch  $\frac{1}{4}$ " on both sides of the line. Cut apart on drawn line, open and press toward Allover print. Repeat with remaining squares.












Step 2. Bear Paw Blocks-

Gather:

- (16) 3" X 3" HST's
- (4) 3" X 3" White A squares.
- (4)  $5\frac{1}{2}$ " X  $5\frac{1}{2}$ " Allover Print squares D squares.
- Arrange (4) HST's, (1) A square, and (1) D square and as shown.
- Stitch together in order as numbered to make Bear Paws.




Make 4 measures 8"




### Step 3. Center Block Assembly

### Gather:

- (4) Bear Paw Blocks
- (4)  $3\frac{1}{2}$ " X 8" White B rectangles
- (1)  $3\frac{1}{2}$ " X  $3\frac{1}{2}$ " Gray C square
- · Arrange as shown, stitch in rows.
- · Stitch rows together to finish center block.



Block measures  $18\frac{1}{2}$ " X  $18\frac{1}{2}$ "




### Step 4. Four patch strips-

- Gather: (56) White, (26) Green, and (30) Allover Print 2" X 2" squares for Four Patches.
- Arrange squares and stitch to make Four Patches that measure  $3\frac{1}{2}$ " X  $3\frac{1}{2}$ ".








Make 2

• Arrange Four Patches as shown to create Four Patch strips.

### Make 2 side strips





### Make 2 top and bottom strips



### **Step 5**. Stitch Four Patch strips to center block.

- Stitch side strips first, followed by top and bottom strips.
- Align raw edges of flange to block and stitch close to the edge. Stitch one flange strip to each side of center block.
- Place a dot at  $\frac{1}{4}$ " seam intersections on each corner of center block.






### Mitered Border

### Step 1. Prepare border strips-


- Place a dot  $18\frac{1}{2}$ " from upper corners of all border strips as shown.
- Draw a 45° cutting line, from dot to outside corner.




• On upper corner of each border print piece, place dot at  $\frac{1}{4}$ " seam intersections.



- Step 2. Attach border to quilt center.
- · With fabric face to face, match dots and stitch side border pieces to quilt center.



• Fold side borders out of the way, exposing dots.




• Position and stitch top and bottom borders as before, matching dots. Stitch from dot to dot.



• Fold quilt on diagonal with right sides together. Align unfinished border strip seams. Stitch seam  $\frac{1}{4}$  starting at dot toward outer edge. Repeat on remaining three corners.

Always start stitching at dot and stitch toward outside edge.





- Layer quilt top with batting & backing.Quilt as desired.
- · Square quilt.
- To prepare binding, trim selvages from binding strips & stitch together on short ends.
- · Bind as usual.