

## GO! Crazy Quilt Star Quilt

FINISHED SIZE 40" X 40"



## Dies Needed:

### GO! Qube Mix & Match 10" Block (55797)

- GO! Half Square Triangle-5" Finished Square (Shape 3)
- GO! Quarter Square Triangle-5" Finished Square (Shape 4)
- GO! Half Square Triangle-2-1/2" Finished Square (Shape 5)
- GO! Square on Point-4-1/16" (3-9/16" Finished) (Shape 6)

### Additional Dies Needed

- GO! Big Crazy Quilt-10" Finished (55861)
- GO! Strip Cutter-2 1/2" (2" Finished) (55017 or 55014)
- GO! Strip Cutter-3 1/2" (3" Finished) (55032)

## Fabric Requirements

Fabric Color	Total Yardage
Assorted Prints or Fat Quarters	10 fat quarters
Green Fabric for Inner Border	1/3 yard
Red Fabric for Outer Border and Binding	3/4 yard
Batting	48" x 48"
Backing	48" x 48"

## Cutting Directions

Fabric Color	GO! Dies Used	Number of Shapes to Cut
10 Assorted Prints or Fat Quarters	GO! Big Crazy Quilt-10" Finished (55861)	Cut 10—13-1/2" x 13-1/2" square. Place up to 6 layers on die and cut 10 Crazy Quilt parts. Leave all crazy quilt parts in the correct orientation when removing from the die board.
Green	GO! Half Square Triangle-5" Finished Square (Shape 3)	Cut 1—6-1/4" x width of fabric (WOF) strips. Fanfold into 6-1/4" widths. Sub cut into 8—5" finished Shape 3 half square triangles.
Light Print	GO! Half Square Triangle-5" Finished Square (Shape 3)	Cut 1—6-1/4" x WOF strips. Fanfold into 6-1/4" widths. Sub cut into 8—5" finished Shape 3 half square triangles.
Red	GO! Quarter Square Triangle-5" Finished Square (Shape 4)	Cut 1—6-1/2" x WOF strips. Fanfold into 6-1/2" widths. Sub cut into 16—5" finished Shape 4 quarter square triangles.
Light Print	GO! Half Square Triangle-2-1/2" Finished Square (Shape 5)	Cut 1—3-3/4" x WOF strips. Fanfold into 3-3/4" widths. Sub cut into 16—2-1/2" finished Shape 5 half square triangles.
Green	GO! Square on Point-4-1/16" (3-9/16" Finished) (Shape 6)	Cut 1—4-1/2" x WOF strips. Fanfold into 4-1/2" widths. Sub cut into 4—5" finished Shape 6 squares on point.
Green	GO! Strip Cutter-2 1/2" (2" Finished) (55017 or 55014)	Cut 4—2-1/2" x WOF strips. Sub cut 2—2-1/2" x 32-1/2" horizontal borders. Subcut 2—2-1/2" x 30-1/2" vertical borders.
Red	GO! Strip Cutter-3 1/2" (3" Finished) (55032)	Cut 4—3-1/2" x WOF strips. Sub cut 2—3-1/2" x 40-1/2" for horizontal borders. Sub cut 2—3-1/2" x 34-1/2" vertical borders.
Red	GO! Strip Cutter-2 1/2" (2" Finished) (55017 or 55014)	Cut 4—2-1/2" x WOF strip for binding.





## Sewing Directions

Press all seams open and use 1/4" seams, unless otherwise indicated.


### CRAZY QUILT BLOCK

**Note:** Directions will be for one 10" finished block. Make 5 blocks. Pieces are stacked in the order of sewing so that each block has 10 different fabrics. Work carefully so that the stacked order is maintained throughout assembly of all blocks. Following these instructions will yield 10 blocks. You will have five blocks left when the quilt is finished.


1. Leaving all crazy quilt parts in the correct orientation as shown, take the top fabric layer of shape B and move to the bottom of the B stack.
2. Take the top two fabric layers of shape C and move to the bottom of the C stack.
3. Take the top three fabric layers of shape D and move to the bottom of the D stack.
4. Likewise, continue with E (4 layers), F (5 layers), G (6 layers), H (7 layers), I (8 layers), J (9 layers) moving the designated layers of fabric to the bottom of each stack.




5. Sew piece A to piece B.




6. Sew piece AB to piece C.




7. Sew piece D to piece E.




8. Sew piece F to piece G.




9. Sew piece H to piece I.




10. Sew piece J to piece HI.



11. Sew piece FG to piece HIJ.



12. Sew piece FGHIJ to piece DE.





13. Sew piece DEFGHIJ to piece ABC.

## SQUARE IN A SQUARE BLOCK


NOTE: Directions will be for one 10" finished block. Make 4 blocks.

1. Sew light print 2-1/2" finished half square triangles (HSTs) (Shape 5) to the opposite sides of a 5" finished square on point (Shape 6) as shown. Press seams open. Make 4 units.
2. Sew light print 2-1/2" finished HSTs (Shape 5) to the opposite sides of the Step 1 unit as shown. Make 4 complete units.
3. Sew red 5" finished quarter square triangles (QSTs) (Shape 4) to the opposite sides of the Step 2 units as shown.
4. Sew red 5" finished QSTs (Shape 4) to the remaining sides of the Step 3 unit as shown. Make 4 complete units.
5. Sew one green 3" finished HST (Shape 3) to one side of the Step 4 unit. Sew one light print 3" finished HST (Shape 3) to the opposite side of the Step 4 unit as shown.
6. Sew one green 3" finished HST (Shape 3) to one side of the Step 5 unit. Sew one light print 3" finished HST (Shape 3) to the remaining side of the Step 5 unit as shown. Make 4 complete blocks.




## Assemble the Quilt Top

1. Lay out blocks in 3 rows of 3 blocks each with crazy quilt blocks and square in a square blocks alternating as shown in quilt diagram. Sew blocks together into rows. Press seams open or to one side.
2. Sew rows together. Press seams open or in opposite directions.



## Assemble the Inner and Outer Borders

1. Cut the vertical and horizontal inner borders according to the cutting instructions. Measure the height of the quilt and adjust the length of the vertical border accordingly. Stitch the vertical inner border to the sides of the quilt.
2. Measure the width of the quilt and adjust the length of the horizontal border accordingly. Stitch the horizontal inner border to the top and bottom of the quilt. Press seam allowances toward the inner border.
3. Measure the height of the quilt and adjust the length of the vertical outer border accordingly. Stitch the vertical outer border to the sides of the quilt.
4. Measure the width of the quilt and adjust the length of the horizontal outer border accordingly. Stitch the horizontal outer border to the top and bottom of the quilt. Press seam allowances toward the outer border.



**Quilting and Finishing:**

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding, mitering corners.

