

# Flutterby Baby Quilt

Finished Size: 35" x 42"



## Supplies Needed

- 2 Fabric Palette<sup>®</sup> 5 pc. Flutterby bundles
- 1 ¼ yds white solid fabric (includes binding)
- 1 ½ yds coordinating fabric (backing)
- 41" x 48" low-loft batting
- 11" x 11" Light-weight paper-backed fusible web
- 8" x 11" Tear-away stabilizer
- Coordinating thread for piecing, appliqué and quilting
- Masking Tape
- Safety pins
- Rotary cutter, mat and acrylic ruler
- Basic sewing supplies
- Sewing machine
- Even-feed foot (optional)
- Iron and pressing surface

## Before you begin

Read all instructions before beginning project. Do not pre-wash fabrics. Before cutting, press fabrics with a dry iron on cotton setting. Use a ¼" seam allowance and sew fabrics with right sides together (RST) unless otherwise noted. wof = width of fabric

## Cutting

White/pink dot:

4 - 1 ¼" x 21"

Upper wings appliqué (see Step 5)

Green tonal:

4 - 1 ¼" x 21"

Pink floral:

4 - 4 ½" x 4 ½"

White/green butterfly, Multi stripe:

4 - 1 ¼" x 21"

4 - 4 ½" x 4 ½"

Large yellow floral, Green dot:

5 - 4 ½" x 4 ½"

Small yellow floral:


4 - 1 ¼" x 21"

Lower wings appliqué (see Step 5)


Dark Pink:

Butterfly appliqué (see Step 5)


White/pink dot




Green tonal




Pink floral




White/green butterfly, Multi stripe




Large yellow floral, Green dot



Small yellow floral



Dark pink fold




**White:**


- 6 - 3" x wof
- 4 - 2 1/4" x wof (binding)
- 1 - 4 1/2" x 18 1/2"
- 2 - 4 1/2" x 14 1/2"
- 1 - 4 1/2" x 10 1/2"
- 1 - 4 1/2" x 6 1/2"

**Backing fabric:**

- 1 - 46" x wof




**Backing fabric**



# Sewing

1. Sew 1 1/4" x 21" strips RST in the following order: Green tonal, white/pink dot, multi stripe, green/white butterfly, small yellow floral (Dia. A).


Dia. A



**Make 4**


2. Make four strip sets measuring 4 1/2" x 21". Press seams open. Square up one end and cut fifteen 4 1/2" squares (Dia. B).

Dia. B




3. Referring to Diagram C for orientation and placement, lay out the strip blocks, 4 1/2" squares and white rectangles (noting the correct size) in five columns. **Note:** Turning the strip unit will give it a different look. Sew the pieces RST and press seams open.
4. Layout the six white sashing strips (3" x 42") starting with a white sashing strip and alternating with the five sewn strip units (Dia. C). Pin and sew RST, starting at the top of the columns. Trim length to be even with the sewn columns.
5. On the paper side of fusible web, trace one full butterfly body, one upper and lower wing and one reverse of upper and lower wing appliqué, leaving at least 1/2" between tracings. **Note:** Templates are on page 4. Cut out the shapes leaving 1/4" beyond the traced lines. Follow manufacturer's directions to fuse the shapes to the **wrong** side of the correct fabrics (refer to cutting section). Cut out on the traced lines. Remove paper backing.

Dia. C




- Refer to Diagram D to place the appliqué shapes on the quilt top, slipping the wing inserts under the upper and lower wings. Press to fuse in place following manufacturer's directions. Position the tear-away stabilizer under the quilt top beneath the butterfly appliqué; pin in place. Sew around the inner and outer edges with a satin, buttonhole or zigzag stitch. Remove excess stabilizer.

Dia. D



- Press finished quilt top and backing fabric. Tape backing **wrong** side up to a firm surface. Layer batting and quilt top right side up. Baste the layers together with safety pins.
- To quilt, sew straight lines in the rectangles or as desired. **Note:** *Quilting with an even-feed foot is recommended when sewing through layers of fabric.*
- Remove selvages and sew the short ends of the binding strips (2 1/2" x 42") RST end to end making one continuous strip; press seams open. Press one short end 1/4" to the **wrong** side. Fold in half lengthwise with **wrong** sides together; press. Leaving a 2" tail on the folded end, place cut edges of folded binding even with the edge of the quilt top and sew, mitering the corners (Dia. E). Overlap ends, sewing the binding and hand stitch.

Dia. E



trim any excess and finish  
Fold binding over to back

## Finished Care Instructions

Machine wash in cold water, gentle cycle. Lay flat to dry or tumble dry low.

