

# Symone Quilt

Finished Size: 36" x 42 ½"



## Supplies Needed

- 2 Fabric Palette® Symone Collection Bundles (Each Bundle has 5 Fat Quarters)
- 1 Bundle (5 Fat Quarters) or 1 ¼ yards fabric of your choice for backing
- ½ yard fabric of your choice for binding
- 42" x 45" low-loft batting
- 7" x 7" template plastic \* (Optional)
- Basting spray or safety pins

- Rotary cutter, mat, and acrylic ruler
- Basic sewing supplies
- Sewing machine
- Even-feed foot
- Iron

\* Quilt Sense™ (Marti Michell) Wonder Triangles Item # 85013 or Wrights EZ Tri-Recs™ may be substituted for making your own templates

## Before you begin

Read all instructions. Do not pre-wash fabrics. Before cutting, press with a dry iron on cotton setting; remove selvages. Use a ¼" seam allowance and sew fabrics with right sides together (RST) unless otherwise noted. Angled cut edges will be slightly bias. Do not pull edges of pieces through machine while sewing or stretch when pressing.

# Making The Templates

Trace the patterns for the triangle (A) and half triangle (B) from page 4 onto the template plastic. Cut out templates on lines.

## Cutting

**Tip:** Some fabric designs are directional. Use the direction you prefer or mix some for variety.



Use Triangle A template to cut a total of 77 triangles. Cut 14 half triangles with Half Triangle B template, using the diagram as a guide.

**Note:** If using Wonder Triangles or EZ Tri-Recs, cut fabric strip width of template plastic as directed.


Binding: Cut 5 - 2 1/2" x wof strips

Backing: Yardage - No cutting necessary for backing

Fat Quarter Backing - Cut 1 Fat Quarter to 2 - 9" x 21", trim minimally if necessary.




Binding






## Piecing

1. Lay out eleven "A" triangles and two "B" half triangles in seven rows as shown or as desired (Dia A).
2. Matching sides as shown, pin triangles RST and sew (Dia. B).  
**Tip:** Sew triangles in pairs, then join pairs to make the row. Check often to be sure triangles are in the right order.

Dia. B



3. Press seam allowances open. Each row should measure 6 1/2" x 36".
4. Sew rows RST matching points; press seams toward the bottom (Dia. C).
5. To make backing, sew together in rows, then join to make a back approximately 41 1/2" x 44" (Dia. D). Press seams to one side.



# Quilting


## Baste:

6. Lay quilt backing on a flat surface **wrong** side up. Center batting, then quilt top right side up, smoothing each layer. Pin or spray baste the three layers together.

## Quilt:

7. Using an even-feed foot, follow diagonal lines to quilt  $\frac{1}{4}$ " away from triangle seams on both angled sides. Add additional lines in the ditch between rows, or as desired (Dia. E).
8. Trim batting and backing even with quilt top; check for square corners.


Dia. E



# Finishing


## Bind:

9. Sew short ends of five binding strips RST to make a continuous length; press seams open. Press one short end  $\frac{1}{4}$ " to the **wrong** side. Fold in half lengthwise with **wrong** sides together; press.
10. Leaving a 2" tail on the folded end, sew binding to front of quilt edges and fold in mitered corners. Overlap ends, trim any excess and finish sewing binding. Fold to back side of quilt to encase cut edges and sew binding in place (Dia. F).



# Finished Care Instructions

Wash in cold water, gentle cycle. Lay flat to dry or tumble dry on low.



To check printing scale, large Triangle A template is  $6\frac{1}{2}$ " height,  $6\frac{1}{2}$ " width.  
Triangle B template is measured on the sewing line – 6" height, 3" width