

Two Big Totes Supply List

The Two Big Totes have a variety of slip and zippered pockets. This class will modify the pattern to include a recessed zipper closure.

Required: Two Big Totes Pattern

Materials:

- Supplies listed on the back of the pattern with the following exceptions:
 - Coordinating fabric – Large (1 $\frac{3}{4}$ yards) Extra-Large (2 $\frac{3}{8}$ yards)
 - Sturdy Fabric – use clear vinyl
 - Fusible Interfacing – Large (3/4 yard) Extra-large (1 $\frac{1}{2}$ yards)
 - Base stabilizer - **Optional**

Sewing Equipment:

- You will need the items listed in the pattern on page 1
- A 60 mm rotary cutter is necessary to cut through all layers of the bag
- Standard sewing supplies


Before Class: Please perform the following steps:

1. Choose an option for cutting and quilting the main fabric, lining, and Soft and Stable. Either quilt small sections (option 1) or quilt one large section (option 2):
 - a. Option 1
 - i. Cut the main fabric, lining, and Soft and Stable as stated in the pattern on page 2.
 - ii. Sandwich the main fabric, lining, and Soft and Stable corresponding pieces and quilt as stated in the pattern on page 3.
 - iii. Cut and Seal Edges as stated in the pattern on page 3.
 - b. Option 2
 - i. Cut a 1 inch by WOF strip from the main fabric. From this strip, cut the joining main strip as stated on page 2.
 - ii. Cut a 1 $\frac{1}{2}$ inches by WOF strip from the lining fabric. From this strip, cut the joining lining strip as stated on page 2.
 - iii. Sandwich the remaining main fabric, lining, and Soft and Stable, and quilt the sandwich as desired.
 - iv. Cut and Seal Edges as stated in the pattern on page 3 from the one large quilted sandwich (no need to cut the quilted sets).
2. Cut coordinating fabric as in layout below. The cutting layouts for coordinating fabric below include the recessed zipper closure. The Zipper Strips cutting measurements should be four 3 $\frac{1}{4}$ x 24 $\frac{1}{2}$ for large or four 3 $\frac{1}{4}$ x 32 $\frac{1}{2}$ for extra-large. The layouts below will give you an idea of how to cut out the coordinating fabric. The layouts below are **NOT TO SCALE**.
3. Cut sturdy material. Option 1 for clear vinyl as stated in the pattern on page 2.
4. Cut fusible interfacing as in the layout below. The Zipper Strips cutting measurements should be four 3 $\frac{1}{4}$ x 24 $\frac{1}{2}$ for large or four 3 $\frac{1}{4}$ x 32 $\frac{1}{2}$ for ex-large. The layouts below are **NOT TO SCALE**.
5. Fuse the interfacing pieces to the wrong side of the corresponding coordinating fabric.
6. Cut 1 $\frac{1}{2}$ strapping as stated in the pattern on page 2


If you have any questions, feel free to text me:

Carolyn Alleyne at (302) 562-8077


Cutting Layout for Coordination fabric - Large



Cutting Layout for Coordination fabric – Extra-Large



Cutting Layout for Fusible Interfacing - Large



Cutting Layout for Fusible Interfacing – Extra-Large

