

## GO! Qube 9" Nordic Winter Quilt

Finished Size: 47" x 47"

*Fabrics are provided  
by Cotton and Steel*



### Dies Needed:

#### GO! Qube Mix & Match 9" Block (55777)

- GO! Square-2¾" (2¼" Finished) (Shape 2)
- GO! Half Square Triangle-4½" Finished Square (Shape 3)
- GO! Half Square Triangle-2¼" Finished Square (Shape 5)








### Additional Dies Needed:

- GO! Strip Cutter-1½" (1" Finished) (55024)
- GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)
- GO! Strip Cutter-4½" (4" Finished) (55054)

**Fabric Requirements:**

Fabric Color	Total Yardage
White	2¼ yards
Dark Gray	5/8 yard
Red	1/2 yard
Light Gray	5/8 yard
Batting	at least 50" x 50"
Backing	3 yards

**Cutting Directions:**

Fabric Color	Shape & Number	Number of Shapes to Cut	Total Fabric Required
White		Cut 6—3¼" x width of fabric (WOF) strips. Fanfold into 3¼" widths. Sub cut into 64—2¼" finished squares.	2¼ yards
White		Cut 6—4" x WOF strips. Fanfold into 3¼" widths. Sub cut into 128—2¼" finished half square triangles (HSTs).	Yardage included above
Dark Gray		Cut 2—5¾" x WOF strips. Fanfold into 5¾" widths. Sub cut into 24—4½" finished HSTs.	5/8 yard
Dark Gray		Cut 2—4" x WOF strips. Fanfold into 3¼" widths. Sub cut into 32—2¼" finished HSTs.	Yardage included above
Red		Cut 3—3¼" x width of fabric (WOF) strips. Fanfold into 3¼" widths. Sub cut into 32—2¼" finished squares.	1/2 yard
Red		Cut 1—5¾" x WOF strip. Fanfold into 5¾" widths. Sub cut into 8—4½" finished HSTs.	Yardage included above
Light Gray		Cut 1—4" x WOF strips. Fanfold into 3¼" widths. Sub cut into 32—2¼" finished HSTs.	5/8 yard

### Additional Cutting Instructions:

- White Sashing and Border—Yardage included above
  - Use GO! Strip Cutter-1½" (1" Finished) (55024) to cut 6—1½" x WOF strips for sashing. Sub cut into 24—1½" x 9½" sashing rectangles.
  - Use GO! Strip Cutter-4½" (4" Finished) (55054) to cut 5—4½" x WOF strips for borders.
- Red Cornerstones—Yardage included above
  - Use GO! Strip Cutter-1½" (1" Finished) (55024) to cut 1—1½" x WOF strip for cornerstones. Align strip along the 90° guideline on the die and sub cut into 5—1½" squares.
- Light Gray Cornerstones—Yardage included above
  - Use GO! Strip Cutter-1½" (1" Finished) (55024) to cut 1—1½" x WOF strip for cornerstones. Align strip along the 90° guideline on the die and sub cut into 4—1½" squares.
- Light Gray—Yardage included above
  - Use GO! Strip Cutter-2½" (2" Finished) (55017 or 55014) to cut 6—2½" x WOF strips for binding.

### Additional Fabrics Needed:

- Batting: at least 50" x 50"
- Backing: 3 yards cut into 2—54" x width of fabric (WOF) pieces. Sew back together along the 54" length. Trim selvages and press seams open.

### Sewing Directions:

*Press all seams open and use ¼" seams, unless otherwise indicated.*

1. Sew one white 2¼" finished half square triangle (HST) (Shape 5) to the side and top of one red 2¼" finished square (Shape 2) as shown. Press seams open. Make 32 combined units.




2. Sew one red 4½" finished HST (Shape 3) and one combined unit together as shown. Press seams towards the HST. Make 8 red quarter block units. Repeat with the dark gray 4½" finished HST (Shape 3) as shown. Press seams towards the HST. Make 24 dark gray quarter block units.





3. Sew one white and one dark gray 2¼" finished HST (Shape 5) together as shown. Press seams toward the dark gray HST. Make 32 dark gray HST units.




4. Sew one white and one light gray 2¼" finished HST (Shape 5) together as shown. Press seams toward light gray. Make 32 light gray HST units.




5. Sew one white 2¼" finished square (Shape 2) to one white/dark gray HST unit as shown. Press seams open. Make 32 units.



6. Sew one white 2¼" finished square (Shape 2) to one white/light gray HST unit as shown. Press seams open. Make 32 units.




7. Sew two Step 5 units together as shown. Press seams open. Make 16 dark gray quarter block units measuring 5" x 5". Repeat using light gray units from Step 6. Press seams open. Make 16 light gray quarter blocks unit measuring 5" x 5".




8. Sew quarter block units together into half block units as shown. Press seams open.

Make 8 half block units.



Make 8 half block units.



Make 16 half block units.



10. Sew quarter block units together into half block units as shown. Press seams open.


Make 4—9½" unfinished blocks



Make 8—9½" unfinished blocks



Make 4—9½" unfinished blocks



### Assemble the Quilt Top

1. Sew sashing rectangles and cornerstones as shown. Press seams towards sashing strips.



2. Sew sashing strips to blocks as shown in quilt diagram on last page to make block rows. Press seams to sashing strips.

3. Sew block rows to sashing rows as shown in quilt diagram on last page. Press to sashing rows.

4. Use the 4½" strips to add borders to the quilt. Add right and left border first, then top and bottom border. Press seams towards the border.

## Quilting and Finishing

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding, mitering corners.

