



# Annie's Sweater Coat

Level: Intermediate

## SIZES

S (M, L, XL)

## FINISHED MEASUREMENTS

**Chest:** 40 (44, 48, 52)''

**Length:** 36 (36, 36 ½, 37)''

## MATERIALS

**Premier® Yarns Mega Tweed®** (97% Acrylic, 3% Viscose; 6oz/170g 74 yds/68m)

- #1007-21 Camel Tweed – 9 (10, 11, 12) balls

**Needles:** US Size 17 (12.5 mm) 32'' circular needle and double pointed needles (set of 5) *or size needed to obtain gauge*

**Notions:** Tapestry needle, 4 stitch markers, scissors, tape measure, smooth waste yarn, 4 stitch holders

## GAUGE

6 sts x 9 rows = 4'' in St st.

6 sts x 9 rows = 4'' in 1x1 rib, slightly stretched.

24 sts = 11 ½'' in Cable.

**Save time, check your gauge.**

## STITCH GUIDE

**1x1 Rib in the round** (*multiple of 2 sts*)

**Rnd 1:** \*K1, p1\*; rep from \* around.

Rep Rnd 1 for patt.

**2x2 Rib** (*multiple of 4 sts + 2*)

**Row 1 (WS):** P2, \*k2, p2\*; rep from \* across.

**Row 2:** K2, \*p2, k2\*; rep from \* across.

Rep Rows 1-2 for patt.

**Garner Ridge** (*any multiple of sts*)

**Row 1 (WS):** Knit.

**Row 2 (RS):** Knit.

**Row 3:** Purl.

**Row 4:** Knit.

Rep Rows 1-4 for patt.

**Cable** (*worked over 24 sts*)

**Row 1 (WS):** K1, p4, k4, p6, k4, p4, k1.

**Row 2 (RS):** P1, 2/2 RC, p4, k2, 2/2 RC, p4, 2/2 LC, p1.

**Row 3:** Repeat row 1.

**Row 4:** P1, k4, p4, 2/2 LC, k2, p4, k4, p1.

**Row 5:** Repeat row 1.

**Rows 6 - 9:** Repeat rows 2 - 5.

**Row 10:** P1, 2/2 RC, p2, 2/4 RC, 2/2 LPC, p2, 2/2 LC, p1.

**Row 11:** K1, p4, (k2, p2) x 3, k2, p4, k1.

**Row 12:** P1, k4, p2, k2, p2, 1/1 RC, p2, k2, p2, k4, p1.

**Row 13:** Repeat row 11.

**Row 14:** P1, 2/2 RC, p2, k2, p2, 1/1 RC, p2, k2, p2, 2/2 LC, p1.

**Row 15:** Repeat row 11.

**Rows 16 - 23:** Repeat rows 12 - 15.

**Row 24:** P1, k4, p2, 2/4 LPC, 2/2 RPC, p2, k4, p1.


Rep Rows 1-24 for patt.

# Annie's Sweater Coat

project continued

By Premier Yarns Design Team

Cable Chart



Key

- RS: knit  
WS: purl
- RS: purl  
WS: knit
-  1/1 RC
-  2/2 LC
-  2/2 RC
-  2/2 LPC
-  2/2 RPC
-  2/4 LPC
-  2/4 RC

## NOTES

The pattern is written for the smallest size, with larger sizes in parenthesis. If only one number is given, it applies to all sizes.

The body of the sweater coat is worked all in one piece until the armholes. The sleeve stitches are worked in the round until the cap shaping.

Work either the charted or written directions for the Cable. If you are working from the chart, work RS Rows from right to left, work WS Rows from left to right.

## SWEATER COAT

### Pocket Lining (Make 2)

Cast on 9 sts.

**Row 1 (WS):** P1, \*k2, p2\*; rep from \* across.

**Row 2:** \*K2, p2\*; rep from \* to last st, k1.

Rep these 2 rows for 10", end having worked a WS Row. Place sts onto waste yarn.

# Annie's Sweater Coat

By Premier Yarns Design Team

project continued

## Body

Cast on 64 (72, 80, 88) sts, placing markers as follows: 5 sts, pm, 19 (23, 27, 31) sts, pm, 16 sts, pm, 19 (23, 27, 29) sts, pm, 5 sts.

**Row 1 (WS):** Work 5 sts in **Garter Ridge**, sl m, p2, \*k2, p2\*; rep from \* to 1 st before m, k1, sl m, k1, p2, (k4, p2) x 2, k1, sl m, k1, \*p2, k2\*; rep from \* to 2 sts before m, p2, sl m, 5 sts in **Garter Ridge**.

**Row 2 (RS):** Work 5 sts in **Garter Ridge**, sl m, k2, \*p2, k2\*; rep from \* to 1 st before m, p1, sl m, p1, k2, (p4, k2) x 2, k2, p1, sl m, p1, \*k2, p2\*; rep from \* to 2 sts before m, k2, sl m, 5 sts in **Garter Ridge**.

These 2 rows established the patt. Work until piece measures 14" from cast on edge, end having worked a WS Row.

## Pocket Placement/Increase Row for Cable

**Next Row (RS):** Work to m, sl m, bind off 9 sts knitwise, k to m, sl m, k1, (p1, m1p) x 2, k4, m1p, k1, m1p, pf&b, m1p, k4, (p1, m1p) x 2, k1, sl m, k to 9 sts before m, bind off 9 sts knitwise, sl m, work to end of row—8 sts inc'd.

72 (80, 88, 96) sts on ndl.

**Next Row (WS):** Work 5 sts in **Garter Ridge**, sl m, \*with WS of 9 pocket sts facing you, purl across pocket sts from waste yarn\*, p to m, sl m, work **Cable** to m, sl m, p to m, rep from \* from \* once more, sl m, work 5 sts in **Garter Ridge**.

**Next Row (RS):** Work 5 sts in **Garter Ridge**, sl m, k to m, sl m, work **Cable** to m, sl m, k to m, sl m, work 5 sts in **Garter Ridge**.

**Next Row (WS):** Work 5 sts in **Garter Ridge**, sl m, p to m, sl m, work **Cable** to m, sl m, p to m, sl m, work 5 sts in **Garter Ridge**.

These last 2 rows establish the patt. Work until piece measures 12 (12, 12, 13)" above ribbing, end having worked a WS Row.

## Divide Back from Fronts

**Next Row (RS):** Work 17 (19, 21, 23) sts and place these sts onto a holder for right front, bind off 1 (2, 3, 4) sts, patt to the last 17 (19, 21, 23) sts on the ndl, place the unworked sts onto a holder for left front.

## Back

**Next Row (WS):** Bind off 1 (2, 3, 4) sts, patt to end of row. 36 (38, 40, 42) sts on ndl.

**Dec Row (RS):** K1, ssk, patt to last 3 sts, k2tog, k1—2 sts dec'd.

Rep the dec row every RS row 1 (1, 2, 2) times more. 32 (34, 34, 36) sts on ndl.

Work even until the armhole measures 10 (10, 10 ½, 11)", end having worked a WS Row.

**Next Row (RS):** Work across the first 5 (5, 5, 6) sts for right shoulder and place sts onto a holder, bind off the center back neck 22 (24, 24, 24) sts, at the same time dec 8 sts along the bind off row (to prevent flaring of the back neck), work across the remaining 5 (5, 5, 6) sts and place them onto a holder for left shoulder.

## Right Front

Return to the 17 (19, 21, 23) right shoulder sts. Reattach yarn, ready to work a WS Row.

**Next Row (WS):** Bind off 1 (2, 3, 4) sts, patt to end of row.

**Dec Row (RS):** Patt to last 3 sts, k2tog, k1—1 st dec'd. Rep the dec row every RS row 1 (1, 2, 2) times more. 14 (15, 15, 16) sts on ndl.

## Shape Neck

**Dec Row (RS):** Patt across 5 sts, sl m, k1, ssk, k to end of row—1 st dec'd.

Rep the dec row every other RS Row 3 (4, 4, 4) times more. 10 (10, 10, 11) sts on ndl.

Work even until the armhole measures 10 (10, 10 ½, 11)", end having worked a WS Row.

**Next Row (RS):** Patt across 5 sts, remove m, place the next 5 (5, 5, 6) sts onto a holder for shoulder, turn. You will now be working just on these remaining 5 sts for the neck extension. Work ½ the width of bound off back neck sts- which should be approximately 4 ¾ (5 ¼, 5 ¼, 5 ¼)"- stretch the stitches slightly lengthwise before measuring. Place the sts onto a holder. Kitchener stitch the back and front shoulder sts together.

# Annie's Sweater Coat

project continued

By Premier Yarns Design Team

## Left Front

Rejoin yarn to left front 17 (19, 21, 23) sts, ready to work a RS Row.

**Next Row (RS):** Bind off 1 (2, 3, 4) sts, patt to end of row.

**Next Row (WS):** Patt across.

**Dec Row (RS):** K1, ssk, patt to end of row—1 st dec'd. Rep the dec row every RS row 1 (1, 2, 2) times more. 14 (15, 15, 16) sts on ndl.

## Shape Neck

**Dec Row (RS):** Patt to 3 sts before m, k2tog, k1, sl m, patt to end of row—1 st dec'd.

Rep the dec row every other RS Row 3 (4, 4, 4) times more. 10 (10, 10, 11) sts on ndl.

Work even until the armhole measures 10 (10, 10 ½, 11)", end having worked a RS Row.

**Next Row (WS):** Patt across 5 sts, remove m, place the next 5 (5, 5, 6) sts onto a holder for shoulder, turn.

Work Neck same as for the Right Front. Kitchener stitch the right neck's extension with the back neck's extension. Kitchener stitch the back and front shoulder sts together.

## Sleeve (Make 2)

With dpn, cast on 20 sts. Distribute sts onto 3 dpns and join in the rnd, being careful not to twist sts. Pm. Work in **1x1 Rib in the round** for 7".

Knit 6 (6, 4, 3) rnds.

**Next Rnd (Inc Rnd):** K1, m1, k to last st, m1, k1—2 sts inc'd.

Rep the last 7 (7, 5, 4) rnds - 3 (3, 4, 5) times more—28 (28, 30, 32) sts on ndl.

Work even until sleeve measures 22 ½" from cast on edge, stopping short on the last rnd worked 1 (2, 3, 4) sts before the beg of rnd marker.

## Shape Cap

Bind off 2 (4, 6, 8) sts, knit to end of row, turn. You will now be working back and forth in rows for the cap shaping.

**Next Row (WS):** Purl.

**Next Row (Dec Row):** K1, ssk, k to last 3 sts, k2tog, k1—2 sts dec'd.

Rep the dec row every RS Row 1 (2, 2, 2) times more.

Bind off remaining 22 (18, 18, 18) sts.

## FINISHING

Sew the sleeve caps into the armholes. Sew the pocket linings neatly to the WS of the coat. Weave in ends.

## Front Rib Band

With RS facing, starting at the right-front with circular ndl, pick up evenly and knit 126 (126, 130, 130) sts along the entire right front, back neck and left front. Work in **2x2 rib** for 7 rows. Bind off all sts on next row in rib. Weave in all ends.



# Annie's Sweater Coat

By Premier Yarns Design Team

project continued

## Abbreviations

**1/1 RC:** Slip 1 st to cable needle and hold in back, k1, k1 from cable needle.

**2/2 LPC:** Slip 2 sts onto cable needle and hold in front, p2, k2 from cable needle.

**2/2 RPC:** Slip 2 sts onto cable needle and hold in back, k2, p2 from cable needle.

**2/2 LC:** Slip 2 sts onto cable needle and hold in front, k2, k2 from cable needle.

**2/2 RC:** Slip 2 sts onto cable needle and hold in back, k2, k2 from cable needle.

**2/4 LPC:** Slip 2 sts onto cable needle and hold in front, p2, k2, k2 from cable needle.

**2/4 RC:** Slip 4 sts onto cable needle and hold in back, k2, p2, k2 from cable needle.

**dec** decrease(d)

**dpn** double pointed needle

**inc** increase(d)

**k** knit

**k2tog** knit two stitches together

**m** marker

**m1** make one (1 stitch increased)

**m1p** make one purlwise (1 stitch increased)

**ndl** needle

**p** purl

**pf&b** purl into the front and back of stitch (1 stitch increased)

**pm** place marker

**patt** pattern

**p2tog** purl two stitches together (1 stitch decreased)

**rep** repeat

**rnd** round

**RS** right side

**sl** slip

**ssk** slip slip knit (1 stitch decreased)

**st(s)** stitches

**st st** stockinette stitch

**WS** wrong side



PREMIER®