

GO! Prickly Paradise Table Topper

Finished Size: 26½" x 26½"



Designed for AccuQuilt by Chantelle Bailey of Chantelle Bailey Design

Fabrics provided by Moda Fabrics



Dies Needed:

GO! Cactus Medley (55687)

GO! Strip Cutter 1½" (1" Finished) (55024)

GO! Strip Cutter 2½" (2" Finished) (55017 or 55014)

GO! Strip Cutter 6½" (6" Finished) (55086)

Fabric Requirements:


Fabrics	Total Yardage
Off-white (Background)	½ yard
Appliqué Cactus Pieces	5" x 5" assorted greens, pinks, tans, and purples
Tan (Sashing)	¼ yard
Purple (Borders)	½ yard
Batting	32" x 32"
Backing	1 yard
Binding	¼ yard
Fusible	17" x 36"

Cutting Directions:


Fabrics	Die	Number of Shapes to Cut
Background	GO! Strip Cutter 6½" (6" Finished) (55086)	Cut 2—6-1/2" x WOF (width of fabric) strips. Subcut into: 6—6-1/2" x 6-1/2" squares, 2—5-1/2" x 6-1/2" rectangles and 1—8-1/2" x 6-1/2" rectangle.
Sashing	GO! Strip Cutter 1 1/2" (1" Finished) (55024)	Cut 4—1-1/2" x WOF (width of fabric) strips. Subcut into: 2—1-1/2" x 22-1/2" strips, 4—1-1/2" x 20-1/2" strips and 6—1-1/2" x 6-1/2" strips for the sashing.
Appliqué fabrics with fusible web backing	GO! Cactus Medley (55687)	Cut 5" x 5" fabric squares for nine cactus plants, flowers, and pots. Place the fabric with the fusible side down on the foam and cut out the necessary pieces.
Borders	GO! Strip Cutter 2½" (2" Finished) (55017 or 55014)	Cut 4—2-1/2" x WOF (width of fabric) strips. Subcut into: 2—2-1/2" x 22-1/2" strips and 2—2-1/2" x 26-1/2" strips for the outer border.
Binding	GO! Strip Cutter 2½" (2" Finished) (55017 or 55014)	Cut 3—2-1/2" x WOF strips. Sew together to make continuous binding.

Sewing Directions:


1. Arrange the background blocks and sashing strips using the provided diagram. Press seams toward the sashing.



2. Use the diagram to position the cacti, aloe, flowers, and pots. Tip: Tuck some flowers behind cacti for added depth before fusing in place.



3. Sew side borders first, followed by top and bottom. Press seams toward the borders.



Quilting & Finishing:

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding (made from 3—2-1/2" WOF Strips), mitering corners.

