



GO! Herringbone Harmony Table Runner Finished Size: 181/2" x 541/2"



Designed for AccuQuilt by Chantelle Bailey of Chantelle Bailey Design





Dies Needed:

GO! Small Strip 2-1/2" (2" Finished) (55684)

GO! Strip Cutter 2-1/2" (2" Finished) (55017 or 55014)

Fabric Requirements:

Fabric Color	Total Yardage	
Assorted Fat Quarters	12 Fat Quarters	
Batting	1 ¾ yards	
Backing	1 ¾ yards	
Binding	⅓ yard	

Fabric used in this table runner: Denim & Daisies by Fig Tree & Co for Moda

Fat Quarters:

- 35380 14 Butterscotch
- 35380 15 Nutmeg
- 35380 17 Denim
- 35380 18 Midnight
- 35380 24 Ivory Butterscotch
- 35380 28 Ivory
- 20488 22 Cinnamon
- 20488 74 Orange
- 20488 75 Navy
- 20488 76 Cornflower
- 20488 108 Midnight Jeans
- 20488 110 Midnight Jeans on Cream

Backing:

• 35382 18 - Midnight Jeans

Binding:

• 35387 18 - Midnight Jeans





Cutting Directions:

Fabric Color		
Assorted Fat Quarters	GO! Small Strip Cutter 2½" (55684)	Cut 1—10" by 18" strip from each fat quarter. Fan fold three times into 6" width by 10". Place on selected blade and cut.
Binding	GO! Strip Cutter 2½" (2" Finished) (55017 or 55014)	Cut 4 WOF strips and sew together to create binding.





Sewing Directions:


1. You will have 6 —2½" x 10" strips for each fabric. Lay out your strips like the diagram below. For 2 of the fabrics, there will be 3 strips left over.



2. Starting from the left side, sew two strips, right sides together (RST), as shown using a 1/4" seam. Press the seam in the direction of the arrow.



4. Take the next strip, placing it RST together as shown. Stop stitching about 3" before the end of the strip. Press the seam in the direction of the arrow.








5. Repeat steps 3 & 4 for the rest of the strips.



6. Starting from the right side sew the third strip RST together as shown.



Press the seam in the direction of the arrow. Then finish stitching the seam to the left.







8. Sew the next strip RST as shown.



9. Press the seam in the direction of the arrow. Then finish stitching the seam to the left.



10. Repeat steps 8 & 9 for the rest of the strips.







11. Trim runner to 18½" x 54½".



Quilting and Finishing

- Layer batting between runner top and backing.
- Pin or baste layers together. 2.
- 3. Quilt as desired.
- Add binding, mitering corners.

