

PINEAPPLE RUSH

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring **TOTALLY TROPICAL**



by **Lynn**



Finished quilt measures: 52" x 65"

















Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-9 NAVY	3-3/4 yards		I	AMD-21315-333 SEA GLASS	1/8 yard
	B	AMD-21316-33 KIWI	1/8 yard		J	AMD-21314-50 LIME	1/4 yard
	C	AMD-21315-30 FERN	1/4 yard		K	AMD-21313-56 POND	1/3 yard
	D	AMD-21318-402 PARAKEET	1/3 yard		L	AMD-21313-59 OCEAN	1/2 yard
	E	AMD-21314-310 LEAPFROG	1/2 yard		M	AMD-21317-59 OCEAN	2/3 yard
	F	AMD-21313-147 TANGERINE	2/3 yard		N	AMD-21312-233 BERRY	3/4 yard
	G	AMD-21317-197 TROPICAL	3/4 yard		O	AMD-21314-205 MULTI	1/2 yard
	H	AMD-21312-197 TROPICAL	1/2 yard		Binding	AMD-21312-405 WATERFALL	5/8 yard

Copyright 2022, Robert Kaufman
For individual use only - Not for resale

You will also need:
3-3/8 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

two 3-1/2" x WOF strips. Subcut:
twenty 3-1/2" squares
eighty-two 1-1/2" x WOF strips. Subcut:
forty 1-1/2" x 13-1/2" rectangles
eighty 1-1/2" x 11-1/2" rectangles
eighty 1-1/2" x 9-1/2" rectangles
eighty 1-1/2" x 7-1/2" rectangles
eighty 1-1/2" x 5-1/2" rectangles
forty 1-1/2" x 3-1/2" rectangles

From each of Fabrics B and I, cut:

two 2" x WOF strips. Subcut:
forty 2" squares

From each of Fabrics C and J, cut:

three 2-1/2" x WOF strips. Subcut:
forty 2-1/2" squares

From each of Fabrics D and K, cut:

three 3" x WOF strips. Subcut:
forty 3" squares

From each of Fabrics E and L, cut:

four 3-5/8" x WOF strips. Subcut:
forty 3-5/8" squares

From each of Fabrics F and M, cut:

five 4-1/4" x WOF strips. Subcut:
forty 4-1/4" squares

From each of Fabrics G and N, cut:

five 4-7/8" x WOF strips. Subcut:
forty 4-7/8" squares

From each of Fabrics H and O, cut:

four 3-1/2" x WOF strips. Subcut:
forty 3-1/2" squares

From the Binding Fabric, cut:
seven 2-1/2" x WOF strips


Prepare the Print Squares

Step 1: Mark diagonal lines on the wrong side of each of the Fabric B-O squares. Place a Fabric B square on the corner of a 3-1/2" Fabric A square, and sew on the diagonal. Trim the seam allowance to 1/4" and press toward the light triangle.



Assemble the A Blocks


Step 2: Continue in the same manner on all four corners of the Fabric A square. Press. Repeat Steps 1 and 2 for ten of the Fabric A squares.




Step 3: Using the 1-1/2" x 3-1/2" Fabric A rectangles, sew to the left and right edges of the center square-in-a-square. Press toward the rectangles. Repeat for all ten units.



Step 4: Using the 1-1/2" x 5-1/2" rectangles, sew to the top and bottom of the units from Step 3. Press toward the rectangles. At this point the squares should measure 5-1/2".



Step 5: Place a Fabric C square on a corner of a block from Step 4. Sew on the diagonal and trim away the excess.



Repeat for each of the four corners on all ten of the A Blocks.



Step 6: Using the 1-1/2" x 5-1/2" rectangles, sew to the left and right edges of the block. Continue by adding the 1-1/2" x 7-1/2" strips to the top and bottom. Add the Fabric D corner squares and trim as before.



Step 7: Repeat the same procedure using the 7-1/2" rectangles and the 9-1/2" rectangles for the next round. Add the Fabric E corner squares, stitch and trim as before.



Step 8: Repeat the same procedure using the 9-1/2" rectangles and the 11-1/2" rectangles for the next round. Add the Fabric F corner squares, stitch and trim as before.





Step 9: Repeat the same procedure using the 11-1/2" rectangles and the 13-1/2" rectangles for the next round. Add the Fabric G corner squares, stitch and trim as before.

Step 10: The final round uses the Fabric H squares at each corner. At this point the blocks should measure 13-1/2" square.

Repeat Steps 2-10 to make a total of ten A Blocks.




Assemble the B Blocks

Step 11: Repeat Steps 2-10 to make a total of ten B Blocks, using the Fabric I-O squares, in that order for each round.



Assemble the Quilt



Step 12: Arrange the blocks into five rows of four blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 13: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 14: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.