#### **Beginner Skill Level Suggested**


# Chevrons and ZigZags

Designed and Written by Heidi Pridemore










© Shannon Fabrics, All rights reserved

Quilt Approx. Finished Size: 50" x 64"





## Chevrons and ZigZags

# **Fabric Cutting Directions**

Designed and Written by Heidi Pridemore Note: Cutting directions based upon 58" - 60" wide fabric. Green/Pink Black/Silver Blue/Red Navy/Gray Large Fussy cut (9) 5 1/2" squares, Chevron #1 centered on the chevron point. 1/4 yard CP2900-7 CP2900-1 CP2900-5 CP2900-6 Large Fussy cut (9) 5 1/2" squares, Chevron #2 centered on the chevron point. 1/4 yard CP2900-4 CP2900-2 CP2900-3 CP2900-6 ZigZag Fussy cut (4) 4 1/2" x 60 1/2" strips, centered on the chevron point 1 3/4 yard from length of fabric. CP2800-8 CP2800-5 CP2800-7 CP2800-4 Solid Cut (18) 3" x 5 1/2" strips Cuddle #1 Cut (18) 3" x 10 1/2" strips Cut (5) 2 1/4" x WOF for the binding 1 yard C3 - Jade C3 - Black C3 - Black C3 - Navy Solid (18) 3" x 5 1/2" strips Cuddle #2 (18) 3" x 10 1/2" strips <sup>2</sup>/₃ yard C3 - Watermelon C3 - Silver C3 - Red C3 - Ash Solid (2) 2 1/2" x 60 1/2" strips Cuddle #3 (2) 2 1/2" x 50 1/2" strips % yard C3 - Apple Green C3 - Ash C3 - Turquoise C3 - Denim Cuddle (1) 58" x 72" strip **Backing** 2 yards C3 - Watermelon C3 - Black C3 - Turquoise C3 - Denim You will also need: Batting: 58" x 72"

<sup>©</sup> Shannon Fabrics, All rights reserved

## Chevrons and ZigZags

## **Block Assembly Directions**

Designed and Written by Heidi Pridemore

#### General Tips for working with Cuddle

#### **Ironing with Cuddle/Synthetic Fabrics:**

You will need to turn your iron temperature down to the synthetic setting. I also recommend using a pressing cloth when ironing. If your iron is too hot the ink will transfer to the hot iron and will need to be cleaned off.

#### **Fusible Applique with Cuddle:**


Press the fusible web to the wrong side of the fabrics with the fusible web on top. When pressing the shape to the background, position and pin (with a glass top or metal head pin) the shape in place. Flip the background with shape pinned in place over so the wrong side of the background is facing up and the pinned shape is on the bottom. Press the shape in place. This will allow the heat to work on the fusible web with out having to go through the thick layer of Cuddle.

#### Sewing with Cuddle:

- Use a Walking Foot for all assembly. Cuddle is very thick and slippery, the walking foot helps move the fabric through the machine evenly.
- Pin the fabric pieces together every 2" to keep the fabrics from sliding while sewing. If one piece wants to curl up, put that piece on top when sewing.
- You can finger press Cuddle and it is easier to only press when working with cotton and Cuddle. If you are sewing Cuddle to Cuddle, you do not need to use an iron on the seam.

#### **Block Assembly Instructions**

- 1) Sew one 3" x 5 ½" Solid Cuddle #2 strip to each side of one 5 ½" Large Chevron #1 square. Sew one 3" x 10 ½" Solid Cuddle #2 strip to the top and bottom of the 5 ½" Large Chevron #1 square. This completes Block One (Fig. 1). Repeat to make nine Block Ones total.
- 2) Sew one 3" x 5 ½" Solid Cuddle #1 to each side of one 5 ½" Large Chevron #2 square. Sew one 3" x 10 ½" Solid Cuddle #1 strip to the top and bottom of the 5 ½" Large Chevron #2 square. This completes Block Two (Fig. 2). Repeat to make nine Block Twos total.




## Chevrons and ZigZags

## **Quilt Top Assembly Directions**

#### Quilt Assembly Instructions (Refer to the quilt layout while assembling)

- 3) Sew three Block Ones and three Block Twos together, alternating them to make Column One. Repeat to make Column Three.
- 4) Sew three Block Twos and three Block Ones together, alternating them to make Column Two.
- 5) Sew two 2 ½" x 60 ½" Solid Cuddle #3 strips, four 4 ½" x 60 ½" ZigZag strips and the three columns together to make the quilt top.
- 6) Sew one 2 ½" x 50 ½" Solid Cuddle #3 strip to the top and bottom of the quilt.
- 7) Layer and quilt as desired.
- 8) Sew the five 2  $\frac{1}{4}$ " x WOF Solid Cuddle #1 strips together, end-to-end, with 45° seams to make the binding.
- 9) Align the binding strip raw edges (lengthwise) with the front of the quilt top, right sides together. Use a  $\frac{1}{2}$  seam allowance to sew the binding strip to the quilt on all four sides.
- 10) Fold the binding strip to the back side of the quilt. Fold under the binding raw edge ¼" as you sew the binding in place, along the back of the quilt. You can either hand sew the binding in place or use a zigzag stitch with thread that matches the binding color, to stitch the binding in place.





Quilt Layout