

RIDE 'EM COWBOY

From the Round Up
Collection - July 2015



michael miller FABRICS

SIZE: 60" W X 78" H | QUILT BY HEIDI PRIDEMORE | LEVEL: INTERMEDIATE

FABRIC REQUIREMENTS



CX6753_DENIM
COWBOY UP
1 1/4 YARDS



CX6760_DENIM
MARSHALL
5 YARDS
(Backing)



CX6760_BROWN
MARSHALL
1/3 YARD



CX6759_DENIM
FLINT
5/8 YARD



CX6759_BROWN
FLINT
1/2 YARD



CX6754_DENIM
COWBOY FILIGREE
2 YARDS



CX6754_CREAM
COWBOY FILIGREE
2 1/2 YARDS



CX6758_BROWN
ARROWHEAD
1 1/3 YARDS

"Cowboy Group - Quilt 2"

Quilt by Heidi Pridemore

Size: Approximately 60" x 78" Skill Level: Intermediate

Materials

Cutting instructions

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless noted otherwise.

	Fabric	Yardage	Cutting
(A)	CX6753 - Denim Cowboy Up – Denim	1 ¼ yards	<ul style="list-style-type: none"> Fussy cut twelve 6 ½" squares.
(B)	CX6759 - Brown Flint – Brown	½ yard	<ul style="list-style-type: none"> Cut one 6 ½" x WOF strip. Sub-cut the strip into twenty-four 1 ½" x 6 ½" strips. Cut six 1 ½" x WOF strip. Sub-cut the strip into twenty-four 1 ½" x 8 ½" strips.
(C)	CX6754 - Cream Cowboy Filigree – Cream	2 ½ yards	<ul style="list-style-type: none"> Cut six 4 ½" x WOF strips. Sub-cut the strips into forty-eight 4 ½" squares. Cut eighteen 2 ½" x WOF strips. Sub-cut the strips into (288) 2 ½" squares. Cut five 2 ½" x WOF strips. Sub-cut the strips into ninety-six 2" x 2 ½" strips.
(D)	CX6759 - Denim Flint – Denim	⅝ yard	<ul style="list-style-type: none"> Cut three 5 ½" x WOF strips. Sub-cut the strips into forty-eight 2 ½" x 5 ½" strips.
(E)	CX6758 - Brown Arrowhead – Brown	1 ⅓ yards	<ul style="list-style-type: none"> Cut three 4 ¼" x WOF strips. Sub-cut the strips into forty-eight 2 ½" x 4 ½" strips. Using the template provided, cut eighty Template 2 triangles. Cut seven 2 ½" x WOF strips for the binding.
(F)	CX6754 - Denim Cowboy Filigree – Denim	2 yards	<ul style="list-style-type: none"> Cut two 12 ½" x WOF strips. Sub-cut the strips into fourteen 4 ½" x 12 ½" strips. Cut two 2 ½" x WOF strips. Sub-cut the strips into thirty-two 2 ½" squares. Cut six 2 ½" x WOF strips. Sub-cut the strips into seventeen 2 ½" x 12 ½" strips. Using the template provided, cut eighty Template 1 triangles and eighty Template 3 triangles.
(G)	CX6760 - Brown Marshall – Brown	⅓ yard	<ul style="list-style-type: none"> Fussy cut twenty 2 ½" squares.
Backing	CX6760 - Denim Marshall – Denim	5 yards	<ul style="list-style-type: none"> Cut two 86" x WOF strips. Piece the strips together and trim to make the 68" x 86" pieced backing.

You will also need:

- 68" x 86" batting, threads to match, scissors, straight pins, acrylic ruler, rotary cutter and mat.

Disclaimers


This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.


While every attempt has been made to give accurate measurements, yardage requirements and construction directions; this does not allow personal variations in measuring, cutting or sewing. The enclosed directions were used in the construction of the original quilt.

Block Assembly




1. Place one 2 ½" Fabric C square on the left side of one 2 ½" x 4 ½" Fabric E strip, right sides together (Fig. 1). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.
2. Place another 2 ½" Fabric C square on the right side of the 2 ½" x 4 ½" Fabric E strip, right sides together (Fig. 3). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 3). Flip open the triangle formed and press (Fig. 4). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make one CEC unit.



3. Repeat Steps 1-2 to make forty-eight CEC units total.
4. Repeat Steps 1-2 using forty-eight 2 ½" x 5 ½" Fabric D strips and ninety-six 2 ½" Fabric C squares to make forty-eight CDC units (Fig. 5).



5. Sew one 2" x 2 ½" Fabric C strips to each end of one CDC unit lengthwise to make one CDC strip (Fig 6.). Repeat to make forty-eight CDC strips total.
6. Sew one 2 ½" Fabric C square to each end of one CEC unit to make one CEC strip (Fig. 7). Repeat to make forty-eight CEC strips total.
7. Sew one CDE strip to the top of one CEC strip to make one CC block (Fig. 8). Repeat to make forty-eight CC blocks total.



8. Sew one 1 1/2" x 6 1/2" Fabric B strip to each side of one 6 1/2" Fabric A square. Sew one 1 1/2" x 8 1/2" Fabric B strip to the top and to the bottom of the Fabric A square to make one A block (Fig. 9). Repeat to make twelve A blocks total.




Fig. 9

9. Sew one CC block to each side of one A block. Sew one 4 1/2" Fabric C square to each end of one CC block. Repeat to make a second strip. Sew the strips to the top and to the bottom of the A block to make one Block (Fig. 8). Repeat to make twelve Blocks total.




Fig. 10

10. Place one Fabric F- Template 1 triangle on top of one Fabric E-Template 2 triangle, right sides together, aligning the left sides (Fig. 11). Sew the two triangles together along the left side. Press the smaller triangle open.
11. Place one Fabric F-Template 3 triangle on top of the Fabric E-Template 2 triangle, right sides together, aligning the right sides (Fig. 12). Sew the two triangles together along the right side. Press the smaller triangle open to make one FEF unit (Fig. 13). Trim to measure 2 1/2" square.
12. Repeat Steps 10-11 to make eighty FEF units total.




Fig. 11




Fig. 12



Fig. 13

13. Sew one FEF unit and one 2 1/2" Fabric F square together. Make a second strip. Sew one strip to each end of one 4 1/2" x 12 1/2" Fabric F strip to make one large FEF strip (Fig. 14). Repeat to make eight large FEF strips total.
14. Sew one FEF unit to each end of one 2 1/2" x 12 1/2" Fabric F strip to make one small FEF strip (Fig. 15). Repeat to make eight small FEF strips total.




Fig. 14





Fig. 15

15. Sew one FEF unit to each side of one 2 ½" Fabric G square to make one G-strip. Repeat to make twenty G-strips total.



make 20

Fig. 16

16. Sew four G-strips and three 2 ½" x 12 ½" Fabric F strips together, alternating them, to make one sashing strip (Fig. 17). Repeat to make three sashing strips total.



Fig. 17

make 3

17. Sew one 2 ½" Fabric F square to each side of FEF unit. Sew one G-strip to the top of the resulting unit to make one GFG block. Repeat to make eight GFG blocks total.
18. Sew four GFG blocks and three 4 ½" x 12 ½" Fabric F strips together, alternating them, to make one top/bottom border (Fig. 18). Repeat to make a second top/bottom border.




Fig. 18

make 2

Quilt Top Assembly (*Follow the Quilt Layout while assembling the quilt top.*)

19. Sew two large FEF strips, three Blocks and two small FEF strips together to make one row. Repeat to make four rows total.
20. Sew the four rows and three sashing strips together, alternating them, to make the quilt top.
21. Sew the top/bottom borders to the top and to the bottom of the quilt top.
22. Layer and quilt as desired.
23. Sew the seven 2 ½" x WOF Fabric E strips together, end-to-end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
24. Bind as desired.



Quilt Layout

1" square
for scale

