


YOU CAN QUILT! —FRAMED Instructions



FRAMED, 70" x 84½".

Pieced by Kate Challis, Leila Gardunia, Amy Martin, Jill McBroom, Sara McDaniel,
Julie Schloener, and Emma Thomas-McGinnis. Quilted by Leila Gardunia.

YOU CAN QUILT! —FRAMED Instructions

This quilt provides a setting solution for blocks that measure less than 12½" square. Oversized sashing is added to each block and then the blocks are trimmed down to a uniform size. The sashing can bring a block that is up to ½" too small up to size.

The individually sashed blocks look great and the quilt goes together like a dream. A 15" square ruler makes the trimming even easier.

Fabric Required

(20) 12½" unfinished quilt blocks from the skill builder sampler

1 yard of dark sashing

2⅓ yards light sashing and borders (If you use different fabrics for the light sashing and borders, you will need 1 yard for sashing and 1⅓ yard for the border)

⅔ yards of fabric scraps for the inner border

Binding 5⅛ yards

Backing 5⅜ yards

Batting 78" x 93"

Cutting Sashing

Dark sashing fabric

(1) 12½" x WOF (width of fabric) strip then subcut into (20) 2" x 12½" strip

(1) 15½" x WOF strip then subcut into (20) 2" x 15½" strips

Light sashing fabric:

(1) 12½" x WOF strip then subcut into (20) 2" x 12½" strips

(1) 15½" x WOF strip then subcut into (20) 2" x 15½" strips

Tip

When cutting each set of sashing there is exactly enough fabric for 20 strips in a width of fabric. However, extra fabric has been included in the yardage for cutting a few more 2" x width of fabric strips if shrinkage or squaring up does not leave enough fabric to cut the full 20.

Cornerstones and Border

Border fabric

(18) 2½" x WOF strips. (Use the strips to make the cornerstone pieces described below.)

Cornerstone Pieces

(4) 2½" squares, (4) 4½" x 2½" rectangles, and (4) 6½" x 2½" rectangles

Border Pieces

Sew strips together to make (4) 2½" x 58½" strips and (4) 2½" x 73" strips.

From a variety of scraps:

(4) 2½" squares

(4) 4½" x 2½" rectangles

Many strips of different fabric 2½" wide, varying in length

Join 2½" strips together to form (2) 2½" x 58½" and (2) 2½" x 73" strips

YOU CAN QUILT! —FRAMED Instructions

Assembly:

Lay out the sashing, cornerstones, and blocks based on the quilt diagram.

Sash 10 blocks with the dark sashing and 10 with light sashing (Fig 1). Press and trim the blocks to 15" square.

Prepare the borders by sewing together the cornerstones as illustrated (Fig. 2).




Fig. 1. Sashing layout




Fig. 2. Make 4





Fig. 3. Make 2 of each.




Fig. 4. Add a cornerstone to each side of top and bottom.

YOU CAN QUILT! —FRAMED Instructions

Next, sew the side and top borders together (Fig 3-4) then add a cornerstone to each side of the top and bottom 58½" borders.

Alternate the light and dark sashed blocks and sew together as illustrated. Add the side borders first and then the top borders (Fig 5). Quilt, bind, and label according to the directions in the book.

You did it!




Fig. 5. Quilt layout diagram, 70" x 84½"