

Design Focus	Feature	lbs - in	kg - mm
✓	Weight FT6841C Carbon Fiber	4.18	1.90
	Weight FT6852A Aluminum	5.28	2.40
✓	Max Height	68.58	1742
	Height w/center tube NOT extended	55.31	1405
	Min Working Height	4.92	125
✓	Folded length	23.23	590
	Center Post Extension	13.27	337
	Center Post Segments	2 segmented (shortest: 4.8in)	
	Leg Segments	3, twist, anti-rotation, double helix	
✓	Load Capacity	CF 77.0 AL 61.7	CF 35 AL 28
	Head Anti-Rotation Jam Nut	yes	
✓	Construction	32.5 mm/8 layer CF, CNC Aircraft Aluminum	
	Locking Angles	23, 50, 85 deg	
	Leg Tip	Adjustable rubber foot w/ optional metal spike	
	Weight Hook	Yes	
✓	Monopod Leg	Yes	
	Foam Grip on Leg	1	
	Reversible Center Post	yes	

Made with the industries best-in-class 32.5mm dia. 8 layer carbon fiber legs for maximum strength & rigidity. This Professional tripod is the strongest in the industry but still extremely light weight and compact.

Designed with 3 segment legs for maximum strength. And its unique reversible single handed leg locks work best for rapid deployment.

It is designed specifically for extreme strength & stability as an optics platform used for high power spotting scopes, long lens photography, Digiscoping, and binocular viewing. Due to its 68.6" tall extra strong legs and multi purpose design, it also functions as a fantastic weapons platform. With three adjustable leg angles and a minimum height of 4.9" from the ground, it's perfect for both standing or prone shooting positions.

Integrates perfectly with our FM400 GunPOD system for high power rifle and pistol tripod mount applications. Some consider the added 1.1 lbs of weight over the Carbon Fiber model a benefit for recoil absorption.

FT6852A Aluminum: Identical construction as the FT6841C except that its legs are made of aircraft grade 6063 aluminum alloy tube.



Multi-angle adjustment for uneven terrain.

Multi-Position Adjustment
Creative automatic pull-down leg angle button make angle adjustment more easier

Aircraft Grade Carbon Fiber Tube
8 Layers Carbon Fiber



32.5mm



Leg Tube Sizes:
FT5018 23 mm dia
FT6220 26 mm dia
FT6828 32.5 mm dia

The second generation 8 layers crisscrossed
100% Pure Carbon Fibre tube with larger tube diameters, tube wall only 1 mm.

8X

