

BERNINA ACCESSORIES

BERNINA ACCESSORIES AT A GLANCE



made to create **BERNINA**

Category A	1	910	1001	1020	1091	2	1630
		930	1004	1021	1120		
		931	1005	1030	1130		
		932	1006	1031	1230		
		933	1008	1050	1240		
		940	1010	1070	1241		
		950	1011	1080	1260		
		1000	1015	1090	1530		



Category B	1	125	230	2	130	3	165	5	B 530
		125 S	230 PE		140		170		B 550 QE
		135	240		150				
		135 S	B 325		153				
		145	B 330		153 QE		4		430
		145 S	B 335		155				440 QE
		210	B 350 PE		160				B 555
		B 215	B 380		163				B 570 QE
		220							630



Category C	1	180	3	435
		185		450
	2	200		B 560
		730		B 580
				640



Category D	1	B 710
	2	B 750 QE B 780



Category E	7 Series		5 Series		4 Series	
	Ea¹ B 700 E		Eb¹ B 500 E		Ec¹ B 435	
	Ea² B 720		Eb² B 535		Ec² B 475 QE	
	Ea³ B 740		Eb³ B 540		B 485	
	Ea⁴ B 770 QE B 790 B 790PLUS		Eb⁴ B 570 QE B 590		Ec³ B 480	



Category F	1	B 820 QE
	2	B 830
		B 880 B 880PLUS



Category	Model	Stitch width 0mm	Stitch width 5.5mm	Stitch width 9mm	CB-hook machines	Rotary-hook machines (RL95)	Rotary-hook machines (RH W 107 XL)	B9-hook machines	BERNINA-hook machines	Presser-foot pressure	BERNINA Dual Feed system	BERNINA Stitch Regulator (BSR)	Sideways motion	PunchWork tool for CB-hook machines (CB)	PunchWork tool for rotary- B9 and BERNINA-hook machines	Embroidery	DesignWorks	BERNINA Toolbox
Category A																		
A1	1008		✓		✓													
Category B																		
B1	B 215		✓		✓								✓					
	B 325		✓		✓								✓					
	B 330		✓		✓								✓					
	B 335		✓		✓								✓					
	B 350 PE		✓		✓								✓					
	B 380		✓		✓								✓					
B4	B 555		✓		✓				m		✓		✓		✓	✓	✓	✓
	B 570 QE		✓		✓				m		✓		✓		✓	✓	✓	✓
B5	B 530		✓		✓				m		✓		✓					
	B 550 QE		✓		✓				m		✓		✓					
Category C																		
C3	B 560			✓		✓			m		✓			✓	✓	✓	✓	✓
	B 580			✓		✓			m		✓			✓	✓	✓	✓	✓
Category D																		
D1	B 710			✓			✓		e	✓	✓			✓				
D2	B 750 QE			✓			✓		e	✓	✓			✓	✓	✓	✓	✓
	B 780			✓			✓		e	✓	✓	✓		✓	✓	✓	✓	✓
Category E																		
Ea	1 B 700 E	✓						✓						✓	✓	✓	✓	✓
	2 B 720		✓					✓	e		✓				✓	✓	✓	✓
	3 B 740			✓				✓	e	✓	✓			✓				
	B 770 QE			✓				✓	e	✓	✓			✓	✓	✓	✓	✓
	4 B 790			✓				✓	e	✓	✓	✓		✓	✓	✓	✓	✓
	B 790PLUS			✓				✓	e	✓	✓	✓		✓	✓	✓	✓	✓
Eb	1 B 500 E	✓						✓						✓	✓	✓	✓	✓
	2 B 535		✓					✓	m		✓				✓	✓	✓	✓
	3 B 540			✓				✓	m		✓			✓	✓	✓	✓	✓
	B 570 QE			✓				✓	e	✓	✓			✓	✓	✓	✓	✓
	4 B 590			✓				✓	e	✓	✓			✓	✓	✓	✓	✓
Ec	1 B 435		✓					✓	m									
	2 B 475 QE		✓					✓	m		✓							
	B 485		✓					✓	m		✓							
	3 B 480			✓				✓	m		✓			✓				
Category F																		
F1	B 820 QE			✓			✓		e	✓	✓			✓				
F2	B 830			✓			✓		e	✓	✓	✓		✓	✓	✓	✓	✓
	B 880			✓			✓		e	✓	✓	✓		✓	✓	✓	✓	✓
	B 880PLUS			✓			✓		e	✓	✓	✓		✓	✓	✓	✓	✓

m = manual, e = electronic

Chapter 1

Presser Feet for Sewing Machines

General sewing

Zigzag foot #0 with finger guard #99	11
Zigzag foot with non-stick sole #52/52C/52D	11
Reverse-pattern foot #1/1C/1D	11
Reverse-pattern foot with clear sole #34/34C/34D	12
Three-sole walking foot with seam guide #50	12
Roller foot #51	12
Straight-stitch foot with non-stick sole #53	13

Buttons and buttonholes

Buttonhole foot #3/3C	14
Buttonhole foot with slide #3A/3B/3C	14
Button-sew-on foot #18	14

Elastic/stretch materials

Overlock foot #2/2A	15
Bulky overlock foot #12/12C	15

Zips

Zipper foot #4/4D	16
Zipper foot with guide #14D	16
Zipper foot with non-stick sole #54	16
Invisible-zipper foot #35	17

Hems and topstitching

Blindstitch foot #5	18
Jeans foot #8/8D	18
Edgestitch foot #10/10C/10D	18
Straight-stitch hemmer #62/64	19
Zigzag hemmer #61/63/66	19
Roll- and shell hemmer #68/69	19
Binder attachment for pre-folded bias tape #87	20
Binder attachment for unfolded bias tape #88	20
Binder foot #95/95C	20
Lap-seam foot #70/71	21

Decorative sewing

Embroidery foot #6	22
Open embroidery foot #20/20C/20D	22
Open embroidery foot with non-stick sole #56	22
Gathering foot #16	23
Ruffler #86	23
Tailor-tack foot #7	23
Cordonnet foot #11	24
Braiding foot #21	24
Cording foot #22/25	24
Pintuck foot #30/31/32/33	25
Pintuck and decorative-stitch foot with clear sole #46C	25
Pintuck attachment	25
Spanish hemstitch attachment #47	26
Piping foot #38	26
Embroidery foot with clear sole #39/39C	26
Sideways-motion foot #40/40C	27
Free-motion couching foot #43	27
Leather roller foot #55	27
Double-cord foot #59C/60C	28
Embroidery foot #15	28
Drop-shaped embroidery foot #26	28
Appliqué foot #23	29

Patchwork

Patchwork foot #37/37D	30
Patchwork foot with guide #57/57D	30
Patchwork foot #97/97D	30

Quilting

Darning foot #9	31
Free-motion embroidery foot #24	31
Quilting foot #29/29C	31
BERNINA Stitch Regulator (BSR) #42	32
Echo-quilting and CutWork foot #44C	32
Adjustable ruler foot #72	32
Adjustable stippling foot #73	33
Adjustable gliding cup foot #74	33
Echo-quilting clips	34
Couching inserts	34

Presser-foot sets

Presser-foot set	35
Presser-foot set D	35

Adapter shanks #75/77	39	Hosiery darning hoop	48
Snap-on shank #78	39	Guide eyelet for metallic and silk thread	48
Patchwork seam guide	39	Thread-lubrication unit	49
Straight- and CutWork stitch plate	40	Sewing machine oil	49
9mm stitch plate with 5.5mm stitch hole	40	Magnifying-lens set	50
5.5mm PunchWork stitch plate	41	Mounting bracket for magnifying lens and PunchWork tool	50
PunchWork stitch plate	41	PunchWork tool for CB hook machines	50
CB-hook bobbins and bobbin cases	42	5.5mm PunchWork stitch plate	50
Rotary-hook bobbins and bobbin cases	42	PunchWork tool for rotary-, B9- and	
B9-/BERNINA-hook bobbins and bobbin cases	42	BERNINA-hook machines	51
Circular embroidery attachment #83	43	PunchWork stitch plate	51
Eyelet embroidery attachment #82 with foot #92	43	Felting needles	51
Presser foot for eyelet embroidery #92	43	USB stick	51
Adjustable guide	44	Multiple-spool holder	52
Right and left seam guide	44	Multiple-spool-holder extension	52
Seam guide with scale	44	BERNINA Accessories box	52
Fabric-feeding aid for sewing buttonholes	45	Touchscreen pen	53
Buttonhole leveler	45	Carrying bags for sewing machines	
Buttonhole cutter with wooden block	45	and embroidery modules	53
Slide-on table	46	Carrying case	53
Seam guide for slide-on table	46	Accessory bag	54
Plexiglass extension table for quilting	46	Accessory Case	54
Ruler Kit	47	L trolley system	54
Knee lifter/Free-Hand System (FHS)	47	XL trolley system	54
Free-Hand System (FHS) retrofit kit	47	Needle assortment	55
Sewing light	48		

Chapter 2

Accessories for Sewing Machines



Chapter 3

Accessories for Embroidery Machines

Embroidery modules	59	Midi embroidery hoop	61
Plexiglass extension table for embroidery module	59	Maxi embroidery hoop	61
Small embroidery hoop	59	Jumbo embroidery hoop	62
Medium embroidery hoop	60	"Hoop ,n' Buddyz" hoop insert	62
Large embroidery hoop	60	Free-arm-embroidery adapter for small hoop	63
Large oval embroidery hoop	60	Free-arm-embroidery adapter for medium and oval hoops	63
Mega embroidery hoop	61	BERNINA Embroidery Design Studio	63

Chapter 4

Software

BERNINA Embroidery Software 8	67	BERNINA DesignWorks tools	69
BERNINA Toolbox	68	BERNINA CrystalWork materials	69
BERNINA DesignWorks Software Suite	69	Straight- and CutWork stitch plate	69
BERNINA DesignWorks Software codes	69	BERNINA DesignWorks spare parts	69

Chapter 5

Accessories for Overlockers/Sergers

Machine overview	72	Other accessories	
General sewing		Right and left seam guide	82
Standard presser foot overlock	75	Extension table	82
Standard presser foot overlock/coverstitch #C11	75	Freearm cover	82
Clear standard presser foot overlock/coverstitch #L27/C27	75	Cut-offs bin	83
Chainstitch foot	76	BERNINA tweezers	83
Hems and topstitching		Needle threader/insert	83
Coverstitch/Compensating foot	77	Threading wire	84
Elasticator foot	77	Brush/Needle inserter	84
Blindstitch foot	77	Screwdriver	84
Double fold binder attachment for unfolded bias tape #C21	78	Spool stabilizer	85
Single fold binder attachment for unfolded bias tape #C22	78	Accessory mounting bracket	85
Hem guide	78	Coverstitch lock tool	85
Decorative sewing		Threading kit overlocker	86
Multi-purpose foot with guide	79	Overlocker oil	86
Beading and sequin foot #L15/C15	79	Touchscreen pen	86
Piping foot #L16S/L16L/C16S/C16L	80	Accessories box	87
Cording foot	80	Accessories box/Accessories box extension	87
Gathering foot	80	Carrying case for overlockers/sergers	87
Gathering attachment	81	Overlocker-Trolley	88
Decorative-thread guide	81		
Decorative-thread spool pin	81		

Information on the BERNINA Accessories Catalog

Main categories

In the machine overview on the left-hand side, the BERNINA sewing and embroidery machines are listed and divided into the main categories A, B, C, D, E and F. These categories indicate which of the accessories are compatible with which machine models. For space reasons, the special models and the models in category A are not listed in full. Your BERNINA dealer will be happy to help you choose your accessories.

Numerical listing of presser feet

In addition to the machine overview, all BERNINA presser feet and snap-on soles are categorized numerically. This enables you to find the required presser foot quickly based on the corresponding foot number.

Example

1. Find your model in the machine overview and note the category.
2. Find the required accessory in the presser-foot list or in the Table of Contents, and check compatibility based on category.

7 Series

Ea¹ B 700 E

Ea² B 720

Ea³ B 740

Ea⁴ B 770 QE
B 790
B 790PLUS



My BERNINA B 790 is in the category Ea⁴.



50	008 968 73 00	A							
50	008 969 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
	032 913 71 00*	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

Walking foot #50 is compatible with the B 790.

Applications of BERNINA presser feet

Each BERNINA presser foot has its own advantages and strengths. The icons in the product descriptions indicate additional applications. The first icon always indicates the main application.


Three-sole walking foot with seam guide #50




50	008 968 73 00	A							
50	008 969 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
	032 913 71 00*	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

* Separate sole for edge-stitching and in-the-ditch stitching.

The walking foot helps to achieve even fabric feed. It is especially suitable for machine-quilting straight lines and for accurately joining materials that tend to stick and move around, or which have a lot of stretch. Its two seam guides also help you sew with precision.



CLICK TO
SEE A
VIDEO
TUTORIAL





PRESSER FEET FOR SEWING MACHINES



Number	Presser-Foot Type	Page	Number	Presser-Foot Type	Page
0/99	Zigzag foot with finger guard # 99	11	53	Straight-stitch foot with non-stick sole	13
1/1C/1D	Reverse-pattern foot	11	54	Zipper foot with non-stick sole	16
2/2A	Overlock foot	15	55	Leather roller foot	27
3/3C	Buttonhole foot	14	56	Open embroidery foot with non-stick sole	22
3A/3B/3C	Buttonhole foot with slide	14	57/57D	Patchwork foot with guide	30
4/4D	Zipper foot	16	59C	Double-cord foot 4–6mm	28
5	Blindstitch foot	18	60C	Double-cord foot 7–8mm	28
6	Embroidery foot	22	61	Zigzag hemmer 2mm	19
7	Tailor-tack foot	23	62	Straight-stitch hemmer 2mm	19
8/8D	Jeans foot	18	63	Zigzag hemmer 3mm	19
9	Darning foot	31	64	Straight-stitch hemmer 4mm	19
10/10C/10D	Edgestitch foot	18	66	Zigzag hemmer 6mm	19
11	Cordonnet foot	24	68	Roll- and shell hemmer 2mm	19
12/12C	Bulky overlock foot	15	69	Roll- and shell hemmer 4mm	19
14D	Zipper foot with guide	16	70	Lap-seam foot 4mm	21
15	Embroidery foot	28	71	Lap-seam foot 8mm	21
16	Gathering foot	23	72	Adjustable ruler foot	32
18	Button-sew-on foot	14	73	Adjustable stippling foot	33
20/20C/20D	Open embroidery foot	22	74	Adjustable gliding cup foot	33
21	Braiding foot	24	75	Standard adapter shank	38
22	Cording foot with 3 grooves	24	77	Short adapter shank	38
23	Appliqué foot	29	78	Snap-on shank	38
24	Free-motion embroidery foot	31	82	Eyelet embroidery attachment	43
25	Cording foot with 5 grooves	24	83	Circular embroidery attachment	43
26	Drop-shaped embroidery foot	28	86	Ruffler	23
29/29C	Quilting foot	31	87	Binder attachment for pre-folded bias tape	20
30	Pintuck foot with 3 grooves	25	88	Binder attachment for unfolded bias tape	20
31	Pintuck foot with 5 grooves	25	92	Presser foot for eyelet embroidery	43
32	Pintuck foot with 7 grooves	25	95/95C	Binder foot	20
33	Pintuck foot with 9 grooves	25	97/97D	Patchwork foot	30
34/34C/34D	Reverse-pattern foot with clear sole	12		Pintuck attachment	25
35	Invisible-zipper foot	17		Echo-quilting clips	34
37/37D	Patchwork foot	30		Couching inserts	34
38	Piping foot	26		Presser-foot set	35
39/39C	Embroidery foot with clear sole	26		Presser-foot set D	35
40/40C	Sideways-motion foot	27			
42	BERNINA Stitch Regulator (BSR)	32			
43	Free-motion couching foot	27	Snap-on soles		
44C	Echo-quilting and CutWork foot	32	SO 1	Reverse-pattern sole	11
46C	Pintuck and decorative-stitch foot with clear sole	25	SO 2	Overlock sole	15
47	Spanish hemstitch attachment	26	SO 3	Buttonhole sole	14
50	Three-sole walking foot with seam guide	12	SO 4	Zipper sole	16
51	Roller foot	12	SO 5	Blindstitch sole	18
52/52C/52D	Zigzag foot with non-stick sole	11	SO 8	Jeans-foot sole	18
			SO 20	Open embroidery foot sole	22
			SO 37	Patchwork-foot sole	30

[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Information on BERNINA presser feet

BERNINA presser feet stand for precision and sturdiness. They are easy to change and BERNINA has a suitable presser foot for every application. The sewing feet are divided into two types with different shank openings:



For all models in category A of the Accessories Catalog, presser feet with a 2-point shank opening are used.



For all remaining models in categories B to F of the Accessories Catalog, presser feet with a closed shank opening are used.

Presser feet with a closed shank opening are divided into various types:

For example, Reverse-pattern foot #1/1C/1D for attractive decorative sewing

1



- These presser feet are identified by foot numbers
- For BERNINA sewing and embroidery machines with a maximum stitch width of 5.5mm

1C



- The letter "C" stands for "coded" presser foot, and refers to the sensor that specifies the stitch width to the sewing machine
- For BERNINA sewing and embroidery machines with a maximum stitch width of 9mm
- The soles are longer and wider than on the 5.5mm presser foot

1D



- The letter "D" stands for "Dual Feed". "D" presser feet are used with the BERNINA Dual Feed system. The sole therefore has a recess at the back for the Dual Feed
- For BERNINA sewing and embroidery machines with a maximum stitch width of 9mm
- The sole is reinforced with 2 shanks


Additional distinguishing features of buttonhole feet

3A



- The letter "A" stands for automatic sewing of the buttonhole
- For BERNINA sewing and embroidery machines with a maximum stitch width of 5.5mm
- Variable buttonhole length up to a maximum of 30mm
- The machine measures the length of the buttonhole (mm) via the sensor and completes it automatically

3B



- The letter "B" stands for semi-automatic sewing of the buttonhole
- For BERNINA sewing and embroidery machines with a maximum stitch width of 5.5mm
- Variable buttonhole length up to a maximum of 30mm
- The machine measures the length of the buttonhole (number of stitches) and completes it in stages

Comprehensive information including videos and useful application tips can be found on our website at www.bernina.com.

Overview of the applications of BERNINA presser feet



General sewing

Looking for a presser foot that you can use for different stitches? These universal presser feet are recommended as basic equipment. Some are already included in the standard range of your machine.



Buttons and buttonholes

BERNINA also has a solution for buttonholes. The special buttonhole presser feet let you create precise buttonholes in no time flat. In addition, BERNINA offers a foot for sewing on buttons quickly and easily.



Elastic/stretch materials

Don't have an overlocker to hand? BERNINA offers special presser feet for working with stretch fabrics such as stretch jersey, fabrics containing Lycra, and wool.



Zips

The Zipper foot enables the precise insertion of all sorts of zips. Whether you want to insert normal or invisible zippers – BERNINA has the right foot for you.



Hems and topstitching

Whether for binding an edge or hemming, BERNINA offers a wide range of presser feet that allow you to create the perfect hem finish. Visible and invisible hems can be produced with ease and precision, giving your work a professional look. It is also possible to create hems with lines of topstitching.



Decorative sewing

Brimming with creative ideas that you'd love to give shape to, easily and precisely? The BERNINA range has the right presser foot for a wealth of creative techniques, e.g. the Appliqué foot, which makes appliquéing a breeze.



Embroidery

BERNINA's presser-foot range includes special feet that can be used for both free-motion embroidery and for embroidering in a hoop. BERNINA also naturally offers a wide range of both large and small hoops for all sorts of embroidery projects.



Patchwork

A creative craft that focuses on the details, patchworking is popular among people of all ages. BERNINA has developed special patchwork feet to allow you to join patchwork pieces easily with a special seam allowance.



Quilting

BERNINA quilting feet are ideal for helping you produce elaborate quilting. Our BERNINA Stitch Regulator is particularly innovative, and ensures that your stitches are always the same length, making free-motion quilting a pure pleasure.



Materials that tend to stick

Not all fabrics are equally slippery. For slightly sticky materials such as leather or vinyl, BERNINA has developed special presser feet to facilitate fabric feed.



Presser-foot sets

Our BERNINA presser-foot sets are the ideal basic equipment. Among other things, the sets contain a Zipper foot, an Embroidery foot and a Buttonhole foot.

Reverse-pattern foot with clear sole #34/34C/34D



34	030 972 71 00	A					
34C	030 974 70 00*	A2					
34	030 770 72 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec F
34C	030 769 73 00	C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F
34D	032 961 72 00	D	Ea ³⁺⁴	Eb ⁴	F		

* While stocks last

The clear sole of this Reverse-pattern foot ensures a good view of the stitching and needle area. The red markings on the top of the foot allow especially accurate and careful sewing.



Three-sole walking foot with seam guide #50



50	008 968 73 00	A					
50	008 969 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec F
	032 913 71 00*	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴ Ec F

* Separate sole for edge-stitching and in-the-ditch stitching.

The walking foot helps to achieve even fabric feed. It is especially suitable for machine-quilting straight lines and for accurately joining materials that tend to stick and move around, or which have a lot of stretch. Its two seam guides also help you sew with precision.



CLICK TO
SEE A
VIDEO
TUTORIAL

Roller foot #51



51	002 953 72 00	A					
51	008 476 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec F

The three rollers on the bottom of this foot allow it to glide effortlessly over materials that tend to stick, such as leather, vinyl and plastic.



Buttons and buttonholes

Buttonhole foot #3/3C




3	002 578 72 00	A										
3	002 767 70 00*	A2										
3	032 714 71 00	A	B1					Ec ¹	Ec ² (475QE)	Snap-on		
3	008 447 74 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F			
3C	033 204 72 00		C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F				

* While stocks last

This presser foot lets you sew corded or plain buttonholes in any desired length. It can also be used for gathering using thread or elastic thread (smocking). Ideal for creating the perfect buttonhole together with the buttonhole cutter and button-sew-on foot.



Buttonhole foot with slide #3A/3B/3C



3C	031 250 70 04*	A										
3A	031 250 71 01		B1*	B2	B3	B4	B5	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec F with sensor
3B	031 332 71 00		B1 (125, 125s, 210, 215, 220)									

* While stocks last
B1* 135, 135s, 145, 145s, 230, 230 PE, 240, 325, 330, 335, 350 PE, 380

For sewing automatic buttonholes with or without cording. The sensor can measure the buttonholes automatically based on the size of the desired button. This allows you to produce any number of buttonholes of the exact same length. Use together with the fabric-feeding aid or the buttonhole leveler as well as the buttonhole cutter and button-sew-on foot to create perfect buttonholes with consummate ease.



CLICK TO SEE
A VIDEO
TUTORIAL

Button-sew-on foot #18



18	002 959 72 00	A									
18	008 461 74 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F			
	032 224 50 00	Sole pad									


This presser foot helps you sew on buttons and hooks. The rubberised sole holds the button firmly in the right place while it is being sewn on. The height of the neck can be flexibly adjusted via the middle toe, depending on the fabric thickness.



CLICK TO SEE
A VIDEO
TUTORIAL

Elastic/stretch materials


Overlock foot #2/2A



2	002 577 72 00	A								
2A	001 694 70 01*	A2								
2	032 716 71 00	A B1	Ec ¹ Ec ² (475QE)							Snap-on
2	008 446 74 00	B C D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F				
2A	033 330 72 01	C D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F				
315 579 03 2+ Thread guiding sheet										

* While stocks last

The Overlock foot is ideal for sewing overlock seams and neaten edges on elastic materials. The edges of the fabric do not curl, resulting in a flat, elastic seam.




[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Bulky overlock foot #12/12C



12	002 951 72 00	A							
12	008 457 74 00	B C D	Ea²⁻⁴	Eb²⁻⁴	Ec	F			
12C	008 878 75 00	C D	Ea³⁺⁴	Eb³⁺⁴	Ec³	F			


For seaming knits and couching thick cords, strings of beads and sequins, and for making and sewing in piping in a single operation. Boasting a maximum stitch width of 9mm, the #12C foot has a guide hole for sewing over narrow couching cords such as wool, yarn and leather strips.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Zips

Zipper foot #4/4D



4	002 579 73 00	A							Snap-on
4	032 712 71 00	A	B1			Ec ¹	Ec ² (475QE)		
4	008 448 74 00	B	C	D	Ea ²⁺⁴	Eb ²⁺⁴	Ec	F	
4D	033 221 72 00			D	Ea ³⁺⁴	Eb ⁴	F		

The Zipper foot lets you sew in zips cleanly and accurately in no time flat. The narrow sole is positioned close to the zip teeth in order to sew the zip tape right next to the edge.



Zipper foot with guide #14D



14D	032 964 72 00	D	Ea ³⁺⁴	Eb ⁴	F
-----	---------------	---	-------------------	-----------------	---

The guide makes it much easier to insert zips straight and to topstitch edges.



Zipper foot with non-stick sole #54



54	002 964 73 00	A						
54	008 479 75 00	B	C	D	Ea ²⁺⁴	Eb ²⁺⁴	Ec	F

The special non-stick coating on the sole makes it easy to sew zips into fabrics that tend to stick, such as leather and plastic.




CLICK TO SEE
A VIDEO
TUTORIAL

Invisible-zipper foot #35



35	030 820 71 00	A								
35	030 653 72 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	

Invisible zips look particularly elegant, especially in garments, home decorations and accessories. This foot allows the insertion of a zip such that it is virtually invisible.



CLICK TO SEE
A VIDEO
TUTORIAL


Hems and topstitching

Blindstitch foot #5



5	002 580 73 00	A								Snap-on
5	032 717 71 00	A	B1			Ec ¹	Ec ² (475QE)			
5	008 449 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	

The blindstitch seam is ideal for garments that are meant to radiate elegance and quality. The needle pierces the fabric so little that the stitch is barely visible on the front. Blindstitching can also be used as a decorative stitch on the front by changing the stitch length/width.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)


Jeans foot #8/8D



8	002 583 72 00	A								Snap-on
8	036 629 70 00*	A	B1					Ec ¹	Ec ² (475QE)	
8	008 453 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	
8D	032 962 71 00				D	Ea ³⁺⁴	Eb ⁴	F		

* While stocks last

Used together with the straight-stitch needle plate, the Jeans foot is ideal for straight-stitching over thick seams and on multilayer or densely woven materials such as denim, canvas or travel bags.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Edgestitch foot #10/10C/10D



10	002 585 72 00	A							
10	008 455 74 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	
10C	008 877 75 00		C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F	
10D	032 960 72 00			D	Ea ³⁺⁴	Eb ⁴	F		

This presser foot with guide is excellent for topstitching edges, hems and pleats. It is also ideal for sewing on lace or ribbon and for reinforcing edges. The guide lets you sew perfect seams and hems running parallel to the edge.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Straight-stitch hemmer #62/64



62	008 482 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	2mm
64	002 955 73 00	A							4mm
64	008 484 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	4mm

Used in combination with the straight-stitch plate, the Straightstitch hemmer creates a hem with particularly beautiful stitching. The fabric is folded over twice in a single operation as it is sewn with a straight-stitch. Feet #62 and #64 are used for hems with a width of 2- and 4mm respectively.



Zigzag hemmer #61/63/66



61	002 956 72 00	A							2mm
61	008 481 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	2mm
63	002 961 73 00	A							3mm
63	008 483 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	3mm
66	002 972 71 00	A							6mm
66	008 485 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	6mm

The Zigzag hemmer sews beautifully decorated non-fraying hems in a single operation. The fabric is folded over twice and sewn down with a zigzag or decorative stitch. Feet #61 and #63 are suitable for fine fabrics. Foot #66 is ideal for medium-weight fabrics.



Roll- and shell hemmer #68/69



68	002 958 71 00	A							2mm
68	008 486 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	2mm
69	001 129 71 00	A							4mm
69	008 487 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	4mm

This presser foot is deal for hemming soft fabrics such as knitwear. The fabric is folded over twice in a single operation as it is sewn with an overlock stitch. This creates a narrow, slightly three-dimensional hem which does not fray. Feet #68 and #69 are used for hems 2- and 4mm wide respectively.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Binder attachment for pre-folded bias tape #87



87	033 505 70 02	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	13mm
87	033 505 72 00	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	20mm
87	033 505 72 01	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	25mm

This binder attachment is used for binding edges with pre-folded bias tape in widths of 13, 20 or 25mm. It enables perfect corners and beautiful curves to be created using utility or decorative stitches. The binder attachment is used in conjunction with Binder foot #95/95C.




Binder attachment for unfolded bias tape #88



88	033 505 72 03	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	28mm
88	033 505 72 04	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	32mm
88	033 505 72 05	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	38mm

This binder attachment creates perfect edge finishes using unfolded bias tape in widths of 28, 32 or 38mm. For the perfect look, the bias tape can also be home-made. The binder attachment is used in combination with Binder foot #95/95C.



Binder foot #95/95C



95	033 554 71 10	A								
95C	033 555 70 10*	A2								
95	033 554 71 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	
95C	033 555 71 00			C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F	

* While stocks last

This presser foot was specially designed for use with Binder attachments #87 and #88. The notch at the side allows closer access to the binder attachment, making the process easier.



CLICK TO SEE
A VIDEO
TUTORIAL

Lap-seam foot #70/71



70	008 488 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	4mm
71	002 973 73 00	A							8mm
71	008 489 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	8mm

This foot enables precise lap seams to be produced. Since both seam allowances are enclosed and stitched securely in the hem seam, the foot is also suitable for sewing reversible clothing. Foot #70 is suitable for lap seams up to 3mm wide, whilst foot #71 is suitable for lap seams up to 6mm in width.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Decorative sewing

Embroidery foot #6



6	002 581 71 00*	A
6	008 451 73 00	B C D Ea ²⁻⁴ Eb ²⁻⁴ Ec F

* While stocks last

Open embroidery foot #20/20C/20D



20	002 588 72 00	A
20	002 806 71 00*	A2
20	036 630 70 00	A B1 Ec ¹ Ec ² (475QE) Snap-on
20	008 462 74 00	B C D Ea ²⁻⁴ Eb ²⁻⁴ Ec F
20C	033 203 72 00	D Ea ³⁺⁴ Eb ⁴ Ec ³ F
20D	033 151 72 00	D Ea ³⁺⁴ Eb ⁴ F

* While stocks last

Open embroidery foot with non-stick sole #56



56	008 480 74 00	B C D Ea ²⁻⁴ Eb ²⁻⁴ Ec F
----	---------------	--

The ideal presser foot for buttonhole seams, appliqué and decorative stitches. Superb effects can be achieved by sewing over decorative yarns. The small hole in the centre-front of the foot acts as a guide for a couching cord or elastic thread, but can also be used as a visual guide.



This foot is used to create appliqué and embroidery designs and for sewing over lines and patterns. The open shape ensures a perfect view of the sewing area, making this foot ideal for sewing on ribbons and creating attractive appliqué patterns.



The special non-stick coating on the sole makes it possible to appliqué and do all sorts of embroidery on fabrics that tend to stick during sewing, such as leather, plastic and other similar materials.




CLICK TO SEE
A VIDEO
TUTORIAL

Gathering foot #16




16	002 596 72 00	A								narrow
16	008 460 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	narrow
16	008 879 73 00			C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F	wide

Suitable for gathering individual fabric layers or for gathering and simultaneously sewing onto a flat piece of fabric. The thin or medium-weight fabric is fed in unevenly whilst being sewn, giving it its characteristic gathering.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)


Ruffler #86



86	001 944 72 00*	A								
86	008 386 75 00		B	C						
86	033 550 72 00				D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	

* While stocks last

For creating ruffles or uniform pleats with ease. The pleat density and depth are set directly on the foot. Makes the gathering and uniform pleating of fabrics child's play.




[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Tailor-tack foot #7



7	002 582 72 00	A								
7	008 452 74 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	

Especially suitable for marking seam lines and also for sewing elegant embellishments, imitation hemstitch (fagoting), fringes and 3D effects.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Cordonnet foot #11



11	002 952 71 00*	A								
11	008 456 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	

* While stocks last

This presser foot is ideally suited for sewing and topstitching with cordonnet as the upper thread and for sewing sashiko patterns and the like. The 2mm-deep groove under the sole ensures uniform fabric feed.



CLICK TO SEE
A VIDEO
TUTORIAL

Braiding foot #21



21	002 595 72 00	A								
21	008 463 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	

This foot lets you guide narrow ribbons and cords with precision whilst couching. The bevelled cutout can accommodate cords and narrow ribbons up to 3mm thick, which can be couched using a utility or decorative stitch.



Cording foot #22/25



With 3 grooves										
22	008 465 74 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	
With 5 grooves										
25	008 468 74 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	

The grooves allow several strands of side-by-side yarns or narrow ribbons to be couched simultaneously, held in place securely by the latch. This means that the yarns do not need guiding. Foot #22 is designed for three and foot #25 for five side-by-side yarns.



CLICK TO SEE
A VIDEO
TUTORIAL

Pintuck foot #30/31/32/33



With 3 grooves

30	002 589 72 00	A							
30	008 470 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

With 5 grooves

31	002 590 71 00	A							
31	008 471 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

With 7 grooves

32	002 591 72 00*	A							
32	008 472 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

With 9 grooves

33	002 592 71 00*	A							
33	008 473 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

* While stocks last

Pintuck and decorative-stitch foot with clear sole #46C



46C	033 308 71 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
-----	---------------	--	---	---	---	-------------------	-------------------	----	---

Pintuck attachment



033 270 71 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
---------------	--	---	---	---	-------------------	-------------------	----	---

Pintucks give texture to a fabric surface and are ideal for mini-piping, trimmings, smocking, entredeux and fagoting.



Foot #30: For heavy fabrics such as denim or suit linen, with 4mm twin needle

Foot #31: For medium-weight fabrics, with 3mm twin needle

Foot #32: For fine-to-medium-weight fabrics, with 2mm twin needle

Foot #33: For very fine and lightweight fabrics such as batiste, with 1.6mm twin needle

This foot is specially designed to facilitate the combination of decorative stitches with pintucks. After sewing the pintucks, the same foot can be used to sew beautiful decorative stitches in between the individual pintucks or to couch ribbons. The clear sole provides a good view of the sewing area.



The Pintuck attachment facilitates the sewing of corded pintucks. Simply guide the filler cord through the channel of the attachment. When used in conjunction with the pintuck foot, the cord is automatically incorporated in the pintuck, creating a beautiful raised effect.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Spanish hemstitch attachment #47



47	033 809 73 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
----	---------------	---	---	---	-------------------	-------------------	----	---

The Spanish hemstitch attachment enables you to join fabric edges together with or without a cord and create edge finishes with cording. Use the #20 foot to guide 5.5mm cords and the #20C foot to guide 9mm cords.



CLICK TO SEE
A VIDEO
TUTORIAL

Piping foot #38



38	030 915 71 00	A						
38	031 021 72 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

One side of the piping foot is higher than the other, allowing it to feed fabric layers of different thicknesses evenly. This foot is also suitable for applying thick ribbons, hook-and-loop tape, and thin cords, as well as for piping of narrow-to-medium width.



CLICK TO SEE
A VIDEO
TUTORIAL

Embroidery foot with clear sole #39/39C



39	031 482 71 00	A						
39C	032 860 70 00*	A2						
39	031 406 72 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
39C	032 171 73 00	C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F	

* While stocks last

This foot is especially suitable for decorative stitches, button-hole seams, appliqués, couching perle yarn, and sewing off-the-edge scallops. It can also be used to create raised effects. The small hole in the centre of the foot acts as a guide for couching a narrow cord. The clear sole provides a good view of the embroidery area.



CLICK TO SEE
A VIDEO
TUTORIAL

Sideways-motion foot #40/40C



40	006 058 70 00*	A2					
40C	033 205 71 00		C1	C2	D2 (B 780)	Ea ⁴	F2

* While stocks last

The perfect tool for sewing sideways-motion patterns, and for sewing utility and decorative stitches in different directions.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Free-motion couching foot #43



43	031 779 73 00	B				C	D	E	F		
Thread guide											
43	031 555 50 00	B1	B2	B3	B4 (430,440,555,570)	B5	C1	Eb ¹⁻⁴	Ec		
43	033 080 50 00				B4 (630)		C2	C3	D	Ea ¹⁻⁴	F

This presser foot facilitates the sewing-on of appliqués, using cords, yarns, ribbons and braids with a diameter of 2mm. All sorts of lines and shapes can be created by feeding the cord directly under the needle.




[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Leather roller foot #55



55	031 304 71 01	A					
55	031 304 71 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴ Ec F

With its profiled roller, this presser foot is especially suitable for contour quilting and for sewing tight curves on e.g. leather, vinyl and plastic, as well as for quilting and sewing multiple layers of fabric. It can also be used to create jumbo piping.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Double-cord foot #59C/60C



59C	032 370 72 00	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	4–6mm
60C	032 370 72 01	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F	7–8mm

For simultaneously sewing on two parallel cords with a diameter of 4–6mm or 7–8mm. The versatile Double-cord foot is also ideal for sewing on piping.



CLICK TO SEE
A VIDEO
TUTORIAL

Embroidery foot #15



15	032 708 71 00	B	C	D	E	F
----	---------------	---	---	---	---	---

This foot is ideally suited for appliqué work and free-motion quilting. Its slightly-upwards-curving shape makes it easier to sew on pile and bulky fabrics and to embroider over appliqué designs and densely embroidered motifs.



CLICK TO SEE
A VIDEO
TUTORIAL

Drop-shaped embroidery foot #26




26	031 597 71 00	B	C	D	E	F
----	---------------	---	---	---	---	---

Used together with a straight-stitch plate, this embroidery foot is particularly suitable for tasks that use the embroidery module, as well as for darning fine fabrics. The drop-shaped needle opening and the shape of the presser-foot sole reduce damage to the upper thread, contributing to an attractive embroidery result.



This presser foot is ideal for appliquéing narrow buttonhole seams of up to 2mm. The specially shaped clear sole provides a perfect view of the sewing area and feeds through dense stitching without a problem, both with straight lines and curves. The notch at the front can also hold a couching thread or ribbon.



CLICK TO SEE
A VIDEO
TUTORIAL

Patchwork

Patchwork foot #37/37D




37	001 127 72 00	A							
37	036 631 70 00	A	B1				Ec ¹	Ec ² (475QE)	Snap-on
37	008 474 74 00		B	C	D	Ea ²⁺⁴	Eb ²⁺⁴	Ec	F
37D	033 152 72 00				D	Ea ³⁺⁴	Eb ⁴		F

This foot is ideally suited to patchwork projects with seam allowances of 3mm (1/8") or 6mm (1/4"). The three notches on the side ensure precise guidance for inserting rectangular patchwork pieces.



Patchwork foot with guide #57/57D



57	032 148 71 00	A							
57	031 577 72 00		B	C	D	Ea ²⁺⁴	Eb ²⁺⁴	Ec	F
57D	032 963 72 00				D	Ea ³⁺⁴	Eb ⁴		F

Patchwork foot #57/57D differs from Patchwork foot #37/37D in that it has an additional guide enabling perfectly straight lines to be sewn.



CLICK TO SEE
A VIDEO
TUTORIAL

Patchwork foot #97/97D



97	035 927 70 00		C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F	
97D	035 928 70 00				D	Ea ³⁺⁴	Eb ⁴		F

This patchwork foot is ideal for creating beautiful quilts and other precision sewing work. The markings on the sole for seam allowances of 3mm (1/8"), 6mm (1/4") and 7.5mm (3/10") ensure accurate guiding. The contact area of this foot is perfect for machines with a 9mm stitch width, and enables careful guiding of the fabric and stitching when joining pieces of fabric together.



CLICK TO SEE
A VIDEO
TUTORIAL

Quilting

Darning foot #9



9	002 584 72 00	A							
9	008 454 74 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

Free-motion embroidery foot #24



24	002 593 72 00	A							
24	008 467 74 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

Quilting foot #29/29C



29	001 128 71 00	A							
29	008 469 73 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
29C	008 880 74 00			C	D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³	F

The special shape of this multi-purpose foot makes it particularly suitable for free-motion embroidery, contour quilting, and producing attractive lace and monograms. Small holes and tears can also be repaired using the hosiery darning hoop.



The open embroidery sole offers a free, unobstructed view of the embroidery area. Precise and creative free-motion projects such as monogram, silk-ribbon and Richelieu embroidery and thread painting can be accomplished with ease. The free-motion embroidery foot is also excellent for contour quilting and free-motion quilting of tiny details (microstippling).



This quilting foot is used for topstitching quilts with thick and thin padding. The clear sole ensures an unobstructed view of the entire sewing area, which is important for positioning stitches precisely. The foot is especially suited to free-motion quilting tasks such as contour quilting, thread painting and stipple quilting.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

BERNINA Stitch Regulator (BSR) #42



42 031 472 74 01 B4 B5 C2 (730) C3 D Ea²⁻⁴ Eb²⁻⁴ Ec²⁺³ F

The perfect foot for free-motion quilting with a controlled stitch length on all materials. The BSR reacts to the movement of the fabric and controls the speed of the needle during free-motion sewing. The set stitch length is maintained irrespective of the movement of the fabric, resulting in absolutely even stitch formation.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Echo-quilting and CutWork foot #44C



44C 033 369 72 00 B C D E F

This presser foot is the ideal companion for a host of creative sewing projects such as echo and shadow quilting, free-motion quilting, thread painting, and free-motion embroidery with zigzag stitch. The disc-shaped clear sole moves easily over raised areas of fabric. The crosshair and concentric circular markings help you position the stitches precisely. In addition, this foot produces excellent cutting results with CutWork designs.




[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Adjustable ruler foot #72



72 101 786 70 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

Use this adjustable foot to sew along a ¼-inch-thick Plexiglass ruler and create decorative quilt designs such as lines, feathers and circles. The markings on the inside and outside allow for precise sewing, and the dial lets you adjust the height of the foot individually to the fabric thickness.




[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Adjustable stippling foot #73



73 104 211 70 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

This height-adjustable presser foot is the perfect foot for free-motion quilting and embroidery. Especially for quilting small patterns and detail work. The open shape of the presser foot sole provides a perfect view of the sewing good. Due to the adjustment wheel, the foot height can be individually adjusted to the fabric thickness. The dull grey coating of the foot prevents the user from being dazzled.



**CLICK TO SEE
A VIDEO
TUTORIAL**

Adjustable gliding cup foot #74



74 104 213 70 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

The height adjustability by operating the adjustment wheel makes it possible to adjust the foot to all fabric thicknesses as required. The foot is perfect for free-motion, echo and shadow quilting, yarn painting, straight and zigzag stitches as well as appliqués. Due to the high cup of the foot it glides perfectly over applications, thick seams and decorations. The transparent cup provides a very good view of the sewing good.



Echo-quilting clips




102 959 70 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

When working with the echo-quilting clips, you sew along a plexiglass ruler to create decorative quilt patterns such as lines, feathers, circles etc. Due to the imprinted markings on the clips exact working goes smoothly. They are to be used in combination with the adjustable ruler foot #72 and the Ruler kit.



Content of set

- 1x Echo-quilting clip, radius ½ Inch
- 1x Echo-quilting clip, radius ¾ Inch
- 1x Echo-quilting clip, radius 1 Inch



Couching inserts



102 960 71 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

With these couching inserts strings, cords, wool or felt threads can be sewn on the project in an artistic way. Either guided along a plexiglass ruler or as free as you please. They are to be used in combination with the adjustable ruler foot #72 and the Ruler kit.




Content of set

- 1x Couching insert, Ø 1.4mm
- 1x Couching insert, Ø 1.8mm
- 1x Couching insert, Ø 2.2mm



Presser-foot sets

Presser-foot set



031 662 71 00 B Ea² Eb² Ec¹

This set for 5.5mm machines contains the following 5 practical presser feet for special stitches and sewing tasks:

- Reverse-pattern foot #1
- Buttonhole foot #3
- Buttonhole foot with slide #3B
- Zipper foot #4
- Blindstitch foot #5



Presser-foot set D



031 662 71 01 D Ea³⁻⁴ Eb⁴ F

This set for 9mm machines contains the following presser feet and represents a useful basic set:

- Jeans foot #8D
- Edgestitch foot #10D
- Open embroidery foot #20D
- Reverse-pattern foot with clear sole #34D
- Patchwork foot #97D





ACCESSORIES FOR SEWING MACHINES





Adapter shanks #75/77



Standard

75	032 705 71 00	A							
75	032 702 71 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

Short

77	032 713 71 00	A							
77	032 710 71 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

Adapter shanks are used to attach various accessories to the machine.

Snap-on shank #78



78	032 703 71 00	A1 (1008)							
78	032 725 71 00		B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

Snap-on presser feet consist of a snap-on shank and various snap-on soles, depending on their use. A clamping mechanism ensures easy and secure attachment of the sole.

Patchwork seam guide



032 706 71 00 ¹	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F
330 030 13 1+ ²	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec	F

¹ Set incl. screw. ² Screw.

The Patchwork seam guide helps you sew patchwork and hems accurately. It can be adjusted to sit right at the edge of the presser foot, or can be attached a slight distance from the edge of the foot.



**CLICK TO SEE
A VIDEO
TUTORIAL**

In addition to the standard stitch plate supplied with the machine, BERNINA offers other stitch plates for specific applications. Each has its own colour code identifying it with the relevant application. The stitch plates differ from one another mainly in terms of the design of the needle hole and the engraved measurements in mm, inches, or a combination of both.


Straight- and CutWork stitch plate



mm	006 857 70 00	A1 (1000–1530)		
mm	003 098 70 00	A2		
Inch	003 098 70 01	A2		
mm/Inch	033 339 71 04	B1 (125–145)		
mm/Inch	033 339 72 00	B1 (210–380) B4 B5		
mm/Inch	033 339 71 03	B2 B3		
mm/Inch	033 339 71 02	C1 C2	1.4mm	
mm/Inch	008 865 71 03*	C1 C2	2.0mm	
mm/Inch	033 339 73 13	C3		
mm/Inch	033 339 71 07	D Ea ³⁺⁴ Eb ³⁺⁴ Ec ³		
mm/Inch	033 339 70 14	Ea ² Eb ² Ec ¹⁺²		
mm/Inch	034 914 70 00	F		

* While stocks last

The Straight and CutWork stitch plate is colour-coded orange. It can be used for straight-stitching and embroidery, as well as for CutWork and CrystalWork projects. When straight-stitching, perfect stitch formation is achieved by using this stitch plate with a presser foot with a small opening, such as foot #8, #26, #53, #62 or #64.



1. Round needle hole for straight-stitch and other creative work
2. Opening for feeding in an additional yarn on the underside of the fabric




9mm stitch plate with 5.5mm stitch hole



mm	006 216 70 01*	A2		
mm/Inch	033 339 72 11*	C1 C2		
mm	033 339 71 10	C3		
Inch	031 045 70 01	C3		
mm/Inch	033 339 70 08	D Ea ³⁺⁴ Eb ³⁺⁴ Ec ³		
mm	034 915 70 00	F		

* While stocks last

Colour-coded purple, this stitch plate has a reduced needle-hole width of 5.5mm. Suitable for all 9mm machines, it achieves particularly good results when sewing thin or soft materials. All zigzag and decorative stitches up to a width of 5.5mm can be used to create detailed sewing projects.



1. 5.5mm needle hole for zigzag and decorative stitches
2. Opening for feeding in an additional yarn on the underside of the fabric




5.5mm PunchWork stitch plate



033 371 70 06*	B1 (125–145S)	
031 050 70 10	B1 (210–380)	B4 B5
007 874 71 10*	B2 B3	

* While stocks last

This CB-hook stitch plate can be used for both sewing and felting. The large round opening is for the felting needles.




1. 5.5mm needle hole for all types of sewing
2. Opening for feeding in an additional yarn on the underside of the fabric
3. Opening for felting needles



[CLICK TO SEE
A VIDEO
TUTORIAL](#)


PunchWork stitch plate




033 691 70 00*	C1 C2	
033 690 70 00	C3	
033 339 71 06	D Ea ^{1,3+4} Eb ^{1,3+4} Ec ³	
033 685 71 00	F	

* While stocks last

Colour-coded yellow, this stitch plate has three needle holes arranged lengthways for the felting needles. Close guiding of the needles means better support of the material.



1. Triple needle hole for felting needles
2. Opening for feeding in an additional yarn on the underside of the fabric




[CLICK TO SEE
A VIDEO
TUTORIAL](#)

CB-hook bobbins and bobbin cases



Individual bobbins			
1	001 536 72 00	A1 (910–933/1004–1031/1080–1530)	B
Bobbin case for sewing and embroidery			
2	034 320 71 07	A1 (910–933/1004–1031/1080–1530)	B
Bobbin case for bobbinwork			
3	034 320 71 06	A1 (910–933/1004–1031/1080–1530)	B

Rotary-hook bobbins and bobbin cases



Individual bobbins			
1	330 026 03 0+	A1 (940/950)	
2	006 026 53 00	A1 (1000–1001/1050–1070)	A2 C
3	032 295 54 00		F
Bobbins in canister (6 pcs.)			
3	033 210 72 00		F
Bobbin case for sewing			
4	034 320 71 05	A1 (1000–1001/1050–1070)	A2 C
Bobbin case for embroidery			
5	034 320 71 04		C

B9-/BERNINA-hook bobbins and bobbin cases



Individual bobbins			
1	033 436 54 00	D	E
Bobbins in canister (5 pcs.)			
1	033 210 70 01	D	E
Bobbin case for sewing and embroidery			
2	034 320 71 01	D	
3	034 320 71 03	E	
Bobbin case for bobbinwork			
4	034 320 70 00	D	
5	034 320 71 02	E	
High thread tension bobbin case			
6	034 320 70 09	E	

Each BERNINA hook system has its own bobbin cases for sewing, embroidery and bobbinwork. There is a bobbin to match each bobbin case.

The 7 Series has two hooks: the B9 Hook and the BERNINA Hook.

To distinguish between them, all BERNINA Hook components are marked with a triangle (△), as are the bobbin cases.

Bobbinwork



CLICK TO SEE
A VIDEO
TUTORIAL

High thread tension bobbin case



CLICK TO SEE
A VIDEO
TUTORIAL

Circular embroidery attachment #83



83 008 373 73 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

The Circular embroidery attachment allows you to sew fancy and decorative circles or semicircles of various diameters using utility or decorative stitches or lettering. It is also suitable for appliquéing ribbons. Using the extension table increases the sewing-bed area, making it ideal for precise decorative sewing.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Eyelet embroidery attachment #82 with foot #92



82 008 359 75 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

Used with presser foot #92 (included), this device enables you to embroider beautiful decorative and functional eyelets, which are very popular on sportswear and materials such as jersey.

Presser foot for eyelet embroidery #92



92 032 718 70 00* B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

* While stocks last

Suitable for use with Eyelet embroidery attachment #82, this free-motion embroidery foot is used to embroider eyelets and for functional decorative purposes.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Adjustable guide




032 855 70 00 A B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

The adjustable guide consists of a guide tool and an edge guide, and allows you maintain even spacing between rows of straight or decorative stitching. It is very helpful when making quilted lining, patchworking, or engaging in other decorative sewing tasks. The adjustable edge guide is used primarily to create precise seams and perfect hems, and ensures particularly good results when edge-stitching. The guide tool and edge guide can be attached to the shaft of most presser feet.



Right and left seam guide



033 338 71 00 A B C D Ea²⁻⁴ Eb²⁻⁴ Ec F right
033 338 70 01 A B C D Ea²⁻⁴ Eb²⁻⁴ Ec F left

This seam guide for the right or left of the needle is a guide tool. It is used to maintain parallel spacing between rows of stitching and for neat, straight edges and hems.

Seam guide with scale



003 027 71 00 A B C D Ea²⁻⁴ Eb²⁻⁴ Ec F Set

Used as a guide tool to the right and left of the needle, the Seam guide with scale helps with traditional sewing tasks as well as with more complex sewing projects. Marked in centimetres and inches, the scale allows you to sew parallel lines accurately and to maintain an even distance between rows of stitching.



Fabric-feeding aid for sewing buttonholes



031 247 70 00 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

Used in conjunction with the Buttonhole foot with slide #3A/3B, this tool improves fabric feed when sewing buttonholes in thick, fluffy and elastic fabrics.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Buttonhole leveler



033 332 70 01 A2 B1 (135-145/230-380) B2 B3 B4 B5 C D Ea²⁻⁴ Eb²⁻⁴ Ec F wide
033 332 70 00* A1 (1130,1230) narrow

* While stocks last


The leveler improves the feed of the Buttonhole foot with slide #3A/3C when sewing buttonholes in fabrics of different heights, e.g. along finished edges.

Buttonhole cutter with wooden block




032 580 71 00 A B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

Measuring 1.3mm (1/2") in width, this buttonhole cutter is used to open up sewn buttonholes.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Slide-on table



003 175 70 00		A1 (1008)	with seam guide	
1	030 347 51 01	B1 (125–240)		
1	033 045 70 00	B1 (325–380)		
1	031 073 51 01	B4 C3		
2	033 114 71 00	B4 B5 C3	with quick-release button	
2	008 868 50 00	B2 B3 C1 C2		
2	033 131 70 00	D Ea		
2	103 254 70 00	Eb		
2	103 493 71 00	Ec		
2	031 846 72 00	F		

Seam guide for slide-on table



002 909 51 00	A1 (1008)			
033 046 70 00	B1 (325–380)	B4 B5 C3		
030 726 70 00	B2 B3	C1 C2		
032 527 71 00		D Ea ²⁻⁴	F	
033 046 70 00		Eb ²⁻⁴ Ec		


The Extension table increases the work surface whilst facilitating fabric passage over the free-arm.



The Seam guide for extension table is a useful tool for topstitching wide borders and hems.



Plexiglass extension table for quilting



030 129 72 01*	A1 (1000–1530) A2	60 x 45 cm
030 129 72 09	B1	60 x 60 cm
030 129 71 02*	B2 B3 C1 C2	60 x 60 cm
030 129 72 04	B4 B5 C3	60 x 60 cm
030 129 72 08	D Ea ²⁻⁴	60 x 45 cm
030 129 70 10	Eb ²⁻⁴	60 x 45 cm
030 129 70 11	Ec	60 x 45 cm
030 129 71 06	F	60 x 45 cm

* While stocks last

The Extension table for quilting increases the work surface of the sewing machine, which is very helpful when working on large quilting and sewing projects.



Ruler Kit




102 379 70 01 B C D Ea²⁻⁴ Eb²⁻⁴ Ec F

These rulers can be used in combination with the Adjustable ruler foot #72 to create decorative quilt patterns. The height of the individual rulers allows for easy handling together with the quilt project below the presser foot.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Knee lifter/Free-Hand System (FHS)



1	001 635 77 00	A	B	C				
2	001 635 77 01	A	B	C	D	Ea ²⁻⁴	Eb ²⁻⁴	Ec
3	001 635 73 02	A	B1	B2	B3	B4	C	
4	001 635 77 04							F

BERNINA's unique Free-Hand System (FHS) lets you raise the presser foot while simultaneously lowering the feed dog via a knee-operated lever. This also increases the gap between stitch plate and presser foot, and leaves both hands free to guide your project.

- 1 FHS Standard
- 2 FHS for sewing-machine cabinet
- 3 FHS Special (short)
- 4 FHS Standard

Free-Hand System (FHS) retrofit kit




030 146 70 00	B1
008 610 71 00	B2 B3 C1

The retrofit kit is ideal for retrofitting a knee lifter.



Sewing light



030 753 70 00	B1 (125–240)	CFL
1 004 992 74 00	B2 (155+163) B3 C1 (185) C2	LED
030 683 74 00	B4	C3 CFL

Boasting a very long service life, this light illuminates the sewing area with bright-as-day light, allowing you to sew with precision and accuracy.




Hosiery darning hoop



001 548 71 01	A B1 B4 B5 C3
001 548 71 03	B2 B3 C1 C2 D Ea ²⁻⁴ Eb ²⁻⁴ Ec F

Used together with Darning foot #9, the Hosiery darning hoop lets you darn hosiery, socks and other textiles in no time flat, and prevents the fabric from puckering or wrinkling.



Guide eyelet for metallic and silk thread



008 814 70 00	B C
---------------	-----

This eyelet acts as an additional thread guide, preventing metallic and silk threads from slipping off the spool, and allowing you to work with two or three threads simultaneously.



Thread-lubrication unit



031 161 72 00	A	B	C	D	E
033 596 70 00					F
031 963 50 00	Silicone fluid				

The use of the Thread-lubrication unit is particularly recommended when working with metallic and loosely twisted threads. The silicone fluid greatly improves the friction properties of these threads and effectively protects delicate threads from damage and breaking.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Sewing machine oil



033 567 71 01	D	E	F
---------------	---	---	---

Regular care ensures that your sewing machine runs smoothly. This includes oiling it.




Magnifying-lens set



008 264 75 00 A B C D E F

Mounting bracket for magnifying lens
and PunchWork tool




1	033 853 70 01	B1
2	033 853 70 00*	B2 B3 C1 C2
3	033 853 70 02	B4 B5 C3
4	033 853 72 03	D E
	032 052 70 00	F

* While stocks last

The practical Magnifying-lens set enhances your view of the working area. The three lenses have magnification factors of 1.25, 1.5 and 2, making it easier to thread the needle and sew tricky areas. The set can also be used with a hand holder as a practical reading lens.



Mounting bracket for attaching the magnifying lens
or PunchWork tool.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

PunchWork tool for CB hook machines



031 571 71 00 B

5.5mm PunchWork stitch plate

033 371 70 06	B1 (125–145S)
031 050 70 10	B1 (210–380) B4 B5
007 874 71 10	B2 B3

Ideal for needle-felting with wool yarns or loose wool fibres, the PunchWork tool for CB-hook machines lets you work decorative designs and motifs into fabrics such as felt, wool, loden cloth, fulled fabrics and denim with no Lycra. This tool should be used in conjunction with the 5.5mm PunchWork stitch plate.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

PunchWork tool for rotary-, B9- and BERNINA-hook machines




45 033 678 72 00 C D Ea^{1,3+4} Eb^{1,3+4} Ec³ F

PunchWork stitch plate


033 691 70 00	C1 C2
033 690 70 00	C3
033 339 71 06	D Ea ^{1,3+4} Eb ^{1,3+4} Ec ³
033 685 71 00	F

The ideal tool for needle-felting with wool yarns or loose wool fibres, allowing decorative designs and motifs to be worked into fabrics such as felt, wool, loden cloth, fulled fabrics and denim with no Lycra. The clear finger guard is height-adjustable, and there is a holder at the front and back for different thicknesses of felting yarn and tapes. This tool should be used in conjunction with the PunchWork stitch plate.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Felting needles



1	032 178 70 00	B	long
2	033 940 70 00	C D Ea ^{1,3+4} Eb ^{1,3+4} Ec ³ F	short

Felting needles are special barbed needles which punch fibres into a base fabric for decorative purposes.

USB stick



104 081 70 00 C3 (435/560/580) D* E F (880/880PLUS) 16 GB

* Firmware update may be required.

The USB stick is a handy portable storage medium for storing data, embroidery patterns and update files.

Multiple-spool holder



008 983 75 00	B2 B3 B4 B5 C D E F
030 205 72 01	Adapter

Multiple-spool-holder extension



008 979 71 00	B2 B3 B4 B5 C D E F
---------------	---------------------

The Multiple-spool holder enables rapid access to threads as well as quick colour changes, which is especially useful for multi-coloured embroidery motifs. The path from the telescopic thread stand to the needle is also longer, allowing difficult yarns to untangle before being sewn.

This practical extension allows even more spools to be used.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

BERNINA Accessories box



030 396 72 04	B1 (125–240)
030 396 72 13	B1 (330–380) B4 (555,570) B5 C3 (560,580)
030 396 71 03	B2 B4 (430,440,630)
030 396 71 01	C1 C2
030 396 72 05	C3 (435,450,640)
030 396 71 12	D Ea
103 255 71 00	Eb Ec
030 396 73 11	F

The practical BERNINA accessories box stores your presser feet, bobbins, needles and tools neatly so they are always visible and to hand. The Accessories box can be kept on the work bench or mounted on the wall.



Touchscreen pen



For easy operation of the touchscreen on sewing and embroidery machines. The pen is magnetic and can be attached to the right side of the machine. Using the touchscreen pen helps keep the screen clean.

1	033 333 71 00	B3 B4 (555,570,630) C1 C2 C3 (560,580,640) D Ea F
2	104 090 70 00	Eb Ec

Carrying bags for sewing machines and embroidery modules



Keep your sewing machine and embroidery module in tip-top condition while you're travelling. The inner compartments provide additional space for storing accessories.

1	033 284 52 00	B C
2	030 895 51 03	B3 B4 C

Carrying case



The Carrying case protects your sewing machine from dust and dirt. It has a built-in accessories compartment.

001 898 72 02*	A1 (1000–1050)
001 559 71 07*	A1 (1070–1530) A2
031 101 71 00*	B2 B3 C1 C2

* While stocks last

Accessory bag



037 214 70 00 A B C D E F

Accessory Case



104 265 70 00 A B C D E F

L trolley system



1	036 180 71 01	A	B	C	Eb	Ec
2	033 476 71 01	B3	B4	C	Eb	

XL trolley system



1	036 180 70 00	D	Ea	F
2	033 476 70 00	D2	Ea ^{1,2+4}	F2

The practical accessory bag can either be attached to the trolley, or carried as a shoulder bag or rucksack. The various pockets inside and outside provide plenty of space for presser feet, accessories and a 15-inch laptop.



This accessory case is suitable when you are at home or on the move. It offers plenty of space for over 40 presser feet, several bobbins, bobbin cases, as well as stitch plates and other accessories. With its 3 removable layers, it is very flexible and can be packed as requested. Also smaller accessories find their place in the centrally sewn-in panel with different compartments.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

The practical trolley and embroidery-module bag are very sturdy, and are perfect for transporting your machine when you're on the go. Numerous inner and outer pockets offer plenty of room for accessories. Robust wheels and an extendable telescopic handle allow you to pull your sewing machine and attached embroidery module behind you with ease. The side handles are also convenient when loading and unloading the bags. The embroidery-module bag can be attached to the trolley's telescopic handle or carried separately with the adjustable shoulder strap.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Needle assortment



The BERNINA needle assortment contains high-quality needles of various types and sizes for different materials and applications.

[CLICK TO SEE
A VIDEO
TUTORIAL](#)

BERNINA flat-shank needles

NEEDLE TYPE		COLOUR APPLICATION	COLOUR NEEDLE SIZE NM							
SHORT-GROOVE NEEDLE	130/705 H Universal needle	No colour	60	70	80	90	100	110	120	
	130/705 H-J Jeans needle	Blue			80	90	100	110		
	130/705 H-M Microtex needle	Violet	60	70	80	90				
	130/705 H-N Topstitch needle	Light green			80	90	100			
	130/705 H-Q Quilting needle	Green			75	90				
	130/705 H WING Hemstitch needle	No colour					100		120	
	130/705 H METAFIL Metafil needle	Antique pink			80					
	130/705 H-E Embroidery needle	Red			75	90				
	130/705 H SUK Jersey / Embroidery needle	Orange	60	70	80	90	100			
	130/705 H-S Stretch needle	Yellow			75	90				
	130/705 H SES Fine-fabrics needle	No colour	70	80	90*					
	130/705 H LR Leather needle	Brown				90	100			
	130/705 H PRO Universal needle	No colour				90	100	110		
	130/705 H-J PRO Jeans needle	No colour			80	90	100			
	130/705 H SUK PRO Jersey / Embroidery needle	No colour			80	90	100			
LONG-GROOVE NEEDLE	130/705 H ZWI Universal twin needle	No colour	70	80	90	100				
	Gap (mm)		1.6	2.0	3.0	4.0				
	Gap (mm)			2.5	4.0	6.0				
	Gap (mm)			4.0		8.0				
	130/705 H-S ZWI Stretch twin needle	No colour		75						
	Gap (mm)			2.5						
	Gap (mm)			4.0						
	130/705 H ZWIHO Hemstitch twin needle	No colour					100			
	Gap (mm)						2.5			
	130/705 H DRI Universal triple needle	No colour		80						
SPECIAL NEEDLE	Punch Felting needle	No colour								
	130/705 H DE Double-eye needle	No colour		80						
	ELX 705 CF Coverstitch needle	Black		80*	90*					
	ELX 705 CF SUK Coverstitch needle	Black		80*	90*					
		Black								

* only available in an assortment.




ACCESSORIES FOR EMBROIDERY MACHINES





Embroidery modules



S	024 580 90 XX ¹	B4 C2(200) C3
M	024 590 90 00	Eb
L	024 880 92 00	D2 Ea ^{1,2+4} F2

¹ Last two digits vary depending on country.

The large embroidery area of the embroidery module makes working on your creative projects a breeze. The embroidery module turns a BERNINA sewing machine into an embroidery machine, enabling you to produce stunning and reliable results in a next to no time.




Plexiglass extension table for embroidery module




030 129 71 05*	B4 B5 C3	60 x 45 cm
030 129 71 03*	B3 C1 C2	60 x 45 cm

* While stocks last

The Extension table for embroidery module provides additional space around the embroidery hoop, thereby distributing the weight of large embroidery projects evenly.



Small embroidery hoop



1	030 869 72 00	B4 C1 (185) C2 C3 D2 Ea ^{1,2+4} Eb F2
2	008 916 70 00	B3 C1 (180)


For small embroidery designs and free-arm embroidery of tubular items such as sleeves, trouser legs and socks. The template allows accurate positioning of the motif on the item to be embroidered.

Embroidery area:
1: 5.0 × 7.2cm
2: 4.0 × 6.0cm



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Medium embroidery hoop



1	030 871 72 00	B4 C1 (185) C2 C3 D2 Ea ^{1,2+4} Eb F2
2	008 915 70 00	B3 C1 (180)


This hoop is large enough to accommodate attractive medium-sized embroidery designs. The template allows accurate positioning of the motif on the item to be embroidered.

Embroidery area:
10 × 13cm



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Large embroidery hoop



008 914 73 00	B3 C1 (180)
----------------------	-------------

The big embroidery hoop for large-scale embroidery designs or combinations of motifs. The template allows accurate positioning of the motif on the item to be embroidered.

Embroidery area:
15.5 × 20cm



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Large oval embroidery hoop



030 870 74 00	B4 C1 (185) C2 C3 D2 Ea ^{1,2+4} Eb F2	
030 575 50 01 Template	B4 C1 (185) C3	orange
030 575 51 00 Template	C2 D2 Ea ^{1,2+4} Eb F2	violet


Designed for large embroidery projects, the large oval hoop is ideal for combining several small motifs. The template allows accurate positioning of the motif on the item to be embroidered.

Embroidery area:
14.5 × 25.5cm



[CLICK TO SEE
A VIDEO
TUTORIAL](#)


Mega embroidery hoop



030 580 75 00 B4 C2 C3 D2 Ea^{1,2+4} Eb F2

The embroidery hoop for extra-large embroidery designs and combinations of motifs, as well as borders. The three embroidery positions allow you to embroider precisely without mismatches or gaps. The template allows accurate positioning of the motif on the item to be embroidered.

Embroidery area:
15 × 40cm



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Midi embroidery hoop



102 374 70 00 D2 Ea^{1,2+4} Eb F2

Designed for large embroidery projects, the oval Midi hoop is ideal for combining several small motifs. A large knob with a ratchet mechanism allows easy hooping and unhooping of the material. The template serves as a support for accurately positioning the motif on the item to be embroidered.

Embroidery area
26.5 × 16.5cm




Maxi embroidery hoop



034 925 70 00 D2 Ea^{1,2+4}


This embroidery hoop is for especially large embroidery designs and combinations of motifs, as well as borders. A large rotating knob with a ratchet mechanism allows for easy hooping and unhooping of the material. The template enables accurate positioning of the motif on the item to be embroidered.

Embroidery area:
40 × 21cm



[CLICK TO SEE
A VIDEO
TUTORIAL](#)


Jumbo embroidery hoop



032 842 73 00 D2 Ea^{1,2+4} F2

Ideal for especially large embroidery projects, this hoop excels at creating extra-large embroidery designs, combinations of motifs, and borders. A large rotating knob with a ratchet mechanism allows for easy hooping and unhooping of the material. The template enables accurate positioning of the motif on the item to be embroidered.

Embroidery area:
40 × 26cm



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

"Hoop ,n' Buddyz" hoop insert




031 184 70 00 B4 C1 (185) C2 C3 D2 Ea^{1,2+4} Eb F2

Used in conjunction with the large oval embroidery hoop, this hoop is ideal for embroidering caps and for working with slippery or difficult materials.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Free-arm-embroidery adapter for small hoop



008 913 72 00

B3 B4 C

Free-arm-embroidery adapter for medium and oval hoops



033 648 70 00*

B4 C1 (185) C2 C3

* While stocks last

These adapters provide you with more space, making them ideal for embroidering tubular and closed sewing projects such as trouser legs, blouses, coat pockets and small T-shirts. They are designed for use with the small embroidery hoop/ medium and oval embroidery hoops, respectively.



CLICK TO SEE
A VIDEO
TUTORIAL

BERNINA Embroidery Design Studio

**Finding attractive embroidery motifs**

The BERNINA Embroidery Design Studio is an online library that makes tens of thousands of professionally digitised motifs available to embroiderers. Simply enter a term or an embroidery technique in the web shop's search box and select, pay for and download your desired motif from the preview – it couldn't be easier!

Embroidering the motifs

The motifs are downloadable in all common data formats, and can be embroidered on almost any sewing and embroidery machine. The BERNINA ArtLink Software, which is available free of charge, allows you to view the motifs and change their formats if necessary.

www.berninadesignstudio.com

BERNINA ArtLink Software for free download

www.bernina.com/support/ArtLink-V8



SOFTWARE





BERNINA Embroidery Software 8



Full Version DesignerPlus 8

036 738 72 00 B4 C D2 Ea^{1,2+4} Eb F2

Update for DesignerPlus 5-7

036 738 72 01 B4 C D2 Ea^{1,2+4} Eb F2

Upgrade for EditorPlus 5-7

036 738 72 02 B4 C D2 Ea^{1,2+4} Eb F2

Education (5 individual licenses)*

036 738 72 04 B4 C D2 Ea^{1,2+4} Eb F2

* No updates possible

BERNINA Embroidery Software 8 – even more creativity in 3D

BERNINA Embroidery Software 8 provides you with a wide range of unique features and 3D effects for creative embroidery with an individual touch. A 30-day trial version of the Software is also available as a free download.

The Software comes with a USB stick and a card with a product key that replaces the dongle of previous versions. The USB stick is used to install the software, which must then be activated by the product key.

The USB stick consists of two parts: one takes care of the installation, is write-protected, and hence appears in Windows Explorer as the CD drive. The other serves as removable media, and can be used to transfer data such as embroidery motifs to your embroidery machine.

BERNINA Embroidery Software 8 is activated online using the product key. The licensing agreement, which must be accepted before completion of installation, allows the user to activate the software on two different computers. A third activation option is also held in reserve for a new computer replacing an old one.

[CLICK TO SEE
A VIDEO
TUTORIAL](#)

CorelDRAW[®]
Graphics Suite SE

Edit your photos and designs in Corel (Artwork Canvas Mode) and convert them directly into an embroidery motifs (Embroidery Canvas Mode).



Use this digitizing software with Windows 8-10. The window is scaled automatically to standard or 4K screen resolution. When using 4K monitors, increase the scaling factor to improve icon recognition.



Color PhotoStitch

Convert a favourite snapshot of your four-legged friend into a photorealistic, detailed embroidery motif. The new automatic digitizing lets you accomplish this in just a few simple steps and embroider the result on your BERNINA embroidery machine. Simply choose the colour and size, and the Software will do the rest.



3D-Globe Effect

Create stunning 3D globe effects! The Software turns flat embroidery into deceptively realistic-looking 3D embroidery motifs.

Couching

Embellish your embroidery with brand-new effects with the addition of woollen yarns and cords. These will stand out in relief when couched, giving your creations a very special 3D look.



BERNINA Toolbox



Lettering Basic

101 425 70 01 B4 (555/570/630) C2 (730) C3 (560/580/640) D2 Ea^{1,2+4} Eb F2

Editing

101 425 70 00 B4 (555/570/630) C2 (730) C3 (560/580/640) D2 Ea^{1,2+4} Eb F2

Lettering

101 425 70 02 B4 (555/570/630) C2 (730) C3 (560/580/640) D2 Ea^{1,2+4} Eb F2

Monogramming

101 425 70 03 B4 (555/570/630) C2 (730) C3 (560/580/640) D2 Ea^{1,2+4} Eb F2

Bundle

101 425 70 04 B4 (555/570/630) C2 (730) C3 (560/580/640) D2 Ea^{1,2+4} Eb F2

30-day trial version

101 425 70 05 B4 (555/570/630) C2 (730) C3 (560/580/640) D2 Ea^{1,2+4} Eb F2

BERNINA Toolbox – The right tool for every embroidery project

Ideal for those first steps in embroidery, the BERNINA Toolbox Software will wow you with its simplicity and intuitive operation. It offers a wide range of embroidery motifs and lettering options.

The BERNINA Toolbox consists of individual modules that can be combined as wished, depending on your intended application. The software can be installed on computers running on either Mac or Windows operating systems.

You'll find the embroidery motif library in the BERNINA Cloud, the web service where embroidery motifs are displayed, saved and edited. The website <http://www.berninacloud.com> gives you access to the contents of the Toolbox via your PC, smartphone or tablet, letting you edit embroidery motifs any time, anywhere. To embroider the motifs, simply download them in the desired embroidery format.

In principle, the BERNINA Toolbox can be installed on any number of devices, although the software may be used simultaneously on no more than two. The software licences are easy to activate and deactivate, allowing for flexible use.

A 30-day trial version is available for free download at www.bernina.com/toolbox-trial. After expiry of the trial period you may continue to use Toolbox for free, but with restricted use of the functions. Users can then purchase individual modules suited to their specific needs.



Scan the QR code to see a video tutorial.



Add and
edit
lettering



Edit
embroidery
designs



Modify
and design
lettering



Personali-
zation



All-in-one!



Free 30-day
trial version

BERNINA DesignWorks Software Suite



034 275 73 00 B4 C2 C3 D2 Ea^{1,2+4} Eb F2

BERNINA DesignWorks Software codes

PaintWork	034 229 71 00	B4 (555,570)	C3 (560,580)	D2	Ea ^{1,2+4}	Eb	F2
CutWork	034 229 71 01	B4	C2 C3	D2	Ea ^{1,2+4}	Eb	F2
CrystalWork	034 229 71 02	B4 (555,570)	C3 (560,580)	D2	Ea ^{1,2+4}	Eb	F2
CutWork update	034 229 71 03	B4 (555,570)	C3 (560,580)	D2	Ea ^{1,2+4}	Eb	F2

BERNINA DesignWorks tools



PaintWork (93)	033 692 71 00	B4 (555,570)	C3 (560,580)	D2	Ea ^{1,2+4}	Eb	F2
CutWork (44C)	034 276 72 00	B4	C2 C3	D2	Ea ^{1,2+4}	Eb	F2
CrystalWork (48)	034 273 72 00	B4 (555,570)	C3 (560,580)	D2	Ea ^{1,2+4}	Eb	F2

BERNINA CrystalWork materials

CrystalWork template material	034 375 70 00*	B4	C2 C3	D2	Ea ^{1,2+4}	Eb	F2
CrystalWork adhesive film	034 376 70 00*	B4 (555,570)	C3 (560,580)	D2	Ea ^{1,2+4}	Eb	F2

* While stocks last

Straight- and CutWork stitch plate

033 339 72 00	B1 (210–380)	B4	B5				
033 339 73 13			C3				
033 339 71 07				D	Ea ³⁺⁴	Eb ³⁺⁴	Ec ³
033 371 72 04			C1 C2				
033 339 70 14				Ea ²	Eb ²	Ec ¹⁺²	
034 914 70 00							F

BERNINA DesignWorks spare parts

CutWork needles	033 375 71 00	B4	C2 C3	D2	Ea ^{1,2+4}	Eb	F2
CrystalWork punching die set	034 343 71 00	B4 (555,570)	C3 (560,580)	D2	Ea ^{1,2+4}	Eb	F2

Creativity in three new dimensions


Now you can cut shapes, paint colourful designs and create glittering crystal appliqués with a BERNINA sewing and embroidery machine. Use the techniques separately or in combination to explore new dimensions of creativity. Three unique accessories plus a modular software package turn your BERNINA embroidery machine into a creative multimedia machine.

The BERNINA DesignWorks Software Suite includes all three modules: CutWork, PaintWork and CrystalWork. Upon installation of the software, each module is activated through an access code specific to that module. Modules may be purchased individually or in combination. Each module of the BERNINA DesignWorks Software Suite contains 744 stitches and over 40 designs to get you started on your creative adventure.

Please note that the sewing tools and accessories for use with the BERNINA DesignWorks Software are available separately.

The BERNINA CutWork Software and the relevant tools and accessories are compatible with the following BERNINA embroidery-machine models: artista 200/630/640/730, aurora 430/435/450.

[CLICK TO SEE
A VIDEO
TUTORIAL](#)





ACCESSORIES FOR OVERLOCKERS/SERGERS



Category A

BERNINA 009DCC
BERNINA L 220

**Category B**

BERNINA 700D
BERNINA 800DL
BERNINA 870D
BERNINA 880DL

**Category C**

BERNINA 1100D
BERNINA 1100DA
BERNINA 1110D

**Category D**

BERNINA 1000DA
BERNINA 1200DA
BERNINA 1300DC

**Category E**

BERNINA 1150MDA
BERNINA 1200MDA
BERNINA 1300MDC



Category F

- 1 BERNINA L 450
- 2 BERNINA L 460



Category G

- 1 BERNINA L 850
- 2 BERNINA L 890





General sewing



Standard presser foot overlock



	502 010 72 05	B
	502 010 54 53	C
	502 010 75 49*	D (1000DA/1200DA) E (1150MDA/1200MDA)
1	502 070 03 97	F
2	L10 103 611 700 00	G1

* While stocks last

Suitable for most overlocking projects where the fabric edge is cut and neatened in a single operation. The presser foot is equipped with an adjustable open tape guide.




Standard presser foot overlock/coverstitch #C11




	502 010 70 20	D (1300DC) E (1300MDC)
C11	103 608 700 00	G2

For general sewing projects with overlock and combo stitches. The markings on the presser foot are practical guiding aids.




Clear standard presser foot overlock/coverstitch #L27/C27




1	L27 104 042 700 00	G1
2	C27 104 041 700 00	G2

The transparent standard presser foot is suitable for general sewing and provides a good view of the seam and fabric for more precise sewing, e.g. with corners and curves.



Chainstitch foot




1	502 010 52 41	A
2	C13 103 417 700 00	G2

The Chainstitch foot improves fabric feed when chainstitching. It is perfect for seams on layers of fabric of the same height, or for sewing flat fabric.





Hems and topstitching

Coverstitch/Compensating foot




1	502 010 76 27	A (L220)			
1	502 010 52 16	A (009DCC)			
1	502 010 70 38		D (1300DC)	E (1300 MDC)	
2	C12 103 609 700 00				G2

For seams, hems, bindings and decorative sewing with cover or chainstitch along uneven layers of fabric. The spring-loaded sides of the foot guide the fabric when sewing binding, hems with elastic, or narrow topstitching.




Elasticator foot




	502 010 64 59	B	C	D	E	
1	502 070 03 50					F
2	L14 103 414 700 00					G1
	C14 103 610 700 00					G2


The Elasticator foot guides and stretches the elastic as it is being sewn on. Ideal for lingerie, swimwear, sportswear and home textiles.



[CLICK TO SEE
A VIDEO
TUTORIAL](#)





Blindstitch foot




1	502 010 64 58	B	C	D	E	universal
2	502 070 03 48				F	0.5mm
2	502 070 03 49				F	1.0mm
3	L19 103 785 700 00					G1 universal
	C19 103 784 700 00					G2 universal

The adjustable guide plate on the side makes it easier to stitch blind hems. The Blindstitch foot can also be used for flatlocking folded edges and for heirloom techniques. The 0.5mm foot is suitable for fine and medium-weight fabrics, whilst the 1.0mm foot is ideal for medium-weight and heavy materials.



Double fold binder attachment for unfolded bias tape #C21



103 786 700 00	A	D (1300DC)	E (1300 MDC)	G2	10/38 mm
104 835 700 00	A	D (1300DC)	E (1300 MDC)	G2	15/60 mm
103 788 700 00	Adapter				

Due to the top bottom double-fold binder, fabric edges and necklines can be perfectly bordered with bias tape. The unfolded tape is inserted through the attached guide rail, folded over twice on the upper and lower sides of the bias tape and sewn on with a cover or chain stitch. For the perfect look, the bias tape can also be self-made.


Tapes of 38 mm width result in a finished width of approx. 10 mm.

Tapes of 60 mm width result in a finished width of approx. 15 mm.

An attachment adapter is required to use the tape binder.



Single fold binder attachment for unfolded bias tape #C22



103 787 700 00	A	D (1300DC)	E (1300 MDC)	G2	10/30 mm
104 836 700 00	A	D (1300DC)	E (1300 MDC)	G2	15/45 mm
103 788 700 00	Adapter				

With the single-fold binder, fabric edges and necklines can be perfectly bordered with bias tape. The unfolded tape is inserted through the attached guide rail, folded over twice on the upper side while the under side remains open, and is then sewn on with a cover stitch. For the perfect look, the bias tape can also be self-made.


Tapes of 30 mm width result in a finished width of approx. 10 mm.

Tapes of 45 mm width result in a finished width of approx. 15 mm.

An attachment adapter is required to use the tape binder.




Hem guide



502 010 68 87*	A	(009DCC)	D (1300DC)	E (1300 MDC)	
502 010 77 22	A (L220)				


* While stocks last

The hem guide ensures even, parallel feeding of pre-folded fabric. Particularly suitable for hems on shirts and dresses made from stretch and highly elastic fabrics.



Decorative sewing


Multi-purpose foot with guide



502 010 64 61	B ¹ C D	Foot with guide
502 010 70 96	E	Foot with guide
502 010 07 70	B C D E	Foot
502 070 03 51	F	Foot
502 010 07 72	B ¹ C D	Guide
502 010 71 00	E	Guide

¹ With Accessory mounting bracket 502 010 54 11 only

The guide groove guides the piping as it is being made and sewn in. The open guide channel facilitates the sewing-on of strings of beads and sequins.




[CLICK TO SEE
A VIDEO
TUTORIAL](#)

Beading and sequin foot #L15/C15



L15	103 419 700 00	G1
C15	103 418 700 00	G2

With the Beading and sequin foot strings of beads and sequins up to a maximum diameter of 6 mm can be sewn on easily and quickly. It is used to create a beautiful finishing along fabric edges or decorations along flat seams. The groove on the bottom side of the foot and the guide on the side hold the strings of beads and sequins optimally so that they can be sewn on the fabric without shifting. In combination with the right seam guide as guiding aid, the seams will be especially precise.



Piping foot #L16S/L16L/C16S/C16L




L16S	103 422 700 00	G1
L16L	103 423 700 00	G1
C16S	103 420 700 00	G2
C16L	103 421 700 00	G2


The Piping foot suits best to create and sew in piping. The markings on the presser foot are practical guiding aids.

The feet # L16 S and # C16 S are used for light fabrics and for piping up to maximum of 3 mm.

The feet # L16 L and # C16 L are used for medium-weight and heavy fabrics as well as for piping up to a maximum of 5 mm.




Cording foot




1	502 010 64 60	B C D E	
2 L17	103 425 700 00		G1
C17	103 424 700 00		G2

The Cording foot is used e.g. for sewing thin cord, wire, fishline, perle yarn or fine yarn into a rolled hem. Ideal for reinforced edges, decorative ruffles and shapeable knitted bands.



Gathering foot



1	502 010 68 82	B C D E	
2	502 070 03 52		F
3 L18	103 427 700 00		G1
C18	103 426 700 00		G2

The fabric to be gathered is positioned underneath the gathering attachment, whilst the fabric that remains flat passes over it. The fabric is gathered by differential feed at the same time as it is sewn onto the flat fabric.



**CLICK TO SEE
A VIDEO
TUTORIAL**

Gathering attachment




502 010 64 67	B¹ C D
502 010 70 95	E

¹ With Accessory mounting bracket 502 010 54 11 only

The tab on the attachment separates the two layers of fabric. The bottom layer is gathered whilst the top layer remains flat. You can simply gather a length of fabric, or gather the fabric whilst simultaneously sewing it onto a flat piece of fabric.




Decorative-thread guide



1	502 070 03 55	F
2	L25 103 789 700 00	G

This guide is ideal for sewing wide seams and hems with decorative threads. Because the thread-tension unit is bypassed, little or no tension is applied to the decorative thread.




Decorative-thread spool pin




1	502 070 03 55	F
2	L26 103 790 700 00	G

This horizontal spool pin holds parallel-wound flanged spools and conventional household spools of decorative and metallic thread. Lying on its side, the spool is unrolled rather than unwound, which prevents the threads from twisting.



Other accessories


Right and left seam guide



1	502 010 06 81	A	B	C	D	E	left
2	502 010 65 99	B ¹	C	D			right
2	502 010 70 97					E	right
3	502 070 03 53					F	right
4	103 415 700 00					G	right

¹ With Accessory mounting bracket 502 010 54 11 only

The right seam guide helps to guide the fabric and ensures that it is cut evenly. The left seam guide is ideal for sewing parallel lines of overlocking, coverstitching and chainstitching.



Extension table



502 070 03 57 F

The Extension table increases the sewing area to the left of the needle. It allows large fabrics to be guided more easily and gives a better overview of the sewing project.



Freearm cover




104 547 700 00 G

The Freearm cover is used to cover the opening of the freearm to get a consistent working surface in the sewing area. At the same time, the stitch plate remains easily accessible.



Cut-offs bin



1	502 010 66 88	B
1	502 010 65 79	C D E
2	502 070 03 58	F
3	034 657 500 00	G

The Cut-offs bin keeps the sewing table tidy. Simply click it on to the looper cover and dispose of fabric waste immediately after cutting. It can also be used to store the foot control.




BERNINA tweezers




031 564 52 00	A B C ¹ D ¹ E ¹ F G
---------------	--

¹ Does not fit in the accessories holder in the looper cover.

BERNINA tweezers allow you to thread your overlocker with ease and remove any remaining pieces of thread from the machine.




Needle threader/inserter



1	502 070 03 69	A B C D E ¹ F G
2	502 010 70 44	E

¹ Does not fit in the accessories holder in the looper cover.

The needle threader/inserter makes it easy to hold, insert and thread overlocker needles.




Threading wire



104 067 700 00 G

If thicker thread is used or a thread knot occurs which is too bulky for the air threader, the Threading wire supports manual threading. Additionally, the wire can be used temporarily in case of a blockage of the air threader.


Brush/Needle inserter



1	502 010 72 47	A B C D E	with needle inserter
2	502 070 03 63	F	
3	330 022 031 03	G	

This tool helps you remove dust and lint from the looper and stitch-plate area. One of the two variants also holds the needle in place during insertion.

Screwdriver



1	502 010 76 46	A (L220)	1.5mm hex
2	502 010 06 80	A (009DC) B C D E	slot
3	035 987 50 00	F G	1.5mm hex

The screwdriver makes changing needles simplicity itself.

Spool stabilizer



1	502 010 08 75	A	B	C	D	E
2	502 070 03 60					F
3	008 986 500 300					G

The spool stabilizer prevents spools and cones of various sizes from vibrating at both slow and fast sewing speeds.

Accessory mounting bracket



502 010 54 11	A (009DCC)	B	C
---------------	------------	---	---

The accessory holder is required to attach overlock accessories such as the seam guide or the gathering guide.

Coverstitch lock tool



104 050 700 00						G
----------------	--	--	--	--	--	---

With the Coverstitch lock tool, the needle threads can be pulled between foot and stitch plate easily. This eases cutting and locking the cover- and chainstitch. The scale serves as tool to measure hems, seams or mark fabrics. In addition it can be used to adjust the seam guide.



Threading kit overlocker



103 377 700 00

G

The thread kit facilitates threading and adjusting the appropriate thread tension. The threads can be threaded according to the colour-coded threading paths. The corresponding colours make it easy to recognize which thread tension can be fine tuned. The stitch formation can be checked and adjusted accordingly. The kit includes five differently coloured threads.



Overlocker oil



033 567 700 01

G

Regular care ensures the flawless operation of the overlocker. Lubricating with this convenient Oil pen is an important part of it. For overlockers a special oil is used which can be identified by the transparent bottle.



Touchscreen pen



104 090 70 00

G2

For easy operation of the touchscreen on overlocker. The pen is magnetic and can be attached to the right side of the machine. Using the touchscreen pen helps keep the screen clean.

Accessories box



502 070 03 65 A B C D E F G

The Accessories box can be used to store overlocker presser feet and other accessories. Please note that the Accessories box is supplied empty.



Accessories box/Accessories box extension



1 104 290 700 00 A B C D E F G
2 104 291 700 00 A B C D E F G

The large Accessories box and the corresponding extension box provide a lot of storage space for presser feet and further accessories. The knobs on the bottom of the boxes ensure a solid stability on the machine and prevent the boxes from shifting during transportation. The removable lid serves as a temporary tray for additional small parts used while sewing. The Accessories box is delivered without content.



Carrying case for overlockers/sergers



502 010 72 00 A B C D E F

Keep your overlocker in tip-top condition when traveling, and protect it when not in use.



Overlocker-Trolley



103 670 700 00

G

The practical trolley is very sturdy and perfectly suited when you are en route. The inner and outer pockets provide a lot of space for accessories. Due to the robust castors and the retractable telescope handle, the machine can be pulled comfortably. The sideways handles allow a convenient dealing when loading and unloading.



Professional Quilting

BERNINA Q20 / Q24
longarm quilting machines

Introducing *BIG*

The BERNINA Q20 and Q24 Longarm machines embody the dream of creating a machine simple enough for a beginner to master, yet robust enough for the professional.

Dream BIG

BERNINA is excited to share with you the fulfilment of a vision that was 120 years in the making. A long history of innovation and a wealth of quilting expertise have been combined in a machine that will meet the demands of discerning quilters everywhere. From the very first stitch, you will appreciate the thought behind every detail.

Confidently finish your large quilt projects, explore art-quilting, or enter a quilt competition. BERNINA is the perfect partner for home or studio.

More information at www.bernina.com/longarm
Not all products and models are available in all countries.





0338795.70A.04



0338795.70.04

BERNINA

Mettler[®]