

Gnome-antics


555-685E-555

by jennifer pugh

A 1828-82620-193
2/3 yd. (1 panel)



B 1828-82621-137
1 1/2 yds.



C 1077-89205-901
1/2 yd.



D 1828-82626-371
1/2 yd.




E 1828-82628-991
7/8 yd. (Incl. Binding)



F 1828-82627-339
1/3 yd. (or FQ)



G 1828-82628-331
1/3 yd. (or FQ)



H 1828-82624-137
3/8 yd.



L 1828-82622-139
3/8 yd. (or FQ)



I 1828-82623-173
3/8 yd. (or FQ)



M 1828-82624-937
1/3 yd. (or FQ)



J 1828-82625-931
1/3 yd. (or FQ)



N 1828-82626-971
3/8 yd.



K 1828-82625-930
1/4 yd. (or FE)



O 1828-82623-973
3/8 yd. (or FQ)



Quilt: 57" x 63"

Quilter's Choice

P (Backing Only)
44/45" - 3 3/4 yds.
108" - 2 yds.



www.wilmingtonprints.com

Wilmington Prints: A World of Possibilities



www.hancocks-paducah.com

Gnome-antics

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:


If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.


Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 9-3/4" x 45-1/2" multi-stripe borders (1 with hat stripe on top, 1 with hat stripe on bottom)

Fabric C - Cut (4) 2-3/4" strips. Sew 2 strips together end to end and cut into (1) 2-3/4" x 47" and (1) 2-3/4" x 24" strips. Repeat for a total of 2 each length strip.

Fabric D - Cut (1) 5-3/4" strip, subcut (4) 5-3/4" squares then cut in half diagonally twice  for 16 triangles

Cut (5) 1-1/2" strips, sewn together end to end and cut into (4) 1-1/2" x 45-1/2" strips

Fabric E - Cut (2) 3-1/8" strips, subcut (16) 3-1/8" squares then cut in half  diagonally for a total of 32 triangles
Cut (7) 2-1/2" strips (binding)

Fabric F - Cut (1) 6-1/2" strip, subcut (4) 6-1/2" x 9-1/2" pieces

Fabric G - Cut (1) 6-1/2" strip, subcut (4) 6-1/2" squares

Fabrics H and N - From each fabric:
Cut (1) 9-1/2" strip, subcut (2) 9-1/2" x 11-3/4" pieces

Fabrics I and O - From each fabric:
Cut (1) 9-1/2" strip, subcut (1) 9-1/2" x 14" piece

Fabric J - Cut (1) 6-1/2" strip, subcut (2) 6-1/2" x 9-1/2" pieces

Fabric K - Cut (1) 3-1/2" strip, subcut (4) 3-1/2" x 6-1/2" pieces


Fabric L - Cut (1) 9-1/2" strip, subcut (2) 6-1/2" x 9-1/2" pieces

2. Piecing Order:

1. Sew 2 **Fabric E** 3-1/8" triangles to short edges of a **Fabric D** 5-3/4" triangle as shown. Make a total of 16 units (2-3/4" x 5" unfinished).



2. Arrange 4 units in a vertical row. Stitch units together. Make a total of 4 blocks (5" x 9-1/2" unfinished).



3. Refer to Quilt Layout (Page 3) for arrangement and placement of sections and rows.

4. Stitch **Fabric C** 2-3/4" x 24" strips to short sides of the **Fabric A** panel. Trim strip ends even. Add 2-3/4" x 47" **Fabric C** strips to long sides of panel. **Trim bordered panel to 27" x 45-1/2" (unfinished).**

5. Sew **Fabric B** 9-3/4" x 45-1/2" borders above and below the bordered panel. Quilt center measures 45-1/2" square (unfinished).

6. Fold and press **Fabric D** 1-1/2" x 45-1/2" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.

7. Baste 3/4" x 45-1/2" **Fabric D** flat piping strips on top of sides of quilt center, with raw edges even with raw edges of quilt center. Baste 3/4" x 45-1/2" **Fabric D** flat piping on top of top and bottom of quilt center, with raw edges even with raw edges of quilt center.

8. Arrange 1 each **Fabrics J, L, and M** 6-1/2" x 9-1/2" pieces, 2 **Fabric G** 6-1/2" squares, and 2 **Fabric K** 3-1/2" x 6-1/2" pieces on right and left sides of quilt. Stitch into rows (6-1/2" x 45-1/2" unfinished). Sew to right and left sides of quilt center. Press seam allowances toward pieced border leaving flat piping over quilt center.

Gnome-antics

9. Arrange 2 blocks, 2 **Fabric F** 6-1/2" x 9-1/2" pieces, 2 **Fabric H** 9-1/2" x 11-3/4" pieces, and 1 **Fabric I** 9-1/2" x 14" piece above quilt. Stitch into row (6-1/2" x 57-1/2" unfinished). Sew to top of quilt center. Press seam allowance toward pieced border leaving flat piping over quilt center.

10. Arrange 2 blocks, 2 **Fabric F** 6-1/2" x 9-1/2" pieces, 2 **Fabric N** 9-1/2" x 11-3/4" pieces, and 1 **Fabric O** 9-1/2" x 14" piece below quilt. Stitch into row (6-1/2" x 57-1/2" unfinished). Sew to bottom of quilt center. Press seam allowance toward pieced border leaving flat piping over quilt center.

11. The quilt measures approximately 57-1/2" x 63-1/2" (unfinished). Make backing (**Fabric P**) approximately 8" larger than the top.

13. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

Gnome-antics

QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.

