

BASIC Panel Quilt #28



BASIC Panel Quilt #28

Fabric A 2/3 yard (1 panel)

Fabric B 3/8 yard

Fabric C 1-3/4 yards

Fabric D 3/8 yard

Fabric E 5/8 yard (Binding only)

Fabric F 1-7/8 yards (44/45" Backing Only)

Quilt Size: 34" x 52-1/2"*

*Size may vary depending on width of Fabric 'C' stripes and finished size of Fabric 'A' Panel.

BASIC Panel Quilt #28

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42"

Fabric B - Cut (2) 2-1/4" strips

Cut (2) 2-1/4" strips, subcut (2) 2-1/4" x 28" strips

Fabric C - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 3-1/2" x 55" and (2) 3-1/2" x 36" borders

Fabric D - Cut (2) 1-3/4" strips, subcut (2) 1-3/4" x 34-1/2" strips

Cut (3) 1-3/4" strips, sewn together end to end and cut into (2) 1-3/4" x 50-1/2" borders

Fabric E - Cut (6) 2-1/2" strips (binding)


2. Piecing Order:

1. Refer to Quilt Layout (Page 2) for arrangement and placement of panel and borders.

2. Stitch **Fabric B** 2-1/4" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 2-1/4" x 28" **Fabric B** strips to top and bottom of panel. **Trim quilt center to 26" x 44-1/2" (unfinished).**


Shading of diagrams may vary depending on fabrics used.

3. Center **Fabric C** 3-1/2" x 55" borders on right and left sides of quilt center and **Fabric C** 3-1/2" x 36" borders on top and bottom of quilt center with the top edge of stripe next to quilt center. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out.



*Letters in italics indicate wrong side of fabric.
Arrows indicate orientation of directional prints.*

4. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



5. Sew **Fabric D**

1-3/4" x 50-1/2" borders to

right and left sides of quilt. Add **Fabric D**

1-3/4" x 34-1/2" borders to top and bottom of quilt.

6. The quilt measures approximately 34-1/2" x 53" (unfinished). Make backing (**Fabric F**) approximately 8" larger than the top.


7. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

BASIC Panel Quilt #28

QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.



Shading of Quilt Layout may vary depending on fabrics used.