

Hexie Pillow-looza

2 - 18" sq. Pillows

Requires:

A 1 - 5 Karat Packs

B Front & Back: 1 1/2 yards

Featuring 5 Karat
Gems or Jewels Packs



A 1 - 507-43-507 Cold Snap



A 1 - 507-28-507 Royal Nights

A 1 - 507-14-507 Magic Colors



Wilmington Prints: A World of Possibilities

www.wilmingtonprints.com

Hexie Pillow-looza

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

Fabric B - Cut (1) 18-1/2" strip, subcut
(2) 18-1/2" squares
Cut (2) 14" strips, subcut (4) 14" x 18-1/2"
backing pieces

*Note: Prints in 5" square pack may vary from
color quilt image.*


2. Piecing Order:

1. Select 2 sets of 19 **Fabric A** 5" squares, 1 set
for each pillow.

2. There are several ways to piece hexagons.
Hand-stitching directions are given but you
may use your favorite method. Hexagon
template is given with 1/4" seam allowance for
methods that require it.

3. Make a template of the inner hexagon,
without seam allowance for hand stitching.



4. Trace the hexagon on wrong side of 19
Fabric A 5" squares. Roughly cut out the hexagons leaving
at least a 1/4" seam allowance.



Letters in italics indicate wrong side of fabric.

5. Arrange hexagons
in 5 vertical rows as
shown.


6. Sew hexagons into
vertical rows. To sew
together, place 2
hexagons right sides
together and pin them
together matching the ends
of the seam line to be sewn. Hand stitch the
seam along marked
line, only securing
stitch at each end.
Do not stitch into
seam allowance
beyond ends of marked lines. Do not press
until all the hexagons are sewn together.



7. In the same manner, sew rows together
working on 1 seam at a time. After sewing each
seam, re-align pieces to prepare the next seam
for sewing and continue stitching without
starting or stopping except at the end of the
rows.

8. Press seams alternately, 1 edge pressed in,
the next out. Press outside edges under along
the marked lines. Hexagon should measure 16"
wide x 17-1/2" tall.

9. Center the pieced
hexagon on a **Fabric B**
18-1/2" square
background. Use
stitch of choice to
secure the pieced
hexagon to the
background.




Pillow Top Layout

10. Fold and press an 18-1/2" edge of a **Fabric B**
14" x 18-1/2" background piece to the wrong
side. Fold and press to wrong side 1/2" again.
Top stitch the hem down. Repeat for a
second
backing.



11. Arrange the 2 backing pieces, overlapping
hemmed edges in center, right sides together
with the pillow top aligning raw edges. Sew
together 1/4" from outside edges. Zig zag over
raw edges to prevent fraying.



*Shading of diagrams
may vary depending on fabrics used.*



Hexie Pillow-looza

12. Turn pillow right side out. Insert 18" square pillow form.

13. Repeat Steps 4-12 to make a second pillow. *Enjoy!*



*Please check size since printers may vary.
Enlarge or reduce on a copier as needed.*



Hexie Pillow-looza

Print page "actual size". Measure a template to be sure the page printed correctly.
Seam allowance not included.



*Please check size since printers may vary.
Enlarge or reduce on a copier as needed.*

Hexagon Template

Hexagon
measures
3-1/2" tall x 4" wide

Hexagon Template

Hexagon
measures
3-1/2" tall x 4" wide

Hexagon Template

Hexagon
measures
3-1/2" tall x 4" wide

Hexagon Template

Hexagon
measures
3-1/2" tall x 4" wide



Hexie Pillow-looza

2 - 18" sq. Pillows

Requires:

A 1 - 5 Karat Packs

B Front & Back: 1 1/2 yards

A 1 - 506-78-506 Queen Bee



A 1 - 506-73-506 Golden State

A 1 - 506-76-506 Sheer Luck



Wilmington Prints: A World of Possibilities

www.wilmingtonprints.com